



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

Webstone, A Brand of NIBCO
60A Solferino Street
Worcester, MA 01604, United States

Plant Location:

Long Xi Town, Yuhuan, China

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 09/14/2023

Material/Product:

Low Lead Products

Contact Temperature:

82 ± 2°C

Models:

H-28023W E2 ADAPTER
H-29003-LF CLOSE NIPPLE
H-40617W 2" IPS BALL DRAIN
H-41567W 2" NPT Ball Drain Strainer
H-50612W 1/2" SWT BALL DRAIN
H-81562W 1/2" Press Ball Drain Strainer
H-81564W 1" Press Ball Drain Strainer
H-81565W 1-1/4" Press Ball Drain Strainer
H-11403W- 3/4" PEX F1807 ISOLATOR WITH ROTATING FLANGE
H-11404W-1" PEX F1807 ISOLATOR WITH ROTATING FLANGE
H-11405W-1 1/4" PEX F1807 ISOLATOR WITH ROTATING FLANGE
H-11413W-3/4" PEX F1807 ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-11414W-1" PEX F1807 ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-11415W-1 1/4" PEX F1807 ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-14063W 3/4" Isolator EXP E2 PEX F1807 x Union - Two cold sides
H-14443W-3/4" ISOLATOR EXP E2 PEX F1807 x UNION
H-14443WPR-3/4" ISOLATOR EXP E2 PEX F1807 x UNION
H-14443WPR-LF-3/4" ISOLATOR EXP E2 PEX F1807 x UNION
H-14444W-1" ISOLATOR EXP E2 PEX F1807 x UNION
H-14444WPR-1" ISOLATOR EXP E2 PEX F1807 x UNION
H-14444WPR-LF-1" ISOLATOR EXP E2 PEX F1807 x UNION
H-14653W- 3/4" ISOLATOR EXP E2 PEX F1807 x UNION HOT SIDE
H-14654W-1" ISOLATOR EXP E2 PEX F1807 x UNION HOT SIDE
H-14663W- 3/4" ISOLATOR EXP E2 PEX F1807 x UNION COLD SIDE
H-14664W-1" ISOLATOR EXP E2 PEX F1807 x UNION COLD SIDE
H-15443WPR-3/4" ISOLATOR EXP E3 PEX F1807 x UNION
H-15444WPR-1" ISOLATOR EXP E3 PEX F1807 x UNION



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

H-2030XW Series - MIP Compact Hose Drain Series

H-28023-LF E2 ADAPTER

H-29003W CLOSE NIPPLE

H-31403W-3/4" PEX F1960 ISOLATOR WITH ROTATING FLANGE

H-31404W-1" PEX F1960 ISOLATOR WITH ROTATING FLANGE

H-31405W-1 1/4" PEX F1960 ISOLATOR WITH ROTATING FLANGE

H-31413W-3/4" PEX F1960 ISOLATOR WITH ROTATING FLANGE AND DRAIN

H-31414W-1" PEX F1960 ISOLATOR WITH ROTATING FLANGE AND DRAIN

H-31415W-1 1/4" PEX F1960 ISOLATOR WITH ROTATING FLANGE AND DRAIN

H-34063W 3/4" Isolator EXP E2 PEX F1960 x Union - Two cold sides

H-34443W-3/4" ISOLATOR EXP E2 PEX F1960 x UNION

H-34443WPR-3/4" ISOLATOR EXP E2 PEX F1960 x UNION

H-34443WPR-LF-3/4" ISOLATOR EXP E2 PEX F1960 x UNION

H-34444W-1" ISOLATOR EXP E2 PEX F1960 x UNION

H-34444WPR-1" ISOLATOR EXP E2 PEX F1960 x UNION

H-34444WPR-LF-1" ISOLATOR EXP E2 PEX F1960 x UNION

H-34653W- 3/4" ISOLATOR EXP E2 PEX F1960 x UNION HOT SIDE

H-34654W- 1" ISOLATOR EXP E2 PEX F1960 x UNION HOT SIDE

H-34663W-3/4" ISOLATOR EXP E2 PEX F1960 x UNION COLD SIDE

H-34664W-1" ISOLATOR EXP E2 PEX F1960 x UNION COLD SIDE

H-35443WPR-3/4" ISOLATOR EXP E3 PEX F1960 x UNION

H-35444WPR-1" ISOLATOR EXP E3 PEX F1960 x UNION

H-4030XW Series FIP Compact Hose Drain Series

H-40433W 3/4" IPS X UNION BALL DRAIN

H-40434W 1" IPS X UNION BALL DRAIN

H-40435W 1-1/4" IPS X UNION BALL DRAIN

H-40436W 1-1/2" IPS X UNION BALL DRAIN

H-40443W 3/4" Isolator EXP IPS x UNION

H-40443WPR 3/4" Isolator EXP IPS x UNION

H-40443WPR2 3/4" Isolator EXP IPS x UNION

H-40443WPR3 3/4" Isolator EXP IPS x UNION

H-40562W 1/2" NPT Y Strainer

H-40563W 3/4" NPT Y Strainer

H-40564W 1" NPT Y Strainer

H-40565W 1-1/4" NPT Y Strainer

H-40566W 1-1/2" NPT Y Strainer

H-40567W 2" NPT Y Strainer

H-40612W 1/2" IPS BALL DRAIN

H-40613W 3/4" IPS BALL DRAIN

H-40614W 1" IPS BALL DRAIN

H-40615W 1-1/4" IPS BALL DRAIN

H-40616W 1-1/2" IPS BALL DRAIN

H-40617W

H-40653W 3/4" ISOLATOR EXP IPS x UNION HOT SIDE

H-40663W 3/4" ISOLATOR EXP IPS x UNION COLD SIDE

H-41403W 3/4" IPS ISOLATOR with Rotating Flange

H-41404W 1" IPS ISOLATOR with Rotating Flange

H-41405W 1-1/4" IPS ISOLATOR with Rotating Flange

H-41406W 1-1/2" IPS ISOLATOR with Rotating Flange

H-41407WHV 2" FIP ISOLATOR WITH ROTATING FLANGE

H-41413W 3/4" IPS ISOLATOR with Rotating Flange and Drain

H-41413WKIT 3/4" IPS ISOLATOR with Rotating Flange and Drain

H-41414W 1" IPS ISOLATOR with Rotating Flange and Drain

H-41414WKIT 1" IPS ISOLATOR with Rotating Flange and Drain

H-41415W 1-1/4" IPS ISOLATOR with Rotating Flange and Drain



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

H-41415WKIT 1-1/4" IPS ISOLATOR with Rotating Flange and Drain
H-41416W 1-1/2" IPS ISOLATOR with Rotating Flange and Drain
H-41417WHV 2" FIP ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-41562W 1/2" NPT Ball Drain Strainer
H-41563W 3/4" NPT Ball Drain Strainer
H-41564W 1" NPT Ball Drain Strainer
H-41565W 1-1/4" NPT Ball Drain Strainer
H-41566W 1-1/2" NPT Ball Drain Strainer
H-44043 3/4" ISOLATOR EXP E2 IPS x UNION
H-44043WPR 3/4" ISOLATOR EXP E2 IPS x UNION
H-44043WPR2 3/4" ISOLATOR EXP E2 IPS x UNION
H-44043WPR3 3/4" ISOLATOR EXP E2 IPS x UNION
H-44044 1" ISOLATOR EXP E2 IPS x UNION
H-44044PR 1" ISOLATOR EXP E2 IPS x UNION
H-44044PR2 1" ISOLATOR EXP E2 IPS x UNION
H-44044PR3 1" ISOLATOR EXP E2 IPS x UNION
H-44053 3/4" ISOLATOR EXP E2/E3 IPS x UNION HOT SIDE
H-44053CP 3/4" ISOLATOR EXP E2/E3 IPS x UNION HOT SIDE
H-44054 1" ISOLATOR EXP E2/E3 IPS x UNION HOT SIDE
H-44063 3/4" ISOLATOR EXP E2/E3 IPS x UNION COLD SIDE
H-44063CP 3/4" ISOLATOR EXP E2/E3 IPS x UNION COLD SIDE
H-44063W 3/4" Isolator EXP E2 IPS x Union - Two cold sides
H-44064 1" ISOLATOR EXP E2/E3 IPS x UNION COLD SIDE
H-44443W 3/4" ISOLATOR EXP E2 IPS x UNION
H-44443WPR 3/4" ISOLATOR EXP E2 IPS x UNION
H-44443WPR2 3/4" ISOLATOR EXP E2 IPS x UNION
H-44443WPR3 3/4" ISOLATOR EXP E2 IPS x UNION
H-44444W 1" ISOLATOR EXP E2 IPS x UNION
H-44444WPR 1" ISOLATOR EXP E2 IPS x UNION
H-44444WPR2 1" ISOLATOR EXP E2 IPS x UNION
H-44444WPR3 1" ISOLATOR EXP E2 IPS x UNION
H-44653W 3/4" ISOLATOR EXP E2/E3 IPS x UNION HOT SIDE
H-44654W 1" ISOLATOR EXP E2/E3 IPS x UNION HOT SIDE
H-44663W 3/4" ISOLATOR EXP E2/E3 IPS x UNION COLD SIDE
H-44664W 1" ISOLATOR EXP E2/E3 IPS x UNION COLD SIDE
H-45443WPR 3/4" ISOLATOR EXP E3 IPS x UNION
H-45443WPR2 3/4" ISOLATOR EXP E3 IPS x UNION
H-45443WPR3 3/4" ISOLATOR EXP E3 IPS x UNION
H-5030XW Series - SWT Compact Hose Drain Series
H-50433W 3/4" SWT X UNION BALL DRAIN
H-50434W 1" SWT X UNION BALL DRAIN
H-50435W 1-1/4" SWT X UNION BALL DRAIN
H-50436W 1-1/2" SWT X UNION BALL DRAIN
H-50443W 3/4" Isolator EXP SWT x UNION
H-50443WPR 3/4" Isolator EXP SWT x UNION
H-50443WPR3 3/4" Isolator EXP SWT x UNION
H-50562W 1/2" SWT Y Strainer
H-50563W 3/4" SWT Y Strainer
H-50564W 1" SWT Y Strainer
H-50565W 1-1/4" SWT Y Strainer
H-50566W 1-1/2" SWT Y Strainer
H-50567W 2" SWT Y Strainer
H-50612W
H-50612WSSL 1/2" SWT BALL DRAIN
H-50613W 3/4" SWT BALL DRAIN



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

H-50613WSSL 3/4" SWT BALL DRAIN
H-50614W 1" SWT BALL DRAIN
H-50615W 1-1/4" SWT BALL DRAIN
H-50616W 1-1/2" SWT BALL DRAIN
H-50617W 2" SWT BALL DRAIN
H-50653W 3/4" ISOLATOR EXP SWT x UNION HOT SIDE
H-50663W 3/4" ISOLATOR EXP SWT x UNION COLD SIDE
H-50672W 1/2" CxC T-DRAIN
H-50673W 3/4" CxC T-DRAIN
H-50674W 1" CxC T-DRAIN
H-50675W 1-1/4" CxC T-DRAIN
H-50676W 1-1/2" CxC T-DRAIN
H-50677W 2" CxC T-DRAIN
H-51403W 3/4" SWT ISOLATOR with Rotating Flange
H-51404W 1" SWT ISOLATOR with Rotating Flange
H-51405W 1-1/4" SWT ISOLATOR with Rotating Flange
H-51406W 1-1/2" SWT ISOLATOR with Rotating Flange
H-51407WHV 2" SWT ISOLATOR WITH ROTATING FLANGE
H-51413W 3/4" SWT ISOLATOR with Rotating Flange and Drain
H-51413WKIT 3/4" SWT ISOLATOR with Rotating Flange and Drain
H-51414W 1" SWT ISOLATOR with Rotating Flange and Drain
H-51414WKIT 1" SWT ISOLATOR with Rotating Flange and Drain
H-51415W 1-1/4" SWT ISOLATOR with Rotating Flange and Drain
H-51415WKIT 1-1/4" SWT ISOLATOR with Rotating Flange and Drain
H-51416W 1-1/2" SWT ISOLATOR with Rotating Flange and Drain
H-51417WHV 2" SWT ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-54043 3/4" ISOLATOR EXP E2 SWT x UNION
H-54043PR 3/4" ISOLATOR EXP E2 SWT x UNION
H-54043PR2 3/4" ISOLATOR EXP E2 SWT x UNION
H-54043PR3 3/4" ISOLATOR EXP E2 SWT x UNION
H-54053 3/4" ISOLATOR EXP E2/E3 SWT x UNION HOT SIDE
H-54054 1" ISOLATOR EXP E2/E3 SWT x UNION HOT SIDE
H-54063 3/4" ISOLATOR EXP E2/E3 SWT x UNION COLD SIDE
H-54063W 3/4" Isolator EXP E2 SWT x Union - Two cold sides
H-54064 1" ISOLATOR EXP E2/E3 SWT x UNION COLD SIDE
H-54443W 3/4" ISOLATOR EXP E2 SWT x UNION
H-54443WPR 3/4" ISOLATOR EXP E2 SWT x UNION
H-54443WPR2 3/4" ISOLATOR EXP E2 SWT x UNION
H-54443WPR3 3/4" ISOLATOR EXP E2 SWT x UNION
H-54444W 1" ISOLATOR EXP E2 SWT x UNION
H-54444WPR 1" ISOLATOR EXP E2 SWT x UNION
H-54444WPR2 1" ISOLATOR EXP E2 SWT x UNION
H-54444WPR3 1" ISOLATOR EXP E2 SWT x UNION
H-54612W 1/2" SWT x IPS BALL DRAIN
H-54613W 3/4" SWT x IPS BALL DRAIN
H-54614W 1" SWT x IPS BALL DRAIN
H-54653W 3/4" ISOLATOR EXP E2/E3 SWT x UNION HOT SIDE
H-54654W 1" ISOLATOR EXP E2/E3 SWT x UNION HOT SIDE
H-54663W 3/4" ISOLATOR EXP E2/E3 SWT x UNION COLD SIDE
H-54664W 1" ISOLATOR EXP E2/E3 SWT x UNION COLD SIDE
H-55443WPR 3/4" ISOLATOR EXP E3 SWT x UNION
H-55443WPR2 3/4" ISOLATOR EXP E3 SWT x UNION
H-55443WPR3 3/4" ISOLATOR EXP E3 SWT x UNION
H-64063W 3/4" Isolator EXP E2 Push x Union - Two cold sides
H-64443W 3/4" ISOLATOR EXP E2 PUSH x UNION



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

H-64443WPR 3/4" ISOLATOR EXP E2 PUSH x UNION
H-64443WPR2 3/4" ISOLATOR EXP E2 PUSH x UNION
H-64443WPR3 3/4" ISOLATOR EXP E2 PUSH x UNION
H-64653W 3/4" Isolator EXP E2 M28 x Union Hot Side
H-64653W-WEB 3/4" ISOLATOR EXP E2 PUSH x UNION
H-64663W 3/4" Isolator EXP E2 M28 x Union Cold Side
H-64663W-WEB 3/4" ISOLATOR EXP E2 PUSH x UNION
H-8030XW Series - PRS Compact Hose Drain Series
H-80312W 1/2" Press X 3/4" Hose Drain Ball Valve
H-80313W 3/4" Press X 3/4" Hose Drain Ball Valve
H-80433W 3/4" Press Union Ball Drain
H-80434W 1" Press Union Ball Drain
H-80435W 1-1/4" Press Union Ball Drain
H-80436W 1-1/2" Press Union Ball Drain
H-80562W 1/2" Press Y Strainer
H-80563W 3/4" Press Y Strainer
H-80564W 1" Press Y Strainer
H-80565W 1-1/4" Press Y Strainer
H-80566W 1-1/2" Press Y Strainer
H-80567W 2" Press Y Strainer
H-80612W 1/2" Press Ball Drain
H-80613W 3/4" Press Ball Drain
H-80614W 1" Press Ball Drain
H-80615W 1-1/4" Press Ball Drain
H-80616W 1-1/2" Press Ball Drain
H-80617W 2" Press Ball Drain
H-80672W 1/2" Press T- Drain
H-80673W 3/4" Press T- Drain
H-80674W 1" Press T- Drain
H-80675W 1-1/4" Press T- Drain
H-81403W- 3/4" LF PRESS ISOLATOR WITH ROTATING FLANGE
H-81404W- 1" LF PRESS ISOLATOR WITH ROTATING FLANGE
H-81405W- 1 1/4" LF PRESS ISOLATOR WITH ROTATING FLANGE
H-81406W- 1 1/2" LF PRESS ISOLATOR WITH ROTATING FLANGE
H-81407W- 2" LF PRESS ISOLATOR WITH ROTATING FLANGE
H-81407WHV 2" PRESS ISOLATOR WITH ROTATING FLANGE
H-81413W- 3/4" LF PRESS ISOLATOR WITH DRAIN AND ROTATING FLANGE
H-81414W- 1" LF PRESS ISOLATOR WITH DRAIN AND ROTATING FLANGE
H-81415W- 1 1/4" LF PRESS ISOLATOR WITH DRAIN AND ROTATING FLANGE
H-81416W- 1 1/2" LF PRESS ISOLATOR WITH DRAIN AND ROTATING FLANGE
H-81417W- 2" LF PRESS ISOLATOR WITH DRAIN AND ROTATING FLANGE
H-81417WHV 2" PRESS ISOLATOR WITH ROTATING FLANGE AND DRAIN
H-81563W 3/4" Press Ball Drain Strainer
H-81566W 1-1/2" Press Ball Drain Strainer
H-81567W 2" Press Ball Drain Strainer
H-81612W - 1/2" PRESS x PEX F1807 BALL DRAIN
H-81613W - 3/4" PRESS x PEX F1807 BALL DRAIN
H-81614W - 1" PRESS x PEX F1807 BALL DRAIN
H-81615W 1-1/4" Press x PEX F1807 Ball Drain Valve
H-81616W 1-1/2" Press x PEX F1807 Ball Drain Valve
H-81617W 2" Press x PEX F1807 Ball Drain Valve
H-82672W 1/2" FNPT BV x PRESS TEE
H-82672W-T34 1/2" FNPT BV x 3/4" PRESS TEE
H-82673W 3/4" FNPT BV x PRESS TEE
H-83612W - 1/2" PRESS x PEX F1960 BALL DRAIN



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

H-83613W - 3/4" PRESS x PEX F1960 BALL DRAIN
H-83614W - 1" PRESS x PEX F1960 BALL DRAIN
H-83615W 1-1/4" Press x PEX F1960 Ball Drain Valve
H-83616W 1-1/2" Press x PEX F1960 Ball Drain Valve
H-83617W 2" Press x PEX F1960 Ball Drain Valve
H-84063W 3/4" Isolator EXP E2 Press x Union - Two cold sides
H-84443W 3/4" ISOLATOR EXP E2 PRESS x UNION
H-84443WPR 3/4" ISOLATOR EXP E2 PRESS x UNION
H-84443WPR2 3/4" ISOLATOR EXP E2 PRESS x UNION
H-84443WPR3 3/4" ISOLATOR EXP E2 PRESS x UNION
H-84444W 1" ISOLATOR EXP E2 PRESS x UNION
H-84444WPR 1" ISOLATOR EXP E2 PRESS x UNION
H-84444WPR2 1" ISOLATOR EXP E2 PRESS x UNION
H-84444WPR3 1" ISOLATOR EXP E2 PRESS x UNION
H-84653W 3/4" Isolator EXP E2 PRESS x Union Hot Side
H-84654W 1" Isolator EXP E2 PRESS x Union Hot Side
H-84663W 3/4" Isolator EXP E2 PRESS x Union Cold Side
H-84664W 1" Isolator EXP E2 PRESS x Union Cold Side
H-G030XW Series - GMT Compact Hose Drain Series
H-G0564W G1 Y Strainer
H-G0566W G1.5 Y Strainer
H-G0673W - Water Heater Tempering By-Pass Valve
H-G1404W: G1" Union Isolator with Rotating Flange
H-G1414W: G1" Union Isolator with Drain and Rotating Flange
H-G1564W G1 Ball Drain Strainer
H-G1566W G1.5 Ball Drain Strainer
H-PR40443W 3/4" Isolator EXP IPS x UNION
H-PR50443W 3/4" Isolator EXP SWT x UNION
H-X1407WHV 2" ISOLATOR WITH ROTATING FLANGE (FIP, SWT, PRS)
H-X1417WHV 2" ISOLATOR WITH ROTATING FLANGE AND DRAIN (FIP, SWT, PRS)

An added "HV" suffix may appear on product label(s). HV consists of product with a "slotted" bolt pattern flange designed to accommodate high velocity pumps.



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.