



Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

PT Ever Age Valves Metals
JL Raya Sumengko Km 30 7 Wringinanom
Gresik-Jatim 61176, Indonesia

Plant Location:

Gresik-Jatim, Indonesia

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 06/06/2025

Material/Product:

Fittings & Pipes Related

Contact Temperature:

23 ± 2°C

Models:

C-PVC Transition Adapter (Coupling): CP 2 NL (1/2"FIP X 1/2"C PVC)
C-PVC Transition Adapter (Coupling): CP 21 NL (1/2"MIP X 1/2"C PVC)
C-PVC Transition Adapter (Coupling): CP 2E2 NL (1/2"FIP X 1/2"FCPVC)
C-PVC Transition Adapter (Coupling): CP 2E3 NL (1/2"FIP X 1/2"FCPVC)
C-PVC Transition Adapter (Coupling): CP 3 NL (3/4"FIP X 3/4"C PVC)
C-PVC Transition Adapter (Coupling): CP 31 NL (3/4"MIP X 3/4"C PVC)
C-PVC Transition Adapter (Coupling): CP 3E2 NL (3/4"FIP X 3/4"FCPVC)
C-PVC Transition Adapter (Coupling): CP 3E3 NL (3/4"FIP X 3/4"FCPVC)
C-PVC Transition Adapter (Coupling): CP 4 NL (1"FIP X 1"C PVC)
C-PVC Transition Adapter (Coupling): CP 41 NL (1"MIP X 1"C PVC)
C-PVC Transition Adapter (Coupling): CP 5 NL (1 1/4"FIP X 1 1/4"C PVC)
C-PVC Transition Adapter (Coupling): CP 51 NL (1 1/4"MIP X 1 1/4"C PVC)
C-PVC Transition Adapter (Coupling): CP 6 NL (1 1/2"FIP X 1 1/2"C PVC)
C-PVC Transition Adapter (Coupling): CP 61 NL (1 1/2"MIP X 1 1/2"C PVC)
C-PVC Transition Adapter (Coupling): CP 7 NL (2"FIP X 2"C PVC)
C-PVC Transition Adapter (Coupling): CP 71 NL (2"MIP X 2"C PVC)
Check Valves: CVF 2 NL (1/2"FIP)
Check Valves: CVF 3 NL (3/4"FIP)
Check Valves: CVF 4 NL (1"FIP)
Check Valves: CVF 5 NL (1 1/4"FIP)
Check Valves: CVF 6 NL (1 1/2"FIP)
Check Valves: CVF 7 NL (2"FIP)
Check Valves: CVF 9 NL (3"FIP)
Check Valves: CVFM 45 NL (1"FIP & 1 1/4"MIP)
Check Valves: CVI 1 NL (3/8"FIP)
Check Valves: CVI 10 NL (4"FIP)
Check Valves: CVI 2 NL (1/2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Check Valves: CVI 3 NL (3/4"FIP)
Check Valves: CVI 4 NL (1"FIP)
Check Valves: CVI 4A NL (1"FIP)
Check Valves: CVI 4B NL (1"FIP)
Check Valves: CVI 4C NL (1"FIP)
Check Valves: CVI 4D NL (1"FIP)
Check Valves: CVI 4E NL (1"FIP)
Check Valves: CVI 4F NL (1"FIP)
Check Valves: CVI 4L NL (1"FIP)
Check Valves: CVI 5 NL (1 1/4"FIP)
Check Valves: CVI 5A NL (1 1/4"FIP)
Check Valves: CVI 5B NL (1 1/4"FIP)
Check Valves: CVI 5C NL (1 1/4"FIP)
Check Valves: CVI 5D NL (1 1/4"FIP)
Check Valves: CVI 5E NL (1 1/4"FIP)
Check Valves: CVI 5F NL (1 1/4"FIP)
Check Valves: CVI 5L NL (1 1/4"FIP)
Check Valves: CVI 6 NL (1 1/2"FIP)
Check Valves: CVI 6A NL (1 1/2"FIP)
Check Valves: CVI 6B NL (1 1/2"FIP)
Check Valves: CVI 6C NL (1 1/2"FIP)
Check Valves: CVI 6D NL (1 1/2"FIP)
Check Valves: CVI 6E NL (1 1/2"FIP)
Check Valves: CVI 6F NL (1 1/2"FIP)
Check Valves: CVI 7 NL (2"FIP)
Check Valves: CVI 7A NL (2"FIP)
Check Valves: CVI 7B NL (2"FIP)
Check Valves: CVI 7C NL (2"FIP)
Check Valves: CVI 7D NL (2"FIP)
Check Valves: CVI 7E NL (2"FIP)
Check Valves: CVI 7F NL (2"FIP)
Check Valves: CVI 8 NL (2 1/2"FIP)
Check Valves: CVI 9 NL (3"FIP)
Check Valves: CVM 4 NL (1"FIP X 1"MIP)
Check Valves: CVM 44 NL (1"FIP X 1"MIP)
Check Valves: CVM 45 NL (1"FIP X 1"FIP X 1 1/4"MIP)
Check Valves: CVM 5 NL (1 1/4"FIP X 1 1/4"MIP)
DWV Marvel Waste Connector: PF 165 NL (1 1/2"FCXC X 1 1/4"SLIP)
DWV Marvel Waste Connector: PF 166 NL (1 1/2"FCXC X 1 1/2"SLIP)
DWV MARVEL WASTE CONNECTOR: PF 505 NL (1 1/4" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 506 NL (1 1/2" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 551 NL (1 1/4" MIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 561 NL (1 1/2" MIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 606 NL (1 1/2" FIP X 1 1/2" SJ)
DWV Marvel Waste Connector: PF 615 NL (1 1/2"MIP & FCXCx1 1/4" & 1 1/2"SLIP)
DWV MARVEL WASTE CONNECTOR: PF 661 NL (1 1/2" MIP X 1 1/2" SJ)
DWV Marvel Waste Connector: PF 6C5 NL (1 1/2"MCXC X 1 1/4"SLIP)
ELL COUPLING W/ CTS & PEP: LMP 33 NL (3/4" MIP X 3/4" PJ. PEP)
Ell Coupling w/cts & pep: LCC 33 NL (3/4"pj.cts X 3/4"pj.cts)
Ell Coupling w/cts & pep: LCC 44 NL (1"pj.cts X 1"pj.cts)
Ell Coupling w/cts & pep: LCC 66 NL (1 1/2" pj.cts & 1 1/2" pj.cts)
Ell Coupling w/cts & pep: LCC 77 NL (2" pj.cts & 2" pj.cts)
Ell Coupling w/cts & pep: LCP 33 NL (3/4"pj.cts X 3/4"pj.pep)
Ell Coupling w/cts & pep: LMC 33 NL (3/4"MIP X 3/4"pj.cts)
Ell Coupling w/cts & pep: LMC 44 NL (1"MIP X 1"pj.cts)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Ell Coupling w/cts & pep: LPP 33 NL (3/4"pj.pep X 3/4"pj.pep)
Ell Coupling w/cts grip & pep grip: LCC 33G NL (3/4"pj.cts grip X 3/4"pj.cts grip)
Ell Coupling w/cts grip & pep grip: LCC 44G NL (1"pj.cts grip X 1"pj.cts grip)
Ell Coupling w/cts grip & pep grip: LCC 66G NL (1 1/2" pj.cts grip & 1 1/2" pj.cts grip)
Ell Coupling w/cts grip & pep grip: LCC 77G NL (2" pj.cts grip & 2" pj.cts grip)
Ell Coupling w/cts grip & pep grip: LCP 33G NL (3/4"pj.cts grip X 3/4"pj.pep grip)
Ell Coupling w/cts grip & pep grip: LMC 33G NL (3/4"MIP X 3/4"pj.pep grip)
Ell Coupling w/cts grip & pep grip: LMC 44G NL (1"MIP X 1"pj.cts grip)
Ell Coupling w/cts grip & pep grip: LMP 33G NL (3/4" MIP x 3/4" pj.pep grip)
Ell Coupling w/cts grip & pep grip: LPP 33G NL (3/4"pj.pep grip X 3/4"pj.pep grip)
Gate Valves: GVC 2 CPVC NL (5/8"OD COMP COMPRESSION NUT)
Gate Valves: GVC 3 CPVC NL (7/8"OD COMP COMPRESSION NUT)
Pop Up Drains: PU 1 NL (1 1/4")
Pop Up Drains: PU 1UPC NL (1 1/4")
Stop Valves: MV 10 CPVC NL (7/8"OD COMPRESSION NUT)
Stop Valves: MV 11 CPVC NL (5/8"OD COMPRESSION NUT & WASTE)
Stop Valves: MV 12 CPVC NL (7/8"OD COMPRESSION NUT & WASTE)
Stop Valves: MV 9 CPVC NL (5/8"OD COMPRESSION NUT)
Straight Coupling w/cts & pep: SCC 33 NL (3/4"pj.cts X 3/4"pj.cts)
Straight Coupling w/cts & pep: SCC 34 NL (3/4"pj.cts X 1"pj.cts)
Straight Coupling w/cts & pep: SCC 35 NL (3/4"pj.cts X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SCC 44 NL (1"pj.cts X 1"pj.cts)
Straight Coupling w/cts & pep: SCC 45 NL (1"pj.cts X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SCC 46 NL (1"pj.cts X 1 1/2"pj.cts)
Straight Coupling w/cts & pep: SCC 55 NL (1 1/4"pj.cts X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SCC 56 NL (1 1/4"pj.cts X 1 1/2"pj.cts)
Straight Coupling w/cts & pep: SCC 66 NL (1 1/2"pj.cts X 1 1/2"pj.cts)
Straight Coupling w/cts & pep: SCC 67 NL (1 1/2"pj.cts X 2"pj.cts)
Straight Coupling w/cts & pep: SCC 77 NL (2"pj.cts X 2"pj.cts)
Straight Coupling w/cts & pep: SCP 33 NL (3/4"pj.cts X 3/4"pj.pep)
Straight Coupling w/cts & pep: SCP 34 NL (3/4"pj.cts X 1"pj.pep)
Straight Coupling w/cts & pep: SCP 43 NL (1"pj.cts X 3/4"pj.pep)
Straight Coupling w/cts & pep: SCP 44 NL (1"pj.cts X 1"pj.pep)
Straight Coupling w/cts & pep: SCR 33 NL (3/4"pj.cts X 3/4"Flare)
Straight Coupling w/cts & pep: SCR 34 NL (3/4"pj.cts X 1"Flare)
Straight Coupling w/cts & pep: SCR 44 NL (1"pj.cts X 1"Flare)
Straight Coupling w/cts & pep: SCR 54 NL (1 1/4"pj.cts X 1"Flare)
Straight Coupling w/cts & pep: SFC 33 NL (3/4"FIP X 3/4"pj.cts)
Straight Coupling w/cts & pep: SFC 34 NL (3/4"FIP X 1"pj.cts)
Straight Coupling w/cts & pep: SFC 35 NL (3/4"FIP X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SFC 43 NL (1"FIP X 3/4"pj.cts)
Straight Coupling w/cts & pep: SFC 44 NL (1"FIP X 1"pj.cts)
Straight Coupling w/cts & pep: SFC 45 NL (1"FIP X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SFC 54 NL (1 1/4"FIP X 1"pj.cts)
Straight Coupling w/cts & pep: SFC 55 NL (1 1/4"FIP X 1 1/4"pj.cts)
Straight Coupling w/cts & pep: SFC 56 NL (1 1/4"FIP X 1 1/2"pj.cts)
Straight Coupling w/cts & pep: SFC 66 NL (1 1/2"FIP X 1 1/2"pj.cts)
Straight Coupling w/cts & pep: SFC 67 NL (1 1/2"FIP X 2"pj.cts)
Straight Coupling w/cts & pep: SFC 76 NL (2" fip & 1 1/2" pj.cts)
Straight Coupling w/cts & pep: SFC 77 NL (2"FIP X 2"pj.cts)
Straight Coupling w/cts & pep: SFP 33 NL (3/4"FIP X 3/4"pj.pep)
Straight Coupling w/cts & pep: SFP 34 NL (3/4"FIP X 1"pj.pep)
Straight Coupling w/cts & pep: SFP 43 NL (1"FIP X 3/4"pj.pep)
Straight Coupling w/cts & pep: SFP 44 NL (1"FIP X 1"pj.pep)
Straight Coupling w/cts & pep: SMC 33 NL (3/4"mip X 3/4"pj.cts)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Straight Coupling w/cts & pep: SMC 34 NL (3/4"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 43 NL (1"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 44 NL (1"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 45 NL (1"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 55 NL (1 1/4"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 56 NL (1 1/4"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 66 NL (1 1/2"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 67 NL (1 1/2"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMC 77 NL (2"mip X 3/4"pj.cts)
Straight Coupling w/cts & pep: SMP 33 NL (3/4"MIP X 3/4"pj.pep)
Straight Coupling w/cts & pep: SMP 34 NL (3/4"MIP X 1"pj.pep)
Straight Coupling w/cts & pep: SMP 44 NL (1"MIP X 1"pj.pep)
Straight Coupling w/cts & pep: SMP 54 NL (1 1/4"MIP X 1"pj.pep)
Straight Coupling w/cts & pep: SMP 55 NL (1 1/4"MIP X 1 1/4"pj.pep)
Straight Coupling w/cts & pep: SPP 33 NL (3/4"pj.pep X 3/4"pj.pep)
Straight Coupling w/cts & pep: SPP 33G NL (3/4" pj.pep x 3/4" pj.pep grip)
Straight Coupling w/cts & pep: SPP 34 NL (3/4" pj.pep X 1" pj. pep)
Straight Coupling w/cts & pep: SPP 44 NL (1"pj.pep X 1"pj.pep)
Straight Coupling w/cts & pep: SPP 44G NL (1" pj.pep x 1" pj.pep grip)
Straight Coupling w/cts grip & pep grip: SCC 33G NL (3/4"pj.cts grip X 3/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 34G NL (3/4"pj.cts grip X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 35G NL (3/4"pj.cts grip X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 44G NL (1"pj.cts grip X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 45G NL (1"pj.cts grip X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 46G NL (1"pj.cts grip X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 55G NL (1 1/4"pj.cts grip X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 56G NL (1 1/4"pj.cts grip X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 66G NL (1 1/2"pj.cts grip X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 67G NL (1 1/2"pj.cts grip X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCC 77G NL (2"pj.cts grip X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SCP 33G NL (3/4" pj.cts grip & 3/4" pj.pep grip)
Straight Coupling w/cts grip & pep grip: SCP 34G NL (3/4" pj.cts grip & 1" pf.pep grip)
Straight Coupling w/cts grip & pep grip: SCP 43G NL (1" pj. cts grip & 3/4" pf.pep grip)
Straight Coupling w/cts grip & pep grip: SCP 44G NL (1" pj. cts grip & 1" pj.pep grip)
Straight Coupling w/cts grip & pep grip: SFC 33G NL (3/4"FIP X 3/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 34G NL (3/4"FIP X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 35G NL (3/4"FIP X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 43G NL (1"FIP X 3/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 44G NL (1"FIP X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 45G NL (1"FIP X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 54G NL (1 1/4"FIP X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 55G NL (1 1/4"FIP X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 56G NL (1 1/4"FIP X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 66G NL (1 1/2"FIP X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 67G NL (1 1/2"FIP X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 76G NL (2" fip & 1 1/2" pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFC 77G NL (2"FIP X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SFP 33G NL (3/4"FIP X 3/4"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SFP 34G NL (3/4"FIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SFP 44G NL (1"FIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SFP 54G NL (1 1/4"FIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SMC 33G NL (3/4"MIP X 3/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 34G NL (3/4"MIP X 1"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 43G NL (1"MIP X 3/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 44G NL (1"MIP X 1"pj.cts grip)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Straight Coupling w/cts grip & pep grip: SMC 45G NL (1"MIP X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 55G NL (1 1/4"MIP X 1 1/4"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 56G NL (1 1/4"MIP X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 66G NL (1 1/2"MIP X 1 1/2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 67G NL (1 1/2"MIP X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMC 77G NL (2"MIP X 2"pj.cts grip)
Straight Coupling w/cts grip & pep grip: SMP 33G NL (3/4"MIP X 3/4"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SMP 34G NL (3/4"MIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SMP 44G NL (1"MIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SMP 54G NL (1 1/4"MIP X 1"pj.pep grip)
Straight Coupling w/cts grip & pep grip: SMP 55G NL (1 1/4"MIP X 1 1/4"pj.pep grip)
Straight Coupling w/cts grip & prep grip: SPP 34G NL (3/4" pj.pep grip X 1" pj.pep grip)
Straight Coupling w/fip & pep grip: SFP 43G NL (1" fip X 3/4" pf.pep grip)
Straight Coupling w/fip & pep: SFP 54 NL (1 1/4" fip X 1" pj. pep)
Straight Coupling w/XS or AA: SML 33 NL (3/4"MIP X 3/4"PJ (XS or AA))
Straight Coupling w/XS or AA: SML 44 NL (1"MIP X 1"PJ (XS or AA))
Straight Coupling w/XS or AA: SML 55 NL (1 1/4"MIP X 1 1/4"PJ (XS or AA))
Straight Coupling w/XS or AA: SML 58 NL (3/4"MIP X 5/8"PJ (XS or AA))
Tee Coupling w/cts & pep: TCCC 333 NL (3/4"pj.cts X 3/4"pj.cts X 3/4"pj.cts)
Tee Coupling w/cts & pep: TCCC 334 NL (3/4"pj.cts X 3/4"pj.cts X 1"pj.cts)
Tee Coupling w/cts & pep: TCCC 443 NL (1"pj.cts X 1"pj.cts X 3/4"pj.cts)
Tee Coupling w/cts & pep: TCCC 444 NL (1"pj.cts X 1"pj.cts X 1"pj.cts)
Tee Coupling w/cts & pep: TCCC 445 NL (1"pj.cts X 1"pj.cts X 1 1/4"pj.cts)
Tee Coupling w/cts & pep: TCCC 555 NL (1 1/4"pj.cts X 1 1/4"pj.cts X 1 1/4"pj.cts)
Tee Coupling w/cts & pep: TCCC 666 NL (1 1/2"pj.cts X 1 1/2"pj.cts X 1 1/2"pj.cts)
Tee Coupling w/cts & pep: TCCC 777 NL (2"pj.cts X 2"pj.cts X 2"pj.cts)
Tee Coupling w/cts & pep: TCCF 333 NL (3/4"pj.cts X 3/4"pj.cts X 3/4"FIP)
Tee Coupling w/cts & pep: TCCF 334 NL (3/4"pj.cts X 3/4"pj.cts X 1"FIP)
Tee Coupling w/cts & pep: TCCF 444 NL (1"pj.cts X 1"pj.cts X 1"FIP)
Tee Coupling w/cts & pep: TCCM 333 NL (3/4"pj.cts X 3/4"pj.cts X 3/4"MIP)
Tee Coupling w/cts & pep: TCCM 334 NL (3/4"pj.cts X 3/4"pj.cts X 1"MIP)
Tee Coupling w/cts & pep: TCCM 444 NL (1"pj.cts X 1"pj.cts X 1"MIP)
Tee Coupling w/cts & pep: TPPP 333 NL (3/4"pj.pep X 3/4"pj.pep X 3/4"pj.pep)
Tee Coupling w/cts grip & pep grip: TCCC 333G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 3/4"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 334G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 1"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 443G NL (1"pj.cts grip X 1"pj.cts grip X 3/4"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 444G NL (1"pj.cts grip X 1"pj.cts grip X 1"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 445G NL (1"pj.cts grip X 1"pj.cts grip X 1 1/4"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 555G NL (1 1/4"pj.cts grip X 1 1/4"pj.cts grip X 1 1/4"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 666G NL (1 1/2"pj.cts grip X 1 1/2"pj.cts grip X 1 1/2"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCC 777G NL (2"pj.cts grip X 2"pj.cts grip X 2"pj.cts grip)
Tee Coupling w/cts grip & pep grip: TCCF 333G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 3/4"FIP)
Tee Coupling w/cts grip & pep grip: TCCF 334G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 1"FIP)
Tee Coupling w/cts grip & pep grip: TCCF 444G NL (1"pj.cts grip X 1"pj.cts grip X 1"FIP)
Tee Coupling w/cts grip & pep grip: TCCM 333G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 3/4"MIP)
Tee Coupling w/cts grip & pep grip: TCCM 334G NL (3/4"pj.cts grip X 3/4"pj.cts grip X 1"MIP)
Tee Coupling w/cts grip & pep grip: TCCM 444G NL (1"pj.cts grip X 1"pj.cts grip X 1"MIP)
Tee Coupling w/cts grip & pep grip: TPPP 333G NL (3/4"pj.pep grip X 3/4"pj.pep grip X 3/4"pj.pep grip)
Vaccum Breakers: VB 1 NL (3/4"FHT X 3/4"MHT)
Vaccum Breakers: VB 2 NL (3/4"FHT X 3/4"MHT)
Vaccum Breakers: VB 3 NL (3/4"FHT X 3/4"MHT)
Vaccum Breakers: VB 4 NL (3/4"FHT X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Vaccum Breakers: VB 4HPS NL (3/4"FHT X 3/4"PS)
Vaccum Breakers: VB 6 NL (3/4"FHT X 3/4"MHT)
Vacuum Breaker: VB 4F NL (1 1/16"-20UN X 3/4" MHT)
Water Hammer: BVHM 23HCPVC NL (1/2"CPVC X 3/4"MHT)
Water Hammer: BVHM 23HL NL (1/2"MIP X 3/4"MHT)
Water Hammer: BVHM 23HP NL (1/2"MIP & 1/2"PEX X 3/4"MHT)
Water Hammer: BVHM 24CPVC NL (1/2"CPVC X 1/4"OD)
Water Hammer: BVHM 24L NL (1/2"MIP X 1/4"OD)
Water Hammer: BVHM 24P NL (1/2"MIP & 1/2"PEX X 1/4"OD)
Water Hammer: HM 12 NL (1/2"OD COMP X 1/2"OD COMP)
WATER HAMMER: HM 122 NL (1/2" MCXC X 1/2" OD. COMP)
WATER HAMMER: HM 123 NL (1/2" MCXC X 3/8" OD. COMP)
WATER HAMMER: HM 125 NL (1/2" MCXC X 5/8" OD. COMP)
Water Hammer: HM 12C NL (1/2"FCXC X 1/2"FCXC)
Water Hammer: HM 14 NL (1/4"OD COMP X 1/4"OD COMP)
Water Hammer: HM 14L NL (1/4"OD COMP X 1/4"OD REVERSE NUT)
Water Hammer: HM 1CM NL (1/4"OD COMP)
Water Hammer: HM 1P NL (3/8"PEX X 3/8"PEX)
Water Hammer: HM 1PX NL (3/8"PEX)
Water Hammer: HM 2 CPVC NL (1/2"CPVC)
Water Hammer: HM 2 NL (1/2"MIP)
Water Hammer: HM 22 NL (1/2"MIP X 1/2"OD)
WATER HAMMER: HM 22L NL (1/2" MIP X 1/2" OD. REVERSE NUT)
WATER HAMMER: HM 22RH NL (1/2" RH X 1/2" RH)
WATER HAMMER: HM 22WB NL (1/2" WB (PEX F1960) X 1/2" WB (PEX F1960))
Water Hammer: HM 23 NL (1/2"MIP X 3/8"OD)
WATER HAMMER: HM 23L NL (1/2" MIP X 3/8" OD. REVERSE NUT)
Water Hammer: HM 25 NL (1/2"MIP X 5/8"OD)
WATER HAMMER: HM 25L NL (1/2" MIP X 5/8" OD. REVERSE NUT)
Water Hammer: HM 2C NL (1/2"MCXC)
Water Hammer: HM 2C2 NL (1/2"FCXC X 1/2"OD)
Water Hammer: HM 2C3 NL (1/2"FCXC X 3/8"OD)
Water Hammer: HM 2C5 NL (1/2"FCXC X 5/8"OD)
Water Hammer: HM 2P NL (1/2"PEX X 1/2"PEX)
Water Hammer: HM 2PX NL (1/2"PEX)
WATER HAMMER: HM 2RH NL (1/2" RH)
WATER HAMMER: HM 2WB NL (1/2" WB (PEX F1960))
Water Hammer: HM 3 CPVC NL (3/4"CPVC)
Water Hammer: HM 3 NL (3/4"MIP)
WATER HAMMER: HM 32L NL (3/8" MIP X 1/2" OD. REVERSE NUT)
Water Hammer: HM 38 NL (3/8"OD COMP X 3/8"OD COMP)
Water Hammer: HM 38L NL (3/8"OD COMP X 3/8"OD REVERSE NUT)
Water Hammer: HM 3C NL (3/4"MCXC)
Water Hammer: HM 3CM NL (3/8"OD COMP)
Water Hammer: HM 3P NL (3/4"PEX X 3/4"PEX)
Water Hammer: HM 3PX NL (3/4"PEX)
WATER HAMMER: HM 3WB NL (3/4" WB (PEX F1960))
WATER HAMMER: HM 52L NL (5/8" MIP X 1/2" OD. REVERSE NUT)
Water Hammer: HM 53 NL (5/8"OD COMP X 3/8"OD COMP)
Water Hammer: HM 53L NL (5/8"OD COMP X 3/8"OD REVERSE NUT)
Water Hammer: HM 58 NL (5/8"OD COMP X 5/8"OD COMP)
Water Hammer: HM 58L NL (5/8"OD COMP X 5/8"OD REVERSE NUT)
Water Hammer: HM 5CM NL (5/8"OD COMP)
Water Hammer: HM 76 NL (7/16"OD COMP X 7/16"OD COMP)
Water Hammer: HMH 3 NL (3/4"MHT X 3/4"FHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Bronze lead free material is available with suffix " Z " on the model number

Bronze lead free material such as C87600, C87800, & C87850 are available with suffix " ZE " on the model number

The following spare parts are available with the below suffixes on the model number:

P = Pegler Handle
X = Handle Cross
TG = Triangular Handle
K = Loose Key Handle
CS = Curb Stop Handle
BF = Butter Fly Handle

B = Brass Nut
S = Stainless Steel bolt
T = Teflon packing
R = Rubber packing
CP = Polish chrome for handle & cover
PB = Polish brass for handle & cover

ALS



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.