



Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

PT Ever Age Valves Metals
JL Raya Sumengko Km 30 7 Wringinanom
Gresik-Jatim 61176, Indonesia

Plant Location:

Gresik-Jatim, Indonesia

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 06/06/2025

Material/Product:

Mechanical Device

Contact Temperature:

23 ± 2°C

Models:

"Y" STRAINER: STY 0 NL (1/4"FIP)
"Y" STRAINER: STY 0C NL (1/4"FCXC)
"Y" STRAINER: STY 1 NL (3/8"FIP)
"Y" STRAINER: STY 11 NL (3/8"FCXC)
"Y" STRAINER: STY 12 NL (1/2"FCXC)
"Y" STRAINER: STY 13 NL (3/4"FCXC)
"Y" STRAINER: STY 14 NL (1"FCXC)
"Y" STRAINER: STY 15 NL (1 1/4"FCXC)
"Y" STRAINER: STY 16 NL (1 1/2"FCXC)
"Y" STRAINER: STY 17 NL (2"FCXC)
"Y" STRAINER: STY 18 NL (2 1/2"FCXC)
"Y" STRAINER: STY 2 NL (1/2"FIP)
"Y" STRAINER: STY 3 NL (3/4"FIP)
"Y" STRAINER: STY 4 NL (1"FIP)
"Y" STRAINER: STY 5 NL (1 1/4"FIP)
"Y" STRAINER: STY 6 NL (1 1/2"FIP)
"Y" STRAINER: STY 7 NL (2"FIP)
"Y" STRAINER: STY 8 NL (2 1/2"FIP)
"Y" STRAINER: STY 9 NL (3"FIP)
"Y" STRAINER: STY 0 ZNL
"Y" STRAINER: STY 0C ZNL
"Y" STRAINER: STY 1 ZNL
"Y" STRAINER: STY 11 ZNL
"Y" STRAINER: STY 12 ZNL
"Y" STRAINER: STY 13 ZNL
"Y" STRAINER: STY 14 ZNL
"Y" STRAINER: STY 15 ZNL



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

"Y" STRAINER: STY 16 ZNL
"Y" STRAINER: STY 17 ZNL
"Y" STRAINER: STY 2 ZNL
"Y" STRAINER: STY 2NPR NL (1/2" PRESS)
"Y" STRAINER: STY 3 ZNL
"Y" STRAINER: STY 3NPR NL (3/4" PRESS)
"Y" STRAINER: STY 4 ZNL
"Y" STRAINER: STY 4NPR NL (1" PRESS)
"Y" STRAINER: STY 5 ZNL
"Y" STRAINER: STY 5NPR NL (1 1/4" PRESS)
"Y" STRAINER: STY 6 ZNL
"Y" STRAINER: STY 6NPR NL (1 1/2" PRESS)
"Y" STRAINER: STY 7 ZNL
"Y" STRAINER: STY 7NPR NL (2" PRESS)
"Y" STRAINER: STY 8 ZNL
"Y" STRAINER: STY 9 ZNL
2" PRESS Y - CHECK VALVE: 105-558G
ADAPTER: ADP 202 NL (1/2"FIP X 1/2"INSERT)
ADAPTER: ADP 22 NL (1/2"MIP X 1/2"INSERT)
ADAPTER: ADP 2X2 NL (1/2"INSERT X 1/2"INSERT)
ADAPTER: ADP 303 NL (3/4"FIP X 3/4"INSERT)
ADAPTER: ADP 33 NL (3/4"MIP X 3/4"INSERT)
ADAPTER: ADP 34 NL (3/4"MIP X 1"INSERT)
ADAPTER: ADP 34L NL (3/4"MIP X 1"INSERT)
ADAPTER: ADP 35 NL (3/4"MIP X 1 1/4"INSERT)
ADAPTER: ADP 3X3 NL (3/4"INSERT X 3/4"INSERT)
ADAPTER: ADP 404 NL (1"FIP X 1"INSERT)
ADAPTER: ADP 43 NL (1"MIP X 3/4"INSERT)
ADAPTER: ADP 44 NL (1"MIP X 1"INSERT)
ADAPTER: ADP 44L NL (1"MIP X 1"INSERT)
ADAPTER: ADP 44R NL (1"MIP X 1"INSERT)
ADAPTER: ADP 45 NL (1"MIP X 1 1/4"INSERT)
ADAPTER: ADP 4X3 NL (1"INSERT X 3/4"INSERT)
ADAPTER: ADP 4X4 NL (1"INSERT X 1"INSERT)
ADAPTER: ADP 505 NL (1 1/4"FIP X 1 1/4"INSERT)
ADAPTER: ADP 54 NL (1 1/4"MIP X 1"INSERT)
ADAPTER: ADP 54XL NL (1 1/4"MIP X 1"INSERT)
ADAPTER: ADP 55 NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADP 55L NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADP 55XL NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADP 56 NL (1 1/4"MIP X 1 1/2"INSERT)
ADAPTER: ADP 5X4 NL (1 1/4"INSERT X 1"INSERT)
ADAPTER: ADP 5X5 NL (1 1/4"INSERT X 1 1/4"INSERT)
ADAPTER: ADP 606 NL (1 1/2"FIP X 1 1/2"INSERT)
ADAPTER: ADP 64 NL (1 1/2"MIP X 1"INSERT)
ADAPTER: ADP 65 NL (1 1/2"MIP X 1 1/4"INSERT)
ADAPTER: ADP 66 NL (1 1/2"MIP X 1 1/2"INSERT)
ADAPTER: ADP 67 NL (1 1/2"MIP X 2"INSERT)
ADAPTER: ADP 6X4 NL (1 1/2"INSERT X 1"INSERT)
ADAPTER: ADP 6X6 NL (1 1/2"INSERT X 1 1/2"INSERT)
ADAPTER: ADP 707 NL (2"FIP X 2"INSERT)
ADAPTER: ADP 77 NL (2"MIP X 2"INSERT)
ADAPTER: ADP 77XL NL (2"MIP X 2"INSERT)
ADAPTER: ADP 7X7 NL (2"INSERT X 2"INSERT)
ADAPTER: ADPE 44 NL (1"MIP X 1"INSERT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

ADAPTER: ADPE 44R NL (1"MIP X 1"INSERT)
ADAPTER: ADPE 54R NL (1 1/4"MIP X 1"INSERT)
ADAPTER: ADPE 54XL NL (1 1/4"MIP X 1"INSERT)
ADAPTER: ADPE 55R NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADPL 303 NL (3/4"FIP X 3/4"INSERT)
ADAPTER: ADPL 33 NL (3/4"MIP X 3/4"INSERT)
ADAPTER: ADPL 330 NL (3/4"MIP X 3/4"INSERT)
ADAPTER: ADPL 34 NL (3/4"MIP X 1"INSERT)
ADAPTER: ADPL 340 NL (3/4"MIP X 1"INSERT)
ADAPTER: ADPL 3X3 NL (3/4"INSERT X 3/4"INSERT)
ADAPTER: ADPL 404 NL (1"FIP X 1"INSERT)
ADAPTER: ADPL 404R NL (1"FIP X 1"INSERT)
ADAPTER: ADPL 405 NL (1 1/4"FIP X 1"INSERT)
ADAPTER: ADPL 43 NL (1"MIP X 3/4"INSERT)
ADAPTER: ADPL 44 NL (1"MIP X 1"INSERT)
ADAPTER: ADPL 440 NL (1"MIP X 1"INSERT)
ADAPTER: ADPL 44XL NL (1"MIP X 1"INSERT)
ADAPTER: ADPL 4X4 NL (1"INSERT X 1"INSERT)
ADAPTER: ADPL 505 NL (1 1/4"FIP X 1 1/4"INSERT)
ADAPTER: ADPL 55 NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADPL 550 NL (1 1/4"MIP X 1 1/4"INSERT)
ADAPTER: ADPL 5X5 NL (1 1/4"INSERT X 1 1/4"INSERT)
ADAPTER: ADPL 6X4 NL (1 1/2"INSERT X 1"INSERT)
ADAPTER: ADPL 6X6 NL (1-1/2" INSERT X 1-1/2" INSERT)
ADAPTER: ADPL 7X7 NL (2" INSERT X 2" INSERT)
ADAPTER: ADPT 3303 NL (3/4"INSERT X 3/4"INSERT X 3/4"FIP)
ADAPTER: ADPT 3313 NL (3/4"INSERT X 3/4"INSERT X 3/4"MIP)
ADAPTER: ADPT 333 NL (3/4"ONsert X 3/4"INSERT X 3/4"INSERT)
ADAPTER: ADPT 4304 NL (1"INSERT X 1"INSERT X 3/4"FIP)
ADAPTER: ADPT 4314 NL (1"INSERT X 1"INSERT X 3/4"MIP)
ADAPTER: ADPT 4404 NL (1"INSERT X 1"INSERT X 1"FIP)
ADAPTER: ADPT 4414 NL (1"INSERT X 1"INSERT X 1"MIP)
ADAPTER: ADPT 444 NL (1"INSERT X 1"INSERT X 1"INSERT)
ADAPTER: ADPT 5315 NL (1 1/4"INSERT X 1 1/4"INSERT X 3/4"MIP)
ADAPTER: ADPT 5415 NL (1 1/4"INSERT X 1 1/4"INSERT X 1"MIP)
ADAPTER: ADPT 5505 NL (1 1/4" INSERT X 1 1/4" INSERT X 1 1/4" FIP)
ADAPTER: ADPT 5515 NL (1 1/4"INSERT X 1 1/4"INSERT X 1 1/4"MIP)
ADAPTER: ADPT 555 NL (1 1/4"INSERT X 1 1/4"INSERT X 1 1/4"INSERT)
ADAPTER: ADPU 33 NL (3/4"MIP X 3/4"INSERT)
ADAPTER: ADPU 44 NL (1"MIP X 1"INSERT)
ANGLE VALVES: AV 10 NL (1"FIP X 1"FIP)
ANGLE VALVES: AV 10X NL (1"FIP X 1"FIP)
ANGLE VALVES: AV 2 NL (1/2"FIP X 1/2"FIP)
ANGLE VALVES: AV 2X NL (1/2"FIP X 1/2"FIP)
ANGLE VALVES: AV 3 NL (3/4"FIP X 3/4"FIP)
ANGLE VALVES: AV 3X NL (3/4"FIP X 3/4"FIP)
ANGLE VALVES: AV 4 NL (1"FIP X 1"FIP)
ANGLE VALVES: AV 42 HWBZNL
ANGLE VALVES: AV 42 NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AV 42X NL (1 1/4"FIP X 1 1/4" FIP)
ANGLE VALVES: AV 43 HWBZNL
ANGLE VALVES: AV 43 NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AV 43X NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AV 44 HWBZNL
ANGLE VALVES: AV 44 NL (2"FIP X 2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

ANGLE VALVES: AV 44X NL (2"FIP X 2"FIP)
ANGLE VALVES: AV 4X NL (1"FIP X 1"FIP)
ANGLE VALVES: AV 5 NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AV 5X NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AV 6 NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AV 6X NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AV 7 NL (2"FIP X 2"FIP)
ANGLE VALVES: AV 7X NL (2"FIP X 2"FIP)
ANGLE VALVES: AV 9 NL (3/4"FIP X 3/4"FIP)
ANGLE VALVES: AV 9X NL (3/4"FIP X 3/4"FIP)
ANGLE VALVES: AVS 42 NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AVS 42X NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AVS 43 NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AVS 43X NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AVS 44 NL (2"FIP X 2"FIP)
ANGLE VALVES: AVS 44X NL (2"FIP X 2"FIP)
ANGLE VALVES: AVU 42 NL (1 1/4"FIP X 1 1/4"FIP)
ANGLE VALVES: AVU 42X NL (1 1/4"FIP X 1 1/4" FIP)
ANGLE VALVES: AVU 43 NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AVU 43X NL (1 1/2"FIP X 1 1/2"FIP)
ANGLE VALVES: AVU 44 NL (2"FIP X 2"FIP)
ANGLE VALVES: AVU 44X NL (2"FIP X 2"FIP)
ANTI SWEAT VALVE: WMB 22A NL (1/2"MIP X 1/2"MIP)
ANTI SWEAT VALVE: WMB 22AC NL (5/8"OD COMP X 5/8"OD COMP)
ANTI SWEAT VALVE: WMB 22C NL (5/8"OD COMP X 5/8"OD COMP)
ANTI SWEAT VALVE: WMB 22NL
BALL DRIP: BD 2 NL
BALL DRIP: BD 3 NL (3/4"MIP X 3/4"MIP)
BALL VALVES: BV 0 NL (1/4"FIP)
BALL VALVES: BV 1 NL (3/8"FIP)
BALL VALVES: BV 12 NL (1/2"FCXC)
BALL VALVES: BV 12L NL
BALL VALVES: BV 12L NL (1/2"CXC)
BALL VALVES: BV 12T NL (1/2"FCXC)
BALL VALVES: BV 13 NL
BALL VALVES: BV 13 NL (3/4"FCXC)
BALL VALVES: BV 13L NL (3/4"CXC)
BALL VALVES: BV 13T NL (3/4"FCXC)
BALL VALVES: BV 14 NL (1"FCXC)
BALL VALVES: BV 144 NL (1/4"MIP X 1/4"FIP)
BALL VALVES: BV 144T NL (1/4"MIP X 1/4"FIP)
BALL VALVES: BV 148 NL (1/4"MIP X 1/8"FIP)
BALL VALVES: BV 148T NL (1/4"MIP X 1/8"FIP)
BALL VALVES: BV 14T NL (1"FCXC)
BALL VALVES: BV 15 NL (1 1/4"FCXC)
BALL VALVES: BV 16 NL (1 1/2"FCXC)
BALL VALVES: BV 17 NL (2"FCXC)
BALL VALVES: BV 184 NL (1/8"MIP X 1/4"FIP)
BALL VALVES: BV 184T NL (1/8"MIP X 1/4"FIP)
BALL VALVES: BV 188 NL (1/8"MIP X 1/8"FIP)
BALL VALVES: BV 188T NL (1/8"MIP X 1/8"FIP)
BALL VALVES: BV 2 NL (1/2"FIP)
BALL VALVES: BV 2L NL
BALL VALVES: BV 2L NL (1/2"FIP)
BALL VALVES: BV 2NPR NL (1/2" PRESS)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

BALL VALVES: BV 3 NL (3/4"FIP)
BALL VALVES: BV 3L NL
BALL VALVES: BV 3L NL (3/4"FIP)
BALL VALVES: BV 3NPR NL (3/4" PRESS)
BALL VALVES: BV 4 NL (1"FIP)
BALL VALVES: BV 4NPR NL (1" PRESS)
BALL VALVES: BV 5 NL (1 1/4"FIP)
BALL VALVES: BV 5NPR NL (1 1/4" PRESS)
BALL VALVES: BV 6 NL (1 1/2"FIP)
BALL VALVES: BV 6NPR NL (1 1/2" PRESS)
BALL VALVES: BV 7 NL (2"FIP)
BALL VALVES: BV 7NPR NL (2" PRESS)
BALL VALVES: BVC 2 NL (5/8"OD COMPRESSION ENDS)
BALL VALVES: BVC 3 NL (7/8"OD COMPRESSION ENDS)
BALL VALVES: BVC 4 NL (1 1/8"OD COMPRESSION ENDS)
BALL VALVES: BVCS 3 NL (3/4" FIP)
BALL VALVES: BVCS 3W NL (3/4" FIP)
BALL VALVES: BVCS 4 NL (1" FIP)
BALL VALVES: BVCS 4W NL (1" FIP)
BALL VALVES: BVCS 5 NL (1 1/4" FIP)
BALL VALVES: BVCS 5W NL (1 1/4" FIP)
BALL VALVES: BVCS 6 NL (1 1/2" FIP)
BALL VALVES: BVCS 6W NL (1 1/2" FIP)
BALL VALVES: BVCS 7 NL (2" FIP)
BALL VALVES: BVCS 7W NL (2" FIP)
BALL VALVES: BVF 12 NL (1/2"FCXC)
BALL VALVES: BVF 13 NL (3/4"FCXC)
BALL VALVES: BVF 14 NL (1"FCXC)
BALL VALVES: BVF 15 NL (1 1/4"FCXC)
BALL VALVES: BVF 16 NL (1 1/2"FCXC)
BALL VALVES: BVF 17 NL (2"FCXC)
BALL VALVES: BVF 2 NL (1/2"FIP)
BALL VALVES: BVF 3 NL (3/4"FIP)
BALL VALVES: BVF 4 NL (1"FIP)
BALL VALVES: BVF 5 NL (1 1/4"FIP)
BALL VALVES: BVF 6 NL (1 1/2"FIP)
BALL VALVES: BVF 7 NL (2"FIP)
BALL VALVES: BVFD 12 NL (1/2"FCXC)
BALL VALVES: BVFD 13 NL (3/4"FCXC)
BALL VALVES: BVFD 14 NL (1"FCXC)
BALL VALVES: BVFD 2 NL (1/2"FIP)
BALL VALVES: BVFD 3 NL (3/4"FIP)
BALL VALVES: BVFD 4 NL (1"FIP)
BALL VALVES: BVG 1 NL (3/8"MIP)
BALL VALVES: BVG 2 NL (1/2"FIP)
BALL VALVES: BVG 21 NL (3/8"FIP)
BALL VALVES: BVG 21R NL (1/2"MIP X 3/8"FLARE)
BALL VALVES: BVG 22 NL (1/2"FIP)
BALL VALVES: BVG 22R NL (1/2"MIP X 1/2"FLARE)
BALL VALVES: BVG 3 NL (3/4"FIP)
BALL VALVES: BVG 315R NL (3/4"MIP X 15/16"FLARE)
BALL VALVES: BVG 32R NL (3/4"MIP X 1/2"FLARE)
BALL VALVES: BVG 33 NL (3/4"FIP)
BALL VALVES: BVG 4 NL (1"FIP)
BALL VALVES: BVG 44 NL (1"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

BALL VALVES: BVI 3 NL (3/4"INSERT X 3/4"INSERT)
BALL VALVES: BVI 4 NL (1"INSERT X 1"INSERT)
BALL VALVES: BVI 5 NL (1 1/4"INSERT X 1 1/4"INSERT)
BALL VALVES: BVL 2L NL (1/2"FIP)
BALL VALVES: BVL 2S NL (1/2"FIP)
BALL VALVES: BVL 3L NL (3/4"FIP)
BALL VALVES: BVL 3S NL (3/4"FIP)
BALL VALVES: BVN 2BF NL (3/4" FHT x 1/2" NOZZLE)
BALL VALVES: BVO 2 NL (1/2"FIP)
BALL VALVES: BVO 3 NL (3/4"FIP)
BALL VALVES: BVO 4 NL (1"FIP)
BALL VALVES: BVO 5 NL (1 1/4"FIP)
BALL VALVES: BVO 6 NL (1 1/2"FIP)
BALL VALVES: BVO 7 NL (2"FIP)
BALL VALVES: BVP 1 NL (3/8"PEX)
BALL VALVES: BVP 2 NL (1/2"PEX)
BALL VALVES: BVP 3 NL (3/4"PEX)
BALL VALVES: BVP 4 NL (1"PEX)
BALL VALVES: BVPD 2 NL (1/2"PEX)
BALL VALVES: BVPD 3 NL (3/4"PEX)
BALL VALVES: BVPD 4 NL (1"PEX)
BATH WASTE: LBW 150 NL (1 1/2")
BATH WASTE: LSD 150 NL (1 1/2")
BATH WASTE: TBW 150
BATH WASTE: TBW 311S NL (1 1/2")
BATH WASTE: TBW 317L
BATH WASTE: TBW 731 NL (1 1/2")
BATH WASTE: TBW 732K
BUSHING BAR STOCK: BSH 31H21T NL (3/4" MHT X 1/2" HOSE BARB)
BUSHING BAR STOCK: BSH 31H31T NL (3/4" MHT X 3/4" HOSE BARB)
BUSHING BAR STOCK: BSH 31H581T NL (3/4" MHT X 5/8" HOSE BARB)
BUSHING BAR STOCK: BSH 3H21T NL (3/4" FHT X 1/2" HOSE BARB)
BUSHING BAR STOCK: BSH 3H31T NL (3/4" FHT X 5/8" HOSE BARB)
BUSHING BAR STOCK: BSH 3H581T NL (3/4" FHT X 3/4" HOSE BARB)
BUSHING BAR STOCK: BSR 012 NL (1/4"MIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 112 NL (3/8"MIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 1221 NL (1/2" SWEAT X 1/2" MNPS)
BUSHING BAR STOCK: BSR 1258 NL (1/2" SWEAT X 5/8" FL)
BUSHING BAR STOCK: BSR 1331 NL (3/4" SWEAT X 3/4" MNPS)
BUSHING BAR STOCK: BSR 20 NL (1/4"FIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 200 NL (1/2"MCXC X 1/4"FIP)
BUSHING BAR STOCK: BSR 2022 NL (1/2"MIP X 1/2"FIP)
BUSHING BAR STOCK: BSR 2022RS NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2022S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2023 NL (1/2"MIP X 1/2"FIP)
BUSHING BAR STOCK: BSR 2023RS NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2023S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2024 NL (1/2"MIP X 1/2"FIP)
BUSHING BAR STOCK: BSR 2024RS NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2024S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2025 NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2025RS NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2025S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2026 NL (1/2"MIP X 1/2"FIP)
BUSHING BAR STOCK: BSR 2026RS NL (1/2" FIP X 1/2" MIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

BUSHING BAR STOCK: BSR 2026S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2027 NL (1/2"MIP X 1/2"FIP)
BUSHING BAR STOCK: BSR 2027RS NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 2027S NL (1/2" FIP X 1/2" MIP)
BUSHING BAR STOCK: BSR 208 NL (1/2"MCXC X 1/8"FIP)
BUSHING BAR STOCK: BSR 21 NL (3/8"FIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 2112 NL (1/2" MNPT X 1/2" SWEAT)
BUSHING BAR STOCK: BSR 212 NL (1/2"MIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 2121 NL (1/2" MNPT X 1/2" MNPS)
BUSHING BAR STOCK: BSR 213 NL (1/2"MIP X 3/4"FCXC)
BUSHING BAR STOCK: BSR 2158 NL (1/2" MNPT X 5/8" FL)
BUSHING BAR STOCK: BSR 22 NL (1/2"FIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 23 NL (3/4"FIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 2X2U NL (1/2"FCXC X 1/2"FCXC UNION)
BUSHING BAR STOCK: BSR 3032 NL (3/4"MIP X 3/4"FIP)
BUSHING BAR STOCK: BSR 3032RS NL (3/4" FIP X 3/4" MIP)
BUSHING BAR STOCK: BSR 3032S NL (3/4" FIP X 3/4" MIP)
BUSHING BAR STOCK: BSR 3033 NL (3/4"MIP X 3/4"FIP)
BUSHING BAR STOCK: BSR 3033RS NL (3/4" FIP X 3/4" MIP)
BUSHING BAR STOCK: BSR 3033S NL (3/4" FIP X 3/4" MIP)
BUSHING BAR STOCK: BSR 3034 NL (3/4"MIP X 3/4"FIP)
BUSHING BAR STOCK: BSR 312 NL (3/4"MIP X 1/2"FCXC)
BUSHING BAR STOCK: BSR 313 NL (3/4"MIP X 3/4"FCXC)
BUSHING BAR STOCK: BSR 3131 NL (3/4" MNPT X 3/4" MNPS)
BUSHING BAR STOCK: BSR 31H2 NL (3/4" MHT X 1/2"FIP)
BUSHING BAR STOCK: BSR 31H21 NL (3/4" MHT X 1/2" MIP)
BUSHING BAR STOCK: BSR 31H212C NL (3/4" MHT X 1/2"MIP & 1/2" FCXC)
BUSHING BAR STOCK: BSR 31H3 NL (3/4" MHT X 3/4" FIP)
BUSHING BAR STOCK: BSR 31H312 NL (3/4" MHT 3/4" MIP & 1/2" FIP)
BUSHING BAR STOCK: BSR 31X31H2 NL (3/4" MHT X 3/4" MHT & 1/2" FIP)
BUSHING BAR STOCK: BSR 32 NL
BUSHING BAR STOCK: BSR 33 NL (3/4"FIP X 3/4"FCXC)
BUSHING BAR STOCK: BSR 3H2 NL (3/4" FHT X 1/2" FIP)
BUSHING BAR STOCK: BSR 3H21 NL (3/4" FHT X 1/2" MIP)
BUSHING BAR STOCK: BSR 3H212C NL (3/4" FHT X 1/2" MIP&1/2" FCXC)
BUSHING BAR STOCK: BSR 3H31 NL (3/4" FHT X 3/4" MIP)
BUSHING BAR STOCK: BSR 3H312 NL (3/4" FHT X 3/4" MIP&1/2"FIP)
BUSHING BAR STOCK: BSR 3X3U NL (3/4"FCXC X 3/4"FCXC UNION)
BUSHING: BS 0A NL (1/4"MIP X 1/8"FIP)
BUSHING: BS 10 NL (3/8"MIP X 1/4"FIP)
BUSHING: BS 101101 NL (4" MIP X 4" MNST)
BUSHING: BS 109 NL (4"MIP X 3" FIP)
BUSHING: BS 1A NL (3/8"MIP X 1/8"FIP)
BUSHING: BS 20 NL (1/2"MIP X 1/4"FIP)
BUSHING: BS 21 NL (1/2"MIP X 3/8"FIP)
BUSHING: BS 23FX NL (1/2"FIP X 3/4"EXTRA FINE)
BUSHING: BS 2A NL (1/2"MIP X 1/8"FIP)
BUSHING: BS 30 NL (3/4"MIP X 1/4"FIP)
BUSHING: BS 31 NL (3/4"MIP X 3/8"FIP)
BUSHING: BS 312 NL (3/4"MIP X 1/2"FCXC)
BUSHING: BS 313 NL (3/4"MIP X 3/4"FCXC)
BUSHING: BS 31H2 NL (3/4" MHT X 1/2" MIP & 1/2" FCXC)
BUSHING: BS 31H32 NL (3/4" FHT X 3/4"MIP & 1/2"FIP)
BUSHING: BS 32 NL (3/4"MIP X 1/2"FIP)
BUSHING: BS 33 NL (3/4"MIP X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

BUSHING: BS 35H NL (1 1/4"MIP NPS X 3/4"FHT)
BUSHING: BS 36H NL (1 1/2"MIP NPS X 3/4"FHT)
BUSHING: BS 37H NL (2"MIP NPS X 3/4"FHT)
BUSHING: BS 3A NL (3/4"MIP X 1/8"FIP)
BUSHING: BS 3H2 NL (3/4"MHT X 1/2"MIP)
BUSHING: BS 3H3 NL (3/4"MHT X 3/4"FIP)
BUSHING: BS 3H32 NL (3/4"MHT X 3/4"MIP & 1/2"FIP)
BUSHING: BS 3X3H NL (3/4"MHT X 3/4"MHT)
BUSHING: BS 40 NL (1"MIP X 1/4"FIP)
BUSHING: BS 41 NL (1"MIP X 3/8"FIP)
BUSHING: BS 4131 NL (1" MIP X 3/4" MHT)
BUSHING: BS 42 NL (1"MIP X 1/2"FIP)
BUSHING: BS 43 NL (1"MIP X 3/4"FIP)
BUSHING: BS 443 NL (1" MNPSH X 1"MIP & 3/4"FIP)
BUSHING: BS 4H3 NL (1" FNPSH X 3/4" MNH)
BUSHING: BS 513 NL (1 1/4"MIP X 3/4"FCXC)
BUSHING: BS 52 NL (1 1/4"MIP X 1/2"FIP)
BUSHING: BS 53 NL (1 1/4"MIP X 3/4"FIP)
BUSHING: BS 54 NL (1 1/4"MIP X 1"FIP)
BUSHING: BS 60 NL (1 1/2"MIP X 1/4"FIP)
BUSHING: BS 62 NL (1 1/2" MIP X 1/2" FIP)
BUSHING: BS 63 NL (1 1/2" MIP X 3/4"FIP)
BUSHING: BS 72 NL (2" MIP X 1/2"FIP)
BUSHING: BS 73 NL (2"MIP X 3/4"FIP)
BUSHING: BS 74 NL (2"MIP X 1"FIP)
BUSHING: BS 75 NL (2"MIP X 1 1/4"FIP)
BUSHING: BS 76 NL (2"MIP X 1 1/2"FIP)
BUSHING: BS 84 NL (2 1/2"MIP X 1"FIP)
BUSHING: BS 85 NL (2 1/2" MIP X 1 1/4" FIP)
BUSHING: BS 86 NL (2 1/2"MIP X 1 1/2"FIP)
BUSHING: BS 87 NL (2 1/2"MIP X 2"FIP)
BUSHING: BS 9281 NL (3" MNPSH X 2 1/2" MNST)
BUSHING: BS 94 NL (3"MIP X 1"FIP)
BUSHING: BS 95 NL (3"MIP X 1 1/4"FIP)
BUSHING: BS 96 NL (3"MIP X 1 1/2"FIP)
BUSHING: BS 97 NL (3"MIP X 2"FIP)
BUSHING: BS 98 NL (3"MIP X 2 1/2"FIP)
BUSHING: BSF 10101 NL (4" FNST X 4" MIP)
BUSHING: BSF 6061 NL (1 1/2"FIP X 1 1/2"MHT)
BUSHING: BSF 616 NL (1 1/2"FHT X 1 1/2"MIP)
BUSHING: BSF 66 NL (1 1/2" FIP X 1 1/2" FNST)
BUSHING: BSF 661 NL (1 1/2" FNST X 1 1/2" MIP)
BUSHING: BSF 662 NL (1 1/2" MNPSH X 1 1/2" FNST)
BUSHING: BSF 7061 NL (2 1/2" FIP X 1 1/2" MNST)
BUSHING: BSF 8081 NL (2 1/2"FIP X 2 1/2"MHT)
BUSHING: BSF 86H NL (2 1/2" FNST X 1 1/2" MHT)
BUSHING: BSF 871 NL (2 1/2"FHT X 2"MIP)
BUSHING: BSF 88 NL (2 1/2" FIP X 2 1/2" FNST)
BUSHING: BSF 881 NL (2 1/2"FHT X 2 1/2"MIP)
BUSHING: BSR 3H3 NL (3/4"FIP X 3/4"MHT)
BUSHING: HN 3H NL (3/4"FHT X 2"SWEeper NOZZLE)
BUSHING: HN 6 NL (3/4" NH X 6" SWEEPER NOZZLE)
BUSHING: SPD 1344 NL (3/8"MIP)
BUSHING: SPD 1619 NL (5/8"MIP X 7/16"FIP)
BUSHING: SPD 1622 NL (7/16"FIP X 3/8"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

BUSHING: SPD 1931 NL (5/8"FIP)
BUSHING: SPH 1922 NL (3/4"MIP)
CHECK VALVES: CV 0 NL (1/4"FIP)
CHECK VALVES: CV 1 NL (3/8"FIP)
CHECK VALVES: CV 10 NL (4"FIP)
CHECK VALVES: CV 11 NL (3/8"FCXC)
CHECK VALVES: CV 12 NL (1/2"FCXC)
CHECK VALVES: CV 13 NL (3/4"FCXC)
CHECK VALVES: CV 14 NL (1"FCXC)
CHECK VALVES: CV 15 NL (1 1/4"FCXC)
CHECK VALVES: CV 16 NL (1 1/2"FCXC)
CHECK VALVES: CV 17 NL (2"FCXC)
CHECK VALVES: CV 18 NL (2 1/2"FCXC)
CHECK VALVES: CV 19 NL (3"FCXC)
CHECK VALVES: CV 2 NL (1/2"FIP)
CHECK VALVES: CV 20 NL (4"FCXC)
CHECK VALVES: CV 2NPR NL (1/2" PRESS)
CHECK VALVES: CV 3 NL (3/4"FIP)
CHECK VALVES: CV 3NPR NL (3/4" PRESS)
CHECK VALVES: CV 4 NL (1"FIP)
CHECK VALVES: CV 4NPR NL (1" PRESS)
CHECK VALVES: CV 5 NL (1 1/4"FIP)
CHECK VALVES: CV 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CV 6 NL (1 1/2"FIP)
CHECK VALVES: CV 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CV 7 NL (2"FIP)
CHECK VALVES: CV 7NPR NL (2" PRESS)
CHECK VALVES: CV 8 NL (2 1/2"FIP)
CHECK VALVES: CV 9 NL (3"FIP)
CHECK VALVES: CVI 12 NL (1/2"FCXC)
CHECK VALVES: CVI 13 NL (3/4"FCXC)
CHECK VALVES: CVI 14 NL (1"FCXC)
CHECK VALVES: CVI 15 NL (1 1/4"FCXC)
CHECK VALVES: CVI 16 NL (1 1/2"FCXC)
CHECK VALVES: CVI 17 NL (2"FCXC)
CHECK VALVES: CVI 2NPR NL (1/2" PRESS)
CHECK VALVES: CVI 3NPR NL (3/4" PRESS)
CHECK VALVES: CVI 4NPR NL (1" PRESS)
CHECK VALVES: CVI 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CVI 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CVI 7NPR NL (2" PRESS)
CHECK VALVES: CVIA 12 NL (1/2"FCXC X 1/2"FCXC)
CHECK VALVES: CVIA 13 NL (3/4"FCXC X 3/4"FCXC)
CHECK VALVES: CVIA 14 NL (1"FCXC X 1"FCXC)
CHECK VALVES: CVIA 15 NL (1 1/4"FCXC X 1 1/4"FCXC)
CHECK VALVES: CVIA 16 NL (1 1/2"FCXC X 1 1/2"FCXC)
CHECK VALVES: CVIA 17 NL (2"FCXC X 2"FCXC)
CHECK VALVES: CVIA 2 NL
CHECK VALVES: CVIA 2NPR NL (1/2" PRESS)
CHECK VALVES: CVIA 3 NL (3/4"FIP X 3/4"FIP)
CHECK VALVES: CVIA 3NPR NL (3/4" PRESS)
CHECK VALVES: CVIA 4 NL (1"FIP X 1"FIP)
CHECK VALVES: CVIA 4NPR NL (1" PRESS)
CHECK VALVES: CVIA 5 NL (1 1/4"FIP X 1 1/4"FIP)
CHECK VALVES: CVIA 5NPR NL (1 1/4" PRESS)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

CHECK VALVES: CVIA 6 NL (1 1/2" FIP X 1 1/2" FIP)
CHECK VALVES: CVIA 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CVIA 7 NL (2" FIP X 2" FIP)
CHECK VALVES: CVIA 7NPR NL (2" PRESS)
CHECK VALVES: CVR 0 NL (1/4" FIP)
CHECK VALVES: CVR 1 NL (3/8" FIP)
CHECK VALVES: CVR 10 NL (4" FIP)
CHECK VALVES: CVR 2NL
CHECK VALVES: CVR 2NPR NL (1/2" PRESS)
CHECK VALVES: CVR 3 NL (3/4" FIP)
CHECK VALVES: CVR 3NPR NL (3/4" PRESS)
CHECK VALVES: CVR 4 NL (1" FIP)
CHECK VALVES: CVR 4NPR NL (1" PRESS)
CHECK VALVES: CVR 5 NL (1 1/4" FIP)
CHECK VALVES: CVR 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CVR 6 NL (1 1/2" FIP)
CHECK VALVES: CVR 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CVR 7 NL (2" FIP)
CHECK VALVES: CVR 7NPR NL (2" PRESS)
CHECK VALVES: CVR 8 NL (2 1/2" FIP)
CHECK VALVES: CVR 9 NL (3" FIP)
CHECK VALVES: CVT 0 NL (1/4" FIP)
CHECK VALVES: CVT 1 NL (3/8" FIP)
CHECK VALVES: CVT 10 NL (4" FIP)
CHECK VALVES: CVT 2 NL (1/2" FIP)
CHECK VALVES: CVT 2NPR NL (1/2" PRESS)
CHECK VALVES: CVT 3 NL (3/4" FIP)
CHECK VALVES: CVT 3NPR NL (3/4" PRESS)
CHECK VALVES: CVT 4 NL (1" FIP)
CHECK VALVES: CVT 4NPR NL (1" PRESS)
CHECK VALVES: CVT 5 NL (1 1/4" FIP)
CHECK VALVES: CVT 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CVT 6 NL (1 1/2" FIP)
CHECK VALVES: CVT 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CVT 7 NL (2" FIP)
CHECK VALVES: CVT 7NPR NL (2" PRESS)
CHECK VALVES: CVT 8 NL (2 1/2" FIP)
CHECK VALVES: CVT 9 NL (3" FIP)
CHECK VALVES: CVY 1 NL (3/8" FIP)
CHECK VALVES: CVY 12 NL (1/2" FCXC)
CHECK VALVES: CVY 13 NL (3/4" FCXC)
CHECK VALVES: CVY 14 NL (1" FCXC)
CHECK VALVES: CVY 15 NL (1 1/4" FCXC)
CHECK VALVES: CVY 16 NL (1 1/2" FCXC)
CHECK VALVES: CVY 17 NL (2" FCXC)
CHECK VALVES: CVY 2NL
CHECK VALVES: CVY 2NPR NL (1/2" PRESS)
CHECK VALVES: CVY 3 NL (3/4" FIP)
CHECK VALVES: CVY 3NPR NL (3/4" PRESS)
CHECK VALVES: CVY 4 NL (1" FIP)
CHECK VALVES: CVY 4NPR NL (1" PRESS)
CHECK VALVES: CVY 5 NL (1 1/4" FIP)
CHECK VALVES: CVY 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CVY 6 NL (1 1/2" FIP)
CHECK VALVES: CVY 6NPR NL (1 1/2" PRESS)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

CHECK VALVES: CVY 7 NL (2"FIP)
CHECK VALVES: CVY 7NPR NL (2" PRESS)
CHECK VALVES: CVYR 1 NL (3/8"FIP)
CHECK VALVES: CVYR 12NL
CHECK VALVES: CVYR 13 NL (3/4"FCXC)
CHECK VALVES: CVYR 14 NL (1"FCXC)
CHECK VALVES: CVYR 15 NL (1 1/4"FCXC)
CHECK VALVES: CVYR 16 NL (1 1/2"FCXC)
CHECK VALVES: CVYR 17 NL (2"FCXC)
CHECK VALVES: CVYR 2NL
CHECK VALVES: CVYR 3 NL (3/4"FIP)
CHECK VALVES: CVYR 4 NL (1"FIP)
CHECK VALVES: CVYR 5 NL (1 1/4"FIP)
CHECK VALVES: CVYR 6 NL (1 1/2"FIP)
CHECK VALVES: CVYR 7 NL (2"FIP)
CHECK VALVES: CVYT 1 NL (3/8"FIP)
CHECK VALVES: CVYT 12NL (1/2"FCXC)
CHECK VALVES: CVYT 13 NL (3/4"FCXC)
CHECK VALVES: CVYT 14 NL (1"FCXC)
CHECK VALVES: CVYT 15 NL (1 1/4"FCXC)
CHECK VALVES: CVYT 16 NL (1 1/2"FCXC)
CHECK VALVES: CVYT 17 NL (2"FCXC)
CHECK VALVES: CVYT 2 NL (1/2"FIP)
CHECK VALVES: CVYT 2NPR NL (1/2" PRESS)
CHECK VALVES: CVYT 3 NL (3/4"FIP)
CHECK VALVES: CVYT 3NPR NL (3/4" PRESS)
CHECK VALVES: CVYT 4 NL (1"FIP)
CHECK VALVES: CVYT 4NPR NL (1" PRESS)
CHECK VALVES: CVYT 5 NL (1 1/4"FIP)
CHECK VALVES: CVYT 5NPR NL (1 1/4" PRESS)
CHECK VALVES: CVYT 6 NL (1 1/2"FIP)
CHECK VALVES: CVYT 6NPR NL (1 1/2" PRESS)
CHECK VALVES: CVYT 7 NL (2"FIP)
CHECK VALVES: CVYT 7NPR NL (2" PRESS)
CLEAN OUT PLUG: COP 125 NL (1 1/4"MIP)
CLEAN OUT PLUG: COP 150 NL (1 1/2"MIP)
CLEAN OUT PLUG: COP 200 NL (2"MIP)
CLEAN OUT PLUG: COP 250 NL (2 1/2"MIP)
CLEAN OUT PLUG: COP 300 NL (3"MIP)
CLEAN OUT PLUG: COP 350 NL (3 1/2"MIP)
CLEAN OUT PLUG: COP 400 NL (4"MIP)
CLEAN OUT PLUG: COP 500 NL (5"MIP)
CLEAN OUT PLUG: COP 600 NL (6"MIP)
CLEAN OUT PLUG: COP 800 NL (8"MIP)
CLEAN OUT PLUG: COS 125 NL (1 1/4"MIP)
CLEAN OUT PLUG: COS 150 NL (1 1/2"MIP)
CLEAN OUT PLUG: COS 1500 NL (1 1/2" MIP With Tap)
CLEAN OUT PLUG: COS 1500X NL (1 1/2" MIP With Blind Hole)
CLEAN OUT PLUG: COS 200 NL (2"MIP)
CLEAN OUT PLUG: COS 2000 NL (2" MIP With Tap)
CLEAN OUT PLUG: COS 2000X NL (2" MIP With Blind Hole)
CLEAN OUT PLUG: COS 250 NL (2 1/2"MIP)
CLEAN OUT PLUG: COS 2500 NL (2 1/2" MIP With Tap)
CLEAN OUT PLUG: COS 2500X NL (2 1/2" MIP With Blind Hole)
CLEAN OUT PLUG: COS 300 NL (3"MIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

CLEAN OUT PLUG: COS 3000 NL (3" MIP With Tap)
CLEAN OUT PLUG: COS 3000X NL (3" MIP With Blind Hole)
CLEAN OUT PLUG: COS 350 NL (3 1/2" MIP)
CLEAN OUT PLUG: COS 3500 NL (3 1/2" MIP With Tap)
CLEAN OUT PLUG: COS 3500X NL (3 1/2" MIP With Blind Hole)
CLEAN OUT PLUG: COS 400 NL (4" MIP)
CLEAN OUT PLUG: COS 4000 NL (4" MIP With Tap)
CLEAN OUT PLUG: COS 4000X NL 94" MIP With Blind Hole)
CLEAN OUT PLUG: COS 550 NL (5 1/2" MIP)
CLEAN OUT PLUG: COS 600 NL (6" MIP)
CLEAN OUT PLUG: COS 800 NL (8" MIP)
CLEAN OUT PLUG: COSH 200 NL (2" MIP)
CLEAN OUT PLUG: COSH 2000 NL (2" MIP With Tap)
CLEAN OUT PLUG: COSH 2000X NL (2" MIP With Blind Hole)
CLEAN OUT PLUG: COSH 300 NL (3" MIP)
CLEAN OUT PLUG: COSH 3000 NL (3" MIP With Tap)
CLEAN OUT PLUG: COSH 3000X NL (3" MIP With Blind Hole)
CLEAN OUT PLUG: COSH 350 NL (3 1/2" MIP)
CLEAN OUT PLUG: COSH 3500 NL (3 1/2" MIP With Tap)
CLEAN OUT PLUG: COSH 3500X NL (3 1/2" MIP With Blind Hole)
CLEAN OUT PLUG: COSH 400 NL (4" MIP)
CLEAN OUT PLUG: COSH 4000 NL (4" MIP With Tap)
CLEAN OUT PLUG: COSH 4000X NL (4" MIP With Blind Hole)
COMPRESSION COUPLING: CIC 31 NL (3/8" IPS X 1/2" CTS)
COMPRESSION COUPLING: CIC 32 NL (1/2" IPS X 3/4" CTS)
COMPRESSION COUPLING: CIC 33 NL (3/4" IPS X 1" CTS)
COMPRESSION COUPLING: CIC 34 NL (1" IPS X 1 1/4" CTS)
COMPRESSION COUPLING: CIC 35 NL (1 1/4" IPS X 1 1/2" CTS)
COMPRESSION COUPLING: CIC 36 NL (1 1/2" IPS)
COMPRESSION COUPLING: CIC 37 NL (2" IPS)
COMPRESSION COUPLING: CIC 51 NL (3/8" IPS X 1/2" CTS)
COMPRESSION COUPLING: CIC 52 NL (1/2" IPS X 3/4" CTS)
COMPRESSION COUPLING: CIC 53 NL (3/4" IPS X 1" CTS)
COMPRESSION COUPLING: CIC 54 NL (1" IPS X 1 1/4" CTS)
COMPRESSION COUPLING: CIC 55 NL (1 1/4" IPS X 1 1/2" CTS)
COMPRESSION COUPLING: CIC 56 NL (1 1/2" IPS)
COMPRESSION COUPLING: CIC 57 NL (2" IPS)
COMPRESSION COUPLING: CIC 57C NL (2" CTS)
DECK CLEAN OUT LESS PLUG: DCP 2 NL (2")
DECK CLEAN OUT LESS PLUG: DCP 3 NL (3")
DECK CLEAN OUT LESS PLUG: DCP 4 NL (4")
DECK CLEAN OUT LESS PLUG: DCP 5 NL (5")
DECK CLEAN OUT LESS PLUG: DCP 6 NL (6")
DOUBLE UNION: DN 0 NL (1/4" FIP)
DOUBLE UNION: DN 1 NL (3/8" FIP)
DOUBLE UNION: DN 10 NL (4" FIP)
DOUBLE UNION: DN 2 NL (1/2" FIP)
DOUBLE UNION: DN 3 NL (3/4" FIP)
DOUBLE UNION: DN 4 NL (1" FIP X 1" FIP)
DOUBLE UNION: DN 5 NL (1 1/4" FIP X 1 1/4" FIP)
DOUBLE UNION: DN 6 NL (1 1/2" FIP)
DOUBLE UNION: DN 7 NL (2" FIP)
DOUBLE UNION: DN 8 NL (2 1/2" FIP)
DOUBLE UNION: DN 9 NL (3" FIP)
DOUBLE UNION: DN A NL (1/8" FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

DROP EAR: DE 112 NL (3/8"FIP X 1/2"FCXC)
DROP EAR: DE 112PX NL (3/8"FIP X 1/2"PEX)
DROP EAR: DE 202 NL (1/2"FCXC X 1/2"FCXC)
DROP EAR: DE 212 NL (1/2"FIP X 1/2"FCXC)
DROP EAR: DE 212PW NL (1/2" FIP X 1/2" PEX F1960)
DROP EAR: DE 212PX NL (1/2"FIP X 1/2"PEX)
DROP EAR: DE 213 NL (1/2"FIP X 3/4"FCXC)
DROP EAR: DE 213 PX NL (1/2"FIP X 3/4"PEX)
DROP EAR: DE 22 NL (1 1/2" FIP X 1/2" FIP)
DROP EAR: DE 303 NL (3/4"FCXC X 3/4"FCXC)
DROP EAR: DE 3112 NL (3/8"FIP X 1/2"FCXC)
DROP EAR: DE 3112PX NL (3/8"FIP X 1/2"PEX)
DROP EAR: DE 312 NL (3/4"FIP X 1/2"FCXC)
DROP EAR: DE 312PX NL (3/4"FIP X 1/2"PEX)
DROP EAR: DE 313 NL (3/4"FIP X 3/4"FCXC)
DROP EAR: DE 313PW NL (3/4" FIP X 3/4" PEX F1960)
DROP EAR: DE 313PX NL (3/4"FIP X 3/4"PEX)
DROP EAR: DE 3202 NL (1/2"FCXC X 1/2"FCXC)
DROP EAR: DE 3212 NL (1/2"FIP X 1/2"FCXC)
DROP EAR: DE 3212PX NL (1/2"FIP X 1/2"PEX)
DROP EAR: DE 3213 NL (1/2"FIP X 3/4"FCXC)
DROP EAR: DE 3213PX NL (1/2"FIP X 3/4"PEX)
DROP EAR: DE 3303 NL (3/4"FCXC X 3/4"FCXC)
DROP EAR: DE 3312 NL (3/4"FIP X 1/2"FCXC)
DROP EAR: DE 3312PX NL (3/4"FIP X 1/2"PEX)
DROP EAR: DE 3313 NL (3/4"FIP X 3/4"FCXC)
DROP EAR: DE 3313PX NL (3/4"FIP X 3/4"PEX)
DROP EAR: DE 404 NL (1"FCXC X 1"FCXC)
DROP EAR: DE 414 NL (1"FIP X 1"FCXC)
DROP EAR: DEH 22 NL (1/2"FIP X 1/2"FCXC)
DROP EAR: DEH 33 NL (3/4"FIP X 3/4"FCXC)
DROP EAR: TE 202 NL (1/2"FCXC X 1/2"FCXC X 1/2"FCXC)
DROP EAR: TE 2C2 NL (1/2"FCXC X 1/2"FCXC X 1/2"FIP)
DROP EAR: TE 303 NL (3/4"FCXC X 3/4"FCXC X 3/4"FCXC)
DROP WELL COUPLING: DP 4 NL (1"FIP X 1"FIP)
DROP WELL COUPLING: DP 5 NL (1 1/4"FIP X 1 1/4"FIP)
DROP WELL COUPLING: DP 5275 NL (1 1/4"FIP X 1 1/4"FIP)
DROP WELL COUPLING: DP 5400 NL (1 1/4"FIP X 1 1/4"FIP)
DROP WELL COUPLING: DP 5425 NL (1 1/4"FIP X 1 1/4"FIP)
DROP WELL COUPLING: DP 5575 NL (1 1/4"FIP X 1 1/4"FIP)
DROP WELL COUPLING: DP 6 NL (1 1/2"FIP X 1 1/2"FIP)
DROP WELL COUPLING: DP 6400 NL (1 1/2"FIP X 1 1/2"FIP)
DROP WELL COUPLING: DP 7 NL (2"FIP X 2"FIP)
DROP WELL COUPLING: DP 7350 NL (2"FIP X 2"FIP)
DROP WELL COUPLING: DP 7400 NL (2"FIP X 2"FIP)
DWV CONNECTION: BS 5M5 NL (1 1/4"MIP X 1 1/4"FCXC)
DWV CONNECTION: BS 6M6 NL (1 1/2"MIP X 1 1/2"FCXC)
DWV CONNECTION: BS 7F7 NL (2"FIP X 2"FCXC)
DWV CONNECTION: CO 6 NL (1 1/2"MCXC X 1"FIP)
DWV CONNECTION: CO 66 NL (1 1/2"MCXC X 1 1/2"FIP)
DWV CONNECTION: CO 7 NL (2"MCXC X 1 1/2"FIP)
DWV CONNECTION: CO 77 NL (2"MCXC X 2"FIP)
DWV CONNECTION: COT 6 NL (1 1/2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: COT 7 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: T 555 NL (1 1/4"FCXC X 1 1/4"FCXC)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

DWV CONNECTION: T 656 NL (1 1/2"FCXC X 1 1/4"FCXC)
DWV CONNECTION: T 666 NL (1 1/2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: T 766 NL (2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: T 767 NL (2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: T 775 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: T 776 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: T 777 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: T 965 NL (3"FCXC X 1 1/2"FCXC)
DWV CONNECTION: TT 7676 NL (1 1/2"FCXC X 2"FCXC X 1 1/2"FCXC X 2"FCXC)
DWV CONNECTION: TT 7777 NL (2"FCXC X 2"FCXC X 2"FCXC X 2"FCXC)
DWV CONNECTION: TY 555 NL (1 1/4"FCXC X 1 1/4"FCXC)
DWV CONNECTION: TY 665 NL (1 1/2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: TY 666 NL (1 1/2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: TY 776 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: TY 777 NL (2"FCXC X 2"FCXC)
DWV CONNECTION: TY 7777 NL (2"FCXC X 2"FCXC X 2"FCXC X 2"FCXC)
DWV CONNECTION: YY 6666 NL (1 1/2"FCXC X 1 1/2"FCXC X 1 1/2"FCXC X 1 1/2"FCXC)
DWV CONNECTION: YY 7777 NL (2"FCXC X 2"FCXC X 2"FCXC X 2"FCXC)
DWV MARVEL WASTE CONNECTOR: PF 505BR NL (1 1/4" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 506BR NL (1 1/2" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 551BR NL (1 1/4" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 561BR NL (1 1/2" FIP X 1 1/4" SJ)
DWV MARVEL WASTE CONNECTOR: PF 606BR NL (1 1/2" FIP X 1 1/2" SJ)
DWV MARVEL WASTE CONNECTOR: PF 661BR NL (1 1/2" FIP X 1 1/2" SJ)
ELL COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: LCC 33Q NL (3/4" PJ. CTS QJ X 3/4" PJ. CTS QJ)
ELL COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: LCC 44Q NL (1" PJ. CTS QJ X 1" PJ. CTS QJ)
ELL COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: LCC 66Q NL (1 1/2" PJ. CTS QJ X 1 1/2" PJ. CTS QJ)
ELL COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: LCC 77Q NL (2" PJ. CTS QJ X 2" PJ. CTS QJ)
ELL COUPLING W/FLARE: LFR 44 NL (1"MIP X 1"FLARE)
ELL COUPLING W/FLARE: LFR 66 NL (1 1/2"MIP X 1 1/2"FLARE)
ELL COUPLING W/FLARE: LFR 77 NL (2"MIP X 2"FLARE)
ELL COUPLING W/FLARE: LMR 33 NL (3/4"MIP X 3/4"FLARE)
ELL COUPLING W/FLARE: LMR 43 NL (3/4"MIP X 1"FLARE)
ELL COUPLING W/FLARE: LMR 44 NL (1"MIP X 1"FLARE)
ELL COUPLING W/FLARE: LMR 66 NL (1 1/2"MIP X 1 1/2"FLARE)
ELL COUPLING W/FLARE: LMR 77 NL (2"MIP X 2"FLARE)
ELL COUPLING W/FLARE: LRR 33 NL (3/4"FLARE X 3/4"FLARE)
ELL COUPLING W/FLARE: LRR 44 NL (1"FLARE X 1"FLARE)
ELL COUPLING W/FLARE: LRR 66 NL (1 1/2"FLARE X 1 1/2"FLARE)
ELL COUPLING W/FLARE: LRR 77 NL (2"FLARE X 2"FLARE)
FIRE HOSE: BS 101451 NL (4"MIP X 4 1/2"MHT)
FIRE HOSE: BS 4141 NL (1"MIP X 1"MHT)
FIRE HOSE: BS 4161 NL (1"MIP X 1 1/2"MHT)
FIRE HOSE: BS 601601 NL (6"MIP X 6"MHT)
FIRE HOSE: BS 6161 NL (1 1/2"MIP X 1 1/2"MHT)
FIRE HOSE: BS 6162 NL
FIRE HOSE: BS 6181 NL (1 1/2"MIP X 2 1/2"MHT)
FIRE HOSE: BS 6261 NL (1 1/2"NPSH X 1 1/2"MHT)
FIRE HOSE: BS 661 NL (1 1/2"MHT X 1 1/2"MHT)
FIRE HOSE: BS 7161 NL (2"MIP X 1 1/2"MHT)
FIRE HOSE: BS 7172 NL
FIRE HOSE: BS 7181 NL (2"MIP X 2 1/2"MHT)
FIRE HOSE: BS 8161 NL (2 1/2"MIP X 1 1/2"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FIRE HOSE: BS 8181 NL (2 1/2" MIP X 2 1/2" MHT)
FIRE HOSE: BS 861 NL (2 1/2" MHT X 1 1/2" MHT)
FIRE HOSE: BS 881 NL (2 1/2" MHT X 2 1/2" MHT)
FIRE HOSE: BS 9181 NL (3" MIP X 2 1/2" MHT)
FIRE HOSE: BS 9191 NL (3" MIP X 3" MHT)
FIRE HOSE: FH 108RA NL (4" FNST X 2 1/2" MNST)
FIRE HOSE: FH 158RA NL (4 1/2" FNST X 2 1/2" MNST)
FIRE HOSE: FH 6 NL (1 1/2" FIP X 1 1/2" MHT)
FIRE HOSE: FH 63RA NL (1 1/2" FHT X 3/4" MHT)
FIRE HOSE: FH 64RM NL (1 1/2" FNST X 1" MIP)
FIRE HOSE: FH 6CAP NL (1 1/2" FNST)
FIRE HOSE: FH 7 NL (1 1/2" FIP X 1 1/2" FIP)
FIRE HOSE: FH 8 NL (2 1/2" FIP X 2 1/2" MHT)
FIRE HOSE: FH 83RA NL (2 1/2" FHT X 3/4" MHT)
FIRE HOSE: FH 83RM NL (2 1/2" FHT X 3/4" MIP)
FIRE HOSE: FH 84RM NL (2 1/2" FHT X 1" MIP)
FIRE HOSE: FH 86RA NL (2 1/2" FHT X 1 1/2" MHT)
FIRE HOSE: FH 86RM NL (2 1/2" FHT X 1 1/2" MIP)
FIRE HOSE: FH 87 RMNYC
FIRE HOSE: FH 87RM NL (2 1/2" FHT X 2" MIP)
FIRE HOSE: FH 87RM NYC NL (3" NYC X 2" MNPT)
FIRE HOSE: FH 88RM NL (2 1/2" FNST X 2 1/2" MIP)
FIRE HOSE: FH 89RM NL (2 1/2" FNST X 3" MIP)
FIRE HOSE: FH 8CAP NL (2 1/2" FNST)
FIRE HOSE: FH 8RM NL (2 1/2" FNST X 2 1/2" MIP)
FIRE HOSE: FH 9 NL (2 1/2" FIP X 2 1/2" FIP)
FIRE HOSE: RA 3H3L NL (3/4" FNST X 3/4" FNST)
FIRE HOSE: RA 443L NL (1" FIP X 1" FNPSH)
FIRE HOSE: RA 44L NL (1" FIP X 1" FNST)
FIRE HOSE: RA 4H4L NL (1" FNST X 1" FNST)
FIRE HOSE: RA 616L NL (1 1/2" MIP X 1 1/2" FNST)
FIRE HOSE: RA 626 RL NL (1 1/2" FNST X 1 1/2" FNST)
FIRE HOSE: RA 66L NL (1 1/2" FIP X 1 1/2" FNST)
FIRE HOSE: RA 6H6L NL (1 1/2" FNST X 1 1/2" FNST)
FIRE HOSE: RA 718L NL (2" MIP X 2 1/2" FHT)
FIRE HOSE: RA 818L NL (2 1/2" MIP X 2 1/2" FNST)
FIRE HOSE: RA 88L NL (2 1/2" FIP X 2 1/2" FNST)
FIRE HOSE: RA 8H8L NL (2 1/2" FNST X 2 1/2" FNST)
FIRE HOSE: RA 918L NL (3" MIP X 2 1/2" FHT)
FIRE HOSE: RRA 616L NL (1 1/2" MIP X 1 1/2" FNST)
FITTINGS: 2NPR NL (1/2" PRESS)
FITTINGS: 3NPR NL (3/4" PRESS)
FITTINGS: 4NPR NL (1" PRESS)
FITTINGS: 5NPR NL (1 1/4" PRESS)
FITTINGS: 6NPR NL (1 1/2" PRESS)
FITTINGS: 7NPR NL (2" PRESS)
FITTINGS: N-PR-2 NL (1/2" PRESS)
FITTINGS: N-PR-3 NL (3/4" PRESS)
FITTINGS: PF 1.1 NL (3/8" FIP)
FITTINGS: PF 1.1S NL (3/8" FIP)
FITTINGS: PF 1.2 NL (1/2" FIP)
FITTINGS: PF 1.21S NL (1/2" FIP X 1/2" MIP)
FITTINGS: PF 1.2S NL (1/2" FIP)
FITTINGS: PF 1.3 NL (3/4" FIP)
FITTINGS: PF 1.4 NL (1" FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FITTINGS: PF 1.5 NL (1 1/4"FIP)
FITTINGS: PF 1.6 NL (1 1/2"FIP)
FITTINGS: PF 1.7 NL (2"FIP)
FITTINGS: PF 3.2 NL (1/2"FIP)
FITTINGS: PF 3.3 NL (3/4"FIP)
FITTINGS: PF 3.4 NL (1"FIP)
FITTINGS: PF 3.5 NL (1 1/4"FIP)
FITTINGS: PF 3.6 NL (1 1/2"FIP)
FITTINGS: PF 3.7 NL (2"FIP)
FITTINGS: PF 4.1S NL (3/8"FIP)
FITTINGS: PF 4.2 NL
FITTINGS: PF 4.2S NL (1/2"FIP)
FITTINGS: PF 4.3 NL (3/4"FIP)
FITTINGS: PF 4.4 NL (1"FIP)
FITTINGS: PF 4.5 NL (1 1/4"FIP)
FITTINGS: PF 4.6 NL (1 1/2"FIP)
FITTINGS: PF 4.7 NL (2"FIP)
FITTINGS: PF 451 NL (3/8"FIP)
FITTINGS: PF 452 NL (1/2"FIP)
FLANGE FITTINGS: RF 10-150 NL (4"FIP)
FLANGE FITTINGS: RF 12-125 NL (1/2"FCXC)
FLANGE FITTINGS: RF 12-150 NL (1/2" FCXC)
FLANGE FITTINGS: RF 13-125 NL (3/4"FCXC)
FLANGE FITTINGS: RF 13-150 NL (3/4" FCXC)
FLANGE FITTINGS: RF 14-125 NL (1"FCXC)
FLANGE FITTINGS: RF 14-150 NL (1" FCXC)
FLANGE FITTINGS: RF 15-125 NL (1 1/4"FCXC)
FLANGE FITTINGS: RF 15-150 NL (1 1/4" FCXC)
FLANGE FITTINGS: RF 16-125 NL (1 1/2"FCXC)
FLANGE FITTINGS: RF 16-150 NL (1 1/2" FCXC)
FLANGE FITTINGS: RF 17-125 NL (2"FCXC)
FLANGE FITTINGS: RF 17-150 NL (2" FCXC)
FLANGE FITTINGS: RF 18-125 NL (2 1/2"FCXC)
FLANGE FITTINGS: RF 18-150 NL (2 1/2" FCXC)
FLANGE FITTINGS: RF 19-125 NL (3"FCXC)
FLANGE FITTINGS: RF 19-150 NL (3" FCXC)
FLANGE FITTINGS: RF 2-150 NL (1/2"FIP)
FLANGE FITTINGS: RF 20-125 NL (4"FCXC)
FLANGE FITTINGS: RF 20-150 NL (4" FCXC)
FLANGE FITTINGS: RF 3-150 NL (3/4"FIP)
FLANGE FITTINGS: RF 4-150 NL (1 1/4" MIP X 1" FIP)
FLANGE FITTINGS: RF 4-150 NL (1"FIP)
FLANGE FITTINGS: RF 5-150 NL (1 1/4"FIP)
FLANGE FITTINGS: RF 6-150 NL (1 1/2"FIP)
FLANGE FITTINGS: RF 60-125 NL (6"FCXC)
FLANGE FITTINGS: RF 60-150 NL (6" FCXC)
FLANGE FITTINGS: RF 7-150 NL (2"FIP)
FLANGE FITTINGS: RF 8-150 NL (2 1/2"FIP)
FLANGE FITTINGS: RF 9-150 NL (3"FIP)
FLANGE FITTINGS: RFF 0 NL (1/4"FIP)
FLANGE FITTINGS: RFF 1 NL (3/8"FIP)
FLANGE FITTINGS: RFF 10 NL (4"FIP)
FLANGE FITTINGS: RFF 2 NL
FLANGE FITTINGS: RFF 3 NL (3/4"FIP)
FLANGE FITTINGS: RFF 4 NL (1"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FLANGE FITTINGS: RFF 5 NL (1 1/4" FIP)
FLANGE FITTINGS: RFF 6 NL (1 1/2" FIP)
FLANGE FITTINGS: RFF 7 NL (2" FIP)
FLANGE FITTINGS: RFF 8 NL (2 1/2" FIP)
FLANGE FITTINGS: RFF 9 NL (3" FIP)
FLANGE OVAL: FO 16 NL (1 1/2" FCXC)
FLANGE OVAL: FO 16A NL (1 1/2" FCXC)
FLANGE OVAL: FO 16AB NL (1 1/2" FCXC)
FLANGE OVAL: FO 17 NL (2" FCXC)
FLANGE OVAL: FO 17A NL (2" FCXC)
FLANGE OVAL: FO 17AB NL (2" FCXC)
FLANGE OVAL: FO 6 NL (1 1/2" FIP)
FLANGE OVAL: FO 6A NL (1 1/2" FIP)
FLANGE OVAL: FO 6AB NL (1 1/2" FIP)
FLANGE OVAL: FO 7 NL (2" FIP)
FLANGE OVAL: FO 7A NL (2" FIP)
FLANGE OVAL: FO 7AB NL (2" FIP)
FLANGE OVAL: FO 16 RW NL (1 1/2" CXC)
FLANGE OVAL: FO 16 RW NL (1 1/2" FCXC)
FLANGE OVAL: FO 16 RWE NL (1 1/2" FCXC)
FLANGE OVAL: FO 16 RWE NL (2" FIP)
FLANGE OVAL: FO 16 ZNL
FLANGE OVAL: FO 16A RWE NL (1 1/2" FCXC)
FLANGE OVAL: FO 16A RWE NL (2" FIP)
FLANGE OVAL: FO 16AB RWE NL (1 1/2" FCXC)
FLANGE OVAL: FO 16AB RWE NL (2" FIP)
FLANGE OVAL: FO 16AS ZNL
FLANGE OVAL: FO 17 RW NL (2" CXC)
FLANGE OVAL: FO 17 RW NL (2" FCXC)
FLANGE OVAL: FO 17 RWE NL (2" CXC)
FLANGE OVAL: FO 17 RWE NL (2" FCXC)
FLANGE OVAL: FO 17 ZNL
FLANGE OVAL: FO 17A RWE NL (2" CXC)
FLANGE OVAL: FO 17A RWE NL (2" FCXC)
FLANGE OVAL: FO 17AB RWE NL (2" CXC)
FLANGE OVAL: FO 17AB RWE NL (2" FCXC)
FLANGE OVAL: FO 17AS ZNL
FLANGE OVAL: FO 6 RW NL (1 1/2" FIP)
FLANGE OVAL: FO 6 RWE NL (1 1/2" FIP)
FLANGE OVAL: FO 6 ZNL
FLANGE OVAL: FO 6A RWE NL (1 1/2" FIP)
FLANGE OVAL: FO 6AB RWE NL (1 1/2" FIP)
FLANGE OVAL: FO 6ABS ZNL
FLANGE OVAL: FO 6ARS ZNL
FLANGE OVAL: FO 6AS ZNL
FLANGE OVAL: FO 6SP NL (1 1/2")
FLANGE OVAL: FO 7 RW NL (2" FIP)
FLANGE OVAL: FO 7 RWE NL (1 1/2" CXC)
FLANGE OVAL: FO 7 RWE NL (2" FIP)
FLANGE OVAL: FO 7 ZNL
FLANGE OVAL: FO 7A RWE NL (1 1/2" CXC)
FLANGE OVAL: FO 7A RWE NL (2" FIP)
FLANGE OVAL: FO 7AB RWE NL (1 1/2" CXC)
FLANGE OVAL: FO 7AB RWE NL (2" FIP)
FLANGE OVAL: FO 7ABS ZNL



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FLANGE OVAL: FO 7ARS ZNL
FLANGE OVAL: FO 7AS ZNL
FLANGE OVAL: FO 7SP NL (2")
FLOATING VALVES W/ ADJUSTABLE: PLA 1 NL (3/8"MNPS X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLA 111 NL (3/8"MNPT X 3/8"MNPT)
FLOATING VALVES W/ ADJUSTABLE: PLA 2 NL (1/2"MNPS X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLA 22 NL (1/2"MNPS X 1/2"MNPT)
FLOATING VALVES W/ ADJUSTABLE: PLA 221 NL (1/2"MNPT X 1/2"MNPT)
FLOATING VALVES W/ ADJUSTABLE: PLA 3 NL (3/4"MNPS X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLA 33 NL (3/4"MNPS X 3/4"MNPS)
FLOATING VALVES W/ ADJUSTABLE: PLA 331 NL (3/4"MNPT X 3/4"MNPT)
FLOATING VALVES W/ ADJUSTABLE: PLA 441 NL (1"MNPT X 1"MNPT)
FLOATING VALVES W/ ADJUSTABLE: PLB 4 NL (1"FNPT X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLB 5 NL (1 1/4"FNPT X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLB 6 NL (1 1/2"FNPT X PLAIN)
FLOATING VALVES W/ ADJUSTABLE: PLB 7 NL (2"FNPT X PLAIN)
FO 6 #3 - 1-1/2" RUBBER DROP IN METER FLANGE GASKET
FO 6F #3 - 1-1/2" RUBBER FULL FACE METER FLANGE GASKET
FO 7 #3 - 2" RUBBER DROP IN METER FLANGE GASKET
FO 7F #3 - 2" RUBBER FULL FACE METER FLANGE GASKET
GATE VALVES: GV 0 NL (1/4"FIP)
GATE VALVES: GV 1 NL (3/8"FIP)
GATE VALVES: GV 10 NL (4"FIP)
GATE VALVES: GV 10 ZNL
GATE VALVES: GV 11 NL (3/8"FCXC)
GATE VALVES: GV 12 NL
GATE VALVES: GV 13 NL (3/4"FCXC)
GATE VALVES: GV 14 NL (1"FCXC)
GATE VALVES: GV 15 NL (1 1/4"FCXC)
GATE VALVES: GV 16 NL (1 1/2"FCXC)
GATE VALVES: GV 17 NL (2"FCXC)
GATE VALVES: GV 18 NL (2 1/2"FCXC)
GATE VALVES: GV 19 NL (3"FCXC)
GATE VALVES: GV 2 NL
GATE VALVES: GV 2 ZNL
GATE VALVES: GV 20 NL (4"FCXC)
GATE VALVES: GV 2NPR NL (1/2" PRESS)
GATE VALVES: GV 2P NL
GATE VALVES: GV 2X NL
GATE VALVES: GV 3 NL (3/4"FIP)
GATE VALVES: GV 3 ZNL
GATE VALVES: GV 3NPR NL (3/4" PRESS)
GATE VALVES: GV 3P NL
GATE VALVES: GV 3X NL
GATE VALVES: GV 4 NL (1"FIP)
GATE VALVES: GV 4 ZNL
GATE VALVES: GV 4NPR NL (1" PRESS)
GATE VALVES: GV 4P NL
GATE VALVES: GV 4X NL
GATE VALVES: GV 5 NL (1 1/4"FIP)
GATE VALVES: GV 5 ZNL
GATE VALVES: GV 5NPR NL (1 1/4" PRESS)
GATE VALVES: GV 5P NL
GATE VALVES: GV 5X NL
GATE VALVES: GV 6 NL (1 1/2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

GATE VALVES: GV 6 ZNL
GATE VALVES: GV 6NPR NL (1 1/2" PRESS)
GATE VALVES: GV 6P NL
GATE VALVES: GV 6X NL
GATE VALVES: GV 7 NL (2"FIP)
GATE VALVES: GV 7 ZNL
GATE VALVES: GV 7NPR NL (2" PRESS)
GATE VALVES: GV 8 NL (2 1/2"FIP)
GATE VALVES: GV 8 ZNL
GATE VALVES: GV 9 NL (3"FIP)
GATE VALVES: GV 9 ZNL
GATE VALVES: GVB 1 NL (3/8"FIP)
GATE VALVES: GVB 12 NL (1/2"FCXC)
GATE VALVES: GVB 13 NL (3/4"FCXC)
GATE VALVES: GVB 14 NL (1"FCXC)
GATE VALVES: GVB 15 NL (1 1/4"FCXC)
GATE VALVES: GVB 16 NL (1 1/2"FCXC)
GATE VALVES: GVB 17 NL (2"FCXC)
GATE VALVES: GVB 2 NL (1/2"FIP)
GATE VALVES: GVB 3 NL (3/4"FIP)
GATE VALVES: GVB 4 NL (1"FIP)
GATE VALVES: GVB 5 NL (1 1/4"FIP)
GATE VALVES: GVB 6 NL (1 1/2"FIP)
GATE VALVES: GVB 7 NL (2"FIP)
GATE VALVES: GVC 2 NL (5/8"OD COMPRESSION NUT)
GATE VALVES: GVC 2CPVC NL (5/8"OD COMPRESSION NUT)
GATE VALVES: GVC 3 NL (7/8"OD COMPRESSION NUT)
GATE VALVES: GVC 3CPVC NL (7/8"OD COMPRESSION NUT)
GATE VALVES: GVC 4 NL (1 1/8"OD COMPRESSION NUT)
GATE VALVES: GVD 12 NL (1/2"FCXC & WASTE)
GATE VALVES: GVD 13 NL (3/4"FCXC & WASTE)
GATE VALVES: GVD 14 NL (1"FCXC & WASTE)
GATE VALVES: GVD 2 NL (1/2"FIP & WASTE)
GATE VALVES: GVD 3 NL (3/4"FIP & WASTE)
GATE VALVES: GVD 4 NL (1"FIP & WASTE)
GATE VALVES: GVF 10 NL (4"FLANGE END)
GATE VALVES: GVF 2 NL (1/2"FLANGE END)
GATE VALVES: GVF 3 NL (3/4"FLANGE END)
GATE VALVES: GVF 4 NL (1"FLANGE END)
GATE VALVES: GVF 5 NL (1 1/4"FLANGE END)
GATE VALVES: GVF 6 NL (1 1/2"FLANGE END)
GATE VALVES: GVF 7 NL (2"FLANGE END)
GATE VALVES: GVF 8 NL (2 1/2"FLANGE END)
GATE VALVES: GVF 9 NL (3"FLANGE END)
GATE VALVES: GVH 2 NL (1/2"FIP)
GATE VALVES: GVH 2H ZNL
GATE VALVES: GVH 2X ZNL
GATE VALVES: GVH 3 NL (3/4"FIP)
GATE VALVES: GVH 3H ZNL
GATE VALVES: GVH 3X ZNL
GATE VALVES: GVH 4 NL (1"FIP)
GATE VALVES: GVH 4H ZNL
GATE VALVES: GVH 4X ZNL
GATE VALVES: GVH 5 NL (1 1/4"FIP)
GATE VALVES: GVH 5H ZNL



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

GATE VALVES: GVH 5X ZNL
GATE VALVES: GVH 6 NL (1 1/2"FIP)
GATE VALVES: GVH 6X ZNL
GATE VALVES: GVH 7 NL (2"FIP)
GATE VALVES: GVH 7CS ZNL
GATE VALVES: GVH 7H ZNL
GATE VALVES: GVH 7X ZNL
GATE VALVES: GVH 8 NL (2 1/2"FIP)
GATE VALVES: GVH 8H ZNL
GATE VALVES: GVH 8X ZNL
GATE VALVES: GVH 9 NL (3"FIP)
GATE VALVES: GVH 9H ZNL
GATE VALVES: GVH 9X ZNL
GATE VALVES: GVL 12 NL (1/2" FCXC)
GATE VALVES: GVL 13 NL (3/4" FCXC)
GATE VALVES: GVL 14 NL (1" FCXC)
GATE VALVES: GVL 15 NL (1 1/4" FCXC)
GATE VALVES: GVL 16 NL (1 1/2" FCXC)
GATE VALVES: GVL 17 NL (2" FCXC)
GATE VALVES: GVL 2 NL (1/2" FIP)
GATE VALVES: GVL 3 NL (3/4" FIP)
GATE VALVES: GVL 4 NL (1" FIP)
GATE VALVES: GVL 5 NL (1 1/4" FIP)
GATE VALVES: GVL 6 NL (1 1/2" FIP)
GATE VALVES: GVL 7 NL (2" FIP)
GATE VALVES: GVQ 10 NL (4"FIP)
GATE VALVES: GVQ 2 NL (1/2"FIP)
GATE VALVES: GVQ 3 NL (3/4"FIP)
GATE VALVES: GVQ 4 NL (1"FIP)
GATE VALVES: GVQ 5 NL (1 1/4"FIP)
GATE VALVES: GVQ 6 NL (1 1/2"FIP)
GATE VALVES: GVQ 7 NL (2"FIP)
GATE VALVES: GVQ 8 NL (2 1/2"FIP)
GATE VALVES: GVQ 9 NL (3"FIP)
GLOBE VALVES: GB 0 NL
GLOBE VALVES: GB 0 NL (1/4"FIP)
GLOBE VALVES: GB 1 NL
GLOBE VALVES: GB 1 NL (3/8"FIP)
GLOBE VALVES: GB 2 NL
GLOBE VALVES: GB 2 NL (1/2"FIP)
GLOBE VALVES: GB 3 NL
GLOBE VALVES: GB 3 NL (3/4"FIP)
GLOBE VALVES: GB 4 NL
GLOBE VALVES: GB 4 NL (1"FIP)
GLOBE VALVES: GB 5 NL
GLOBE VALVES: GB 5 NL (1 1/4"FIP)
GLOBE VALVES: GB 6 NL
GLOBE VALVES: GB 6 NL (1 1/2"FIP)
GLOBE VALVES: GB 7 NL
GLOBE VALVES: GB 7 NL (2"FIP)
GLOBE VALVES: GBB 2 NL (1/2"FIP)
GLOBE VALVES: GBB 3 NL (3/4"FIP)
GLOBE VALVES: GBB 4 NL (1"FIP)
GLOBE VALVES: GBB 5 NL (1 1/4"FIP)
GLOBE VALVES: GBB 6 NL (1 1/2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

GLOBE VALVES: GBB 7 NL (2"FIP)
GLOBE VALVES: GBF 10 NL (4"FLANGE END)
GLOBE VALVES: GBF 2 NL (1/2"FLANGE END)
GLOBE VALVES: GBF 3 NL (3/4"FLANGE END)
GLOBE VALVES: GBF 4 NL (1"FLANGE END)
GLOBE VALVES: GBF 5 NL (1 1/4"FLANGE END)
GLOBE VALVES: GBF 6 NL (1 1/2"FLANGE END)
GLOBE VALVES: GBF 7 NL (2"FLANGE END)
GLOBE VALVES: GBF 8 NL (2 1/2"FLANGE END)
GLOBE VALVES: GBF 9 NL (3"FLANGE END)
GLOBE VALVES: GBR 0 NL (1/4"FIP)
GLOBE VALVES: GBR 1 NL (3/8"FIP)
GLOBE VALVES: GBR 2 NL (1/2"FIP)
GLOBE VALVES: GBR 3 NL (3/4"FIP)
GLOBE VALVES: GBR 4 NL (1"FIP)
GLOBE VALVES: GBR 5 NL (1 1/4"FIP)
GLOBE VALVES: GBR 6 NL (1 1/2"FIP)
GLOBE VALVES: GBR 7 NL (2"FIP)
GLOBE VALVES: GBT 0 NL (1/4"FIP)
GLOBE VALVES: GBT 1 NL (3/8"FIP)
GLOBE VALVES: GBT 2 NL (1/2"FIP)
GLOBE VALVES: GBT 3 NL (3/4"FIP)
GLOBE VALVES: GBT 4 NL (1"FIP)
GLOBE VALVES: GBT 5 NL (1 1/4"FIP)
GLOBE VALVES: GBT 6 NL (1 1/2"FIP)
GLOBE VALVES: GBT 7 NL (2"FIP)
LOG LIGHTER STOP VALVES: SVL 2 NL (1/2"FIP)
LOG LIGHTER STOP VALVES: SVS 2 NL (1/2"FIP)
MANIFOLD: MNF 3 NL (3/4"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP)
MANIFOLD: MNF 4 NL (1"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP)
MC 2 #3 - 1/2" RUBBER METER COUPLING GASKET
MC 3 #3 - 3/4" RUBBER METER COUPLING GASKET
MC 4 #3 - 1" RUBBER METER COUPLING GASKET
MC 5 #3 - 1-1/4" RUBBER METER COUPLING GASKET
MC 6 #3 - 1-1/2" RUBBER METER COUPLING GASKET
MC 7 #3 - 2" RUBBER METER COUPLING GASKET
METER YOKE EXPANDER: MY 358 NL (3/4" X 5/8")
METER YOKE EXPANDER: MY 403 NL (1" X 3/4")
METER YOKE EXPANDER: MY 504 NL (1"-1/4" X 1)
OIL TANK BALL VALVES: OTBV 21 NL (1/2"MIP X 3/8"MIP)
OIL TANK BALL VALVES: OTBV 23 NL (1/2"MIP X 3/8"OD FLARE)
OIL TANK VALVES: OTV 21 NL (1/2"MIP X 3/8"MIP)
OIL TANK VALVES: OTV 23 NL (1/2"MIP X 3/8"OD FLARE)
PITLESS ADAPTER: PA 4 NL (1"FIP X 1"FIP)
PITLESS ADAPTER: PA 5 NL (1 1/4"FIP X 1 1/4"FIP)
PITLESS ADAPTER: PA 75 NL (2"FIP X 1 1/4"FIP)
PITLESS ADAPTER: PAS 4 NL (1"FIP X 1"FIP)
POP UP: PU 4 NL (1 1/4")
POP UP: TPU 5 NL (1 1/4"FIP)
PURGE & BALANCING VALVES: PBV 13 NL (3/4"FCXC)
PURGE & BALANCING VALVES: PBV 14 NL (1"FCXC)
PURGE & BALANCING VALVES: PBV 15 NL (1 1/4"FCXC)
RADIATOR VALVES: RV 4212 NL (1/2"FCXC X 1/2"FCXC)
RADIATOR VALVES: RV 4213 NL (3/4"FCXC X 3/4"FCXC)
RADIATOR VALVES: RV 4214 NL (1"FCXC X 1"FCXC)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

RADIATOR VALVES: RV 4215 NL (1 1/4"FCXC X 1 1/4"FCXC)
RADIATOR VALVES: RV 4216 NL (1 1/2"FCXC X 1 1/2"FCXC)
RADIATOR VALVES: RV 4217 NL (2"FCXC X 2"FCXC)
RADIATOR VALVES: RV 4218 NL (2 1/2"FCXC X 2 1/2"FCXC)
RADIATOR VALVES: RV 4219 NL (3"FCXC X 3"FCXC)
RADIATOR VALVES: RV 4222 NL (1/2"FIP X 1/2"FCXC)
RADIATOR VALVES: RV 4223 NL (3/4"FIP X 3/4"FCXC)
RADIATOR VALVES: RV 4224 NL (1"FIP X 1"FCXC)
RADIATOR VALVES: RV 4225 NL (1 1/4"FIP X 1 1/4"FCXC)
RADIATOR VALVES: RV 4226 NL (1 1/2"FIP X 1 1/2"FCXC)
RADIATOR VALVES: RV 4227 NL (2"FIP X 2"FCXC)
RADIATOR VALVES: RV 4232 NL (1/2"MIP X 1/2"FCXC)
RADIATOR VALVES: RV 4233 NL (3/4"MIP X 3/4"FCXC)
RADIATOR VALVES: RV 4234 NL (1"MIP X 1"FCXC)
RADIATOR VALVES: RV 4235 NL (1 1/4"MIP X 1 1/4"FCXC)
RADIATOR VALVES: RV 4236 NL (1 1/2"MIP X 1 1/2"FCXC)
RADIATOR VALVES: RV 4237 NL (2"MIP X 2"FCXC)
RADIATOR VALVES: RV 4242 NL (1/2"FIP X 1/2"MIP)
RADIATOR VALVES: RV 4243 NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4244 NL (1"FIP X 1"MIP)
RADIATOR VALVES: RV 4245 NL (1 1/4"FIP X 1 1/4"MIP)
RADIATOR VALVES: RV 4246 NL (1 1/2"FIP X 1 1/2"MIP)
RADIATOR VALVES: RV 4247 NL (2"FIP X 2"MIP)
RADIATOR VALVES: RV 4254 NL (1"FIP X 1"FIP)
RADIATOR VALVES: RV 4255 NL (1 1/4"FIP X 1 1/4"FIP)
RADIATOR VALVES: RV 4262 NL (1/2"FIP X 1/2"MIP)
RADIATOR VALVES: RV 4263 NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4264 NL (1"FIP X 1"MIP)
RADIATOR VALVES: RV 4265 NL (1 1/4"FIP X 1 1/4"MIP)
RADIATOR VALVES: RV 4266 NL (1 1/2"FIP X 1 1/2"MIP)
RADIATOR VALVES: RV 4267 NL (2"FIP X 2"MIP)
RADIATOR VALVES: RV 4272 NL (1/2"FIP X 1/2"MIP)
RADIATOR VALVES: RV 4272H NL (1/2"FIP X 1/2"MIP)
RADIATOR VALVES: RV 4273 H NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4273 NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4274 H NL (1"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4274 NL (1"FIP X 1"MIP)
RADIATOR VALVES: RV 4275 H NL (1 1/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4275 NL (1 1/4"FIP X 1 1/4"MIP)
RADIATOR VALVES: RV 4276 H NL (1 1/2"FIP X 1 1/2"MIP)
RADIATOR VALVES: RV 4276 NL (1 1/2"FIP X 1 1/2"MIP)
RADIATOR VALVES: RV 4277 H NL (2"FIP X 2"MIP)
RADIATOR VALVES: RV 4282 NL (1/2"FCXC X 1/2"MIP)
RADIATOR VALVES: RV 4283 NL (3/4"FCXC X 3/4"MIP)
RADIATOR VALVES: RV 4284 NL (1"FCXC X 1"MIP)
RADIATOR VALVES: RV 4291 NL (3/8"FIP X 3/8"MIP)
RADIATOR VALVES: RV 4292 NL
RADIATOR VALVES: RV 4293 NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RV 4294 NL (1"FIP X 1"MIP)
RADIATOR VALVES: RV 4295 NL (1 1/4"FIP X 1 1/4"MIP)
RADIATOR VALVES: RV 4302 NL (1/2"FCXC X 1/2"MIP)
RADIATOR VALVES: RV 4303 NL (3/4"FCXC X 3/4"MIP)
RADIATOR VALVES: RV 44132 NL (3/4"FLARE X 1/2"FIP)
RADIATOR VALVES: RV 44133 NL (3/4"FLARE X 3/4"FIP)
RADIATOR VALVES: RV 44143 NL (1"FLARE X 3/4"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

RADIATOR VALVES: RV 44144 NL (1"FLARE X 1"FIP)
RADIATOR VALVES: RV 44232 NL
RADIATOR VALVES: RV 44233 NL (3/4"FLARE X 3/4"FIP & WASTE)
RADIATOR VALVES: RV 44243 NL (1"FLARE X 3/4"FIP & WASTE)
RADIATOR VALVES: RV 44244 NL (1"FLARE X 1"FIP & WASTE)
RADIATOR VALVES: RVT 4242 NL (1/2"FIP X 1/2"MIP)
RADIATOR VALVES: RVT 4243 NL (3/4"FIP X 3/4"MIP)
RADIATOR VALVES: RVT 4244 NL (1"FIP X 1"MIP)
RADIATOR VALVES: RVT 4245 NL (1 1/4"FIP X 1 1/4"MIP)
RADIATOR VALVES: RVT 4246 NL (1 1/2"FIP X 1 1/2"MIP)
RADIATOR VALVES: RVT 4247 NL (2"FIP X 2"MIP)
REDUCING: RE 14D NL (1" FCXC X 1"FCXC X 3/8" CAP)
REDUCING: RE 12 NL (3/8"FIP X 1/2"FCXC)
REDUCING: RE 128 NL (1/2"FCXC X 1/2"FCXC X 1/8"FIP)
REDUCING: RE 12D NL (1/2"FCXC X 1/2"FCXC X 3/8"CAP)
REDUCING: RE 138 NL (3/4"FCXC X 3/4"FCXC X 1/8"FIP)
REDUCING: RE 13D NL (3/4"FCXC X 3/4"FCXC X 3/8"CAP)
REDUCING: RE 148 NL (1"FCXC X 1"FCXC X 1/8"FIP)
REDUCING: RE 152 NL (1 1/4"FCXC X 1 1/4"FCXC X 1/2"FIP)
REDUCING: RE 153 NL (1 1/4"FCXC X 1 1/4"FCXC X 3/4"FIP)
REDUCING: RE 158 NL (1 1/4"FCXC X 1 1/4"FCXC X 1/8"FIP)
REDUCING: RE 162 NL (1 1/2"FCXC X 1 1/2"FCXC X 1/2"FIP)
REDUCING: RE 163 NL (1 1/2"FCXC X 1 1/2"FCXC X 3/4"FIP)
REDUCING: RE 172 NL (2"FCXC X 2"FCXC X 1/2"FIP)
REDUCING: RE 173 NL (2"FCXC X 2"FCXC X 3/4"FIP)
REDUCING: RE 22 NL (1/2"FIP X 1/2"FCXC)
REDUCING: RE 23 NL (1/2"FIP X 3/4"FCXC)
REDUCING: RE 23R NL (1/2"FIP X 3/4"FCXC)
REDUCING: RE 24 NL (1/2"FIP X 1"FCXC)
REDUCING: RE 2M2 NL (1/2"MIP X 1/2"FCXC)
REDUCING: RE 2M3 NL (1/2"MIP X 3/4"FCXC)
REDUCING: RE 32 NL
REDUCING: RE 328 NL (3/4"FCXC X 3/4"FCXC X 1/8"FIP)
REDUCING: RE 33 NL (3/4"FIP X 3/4"FCXC)
REDUCING: RE 34 NL (3/4"FIP X 1"FCXC)
REDUCING: RE 3M2 NL (3/4"MIP X 1/2"FCXC)
REDUCING: RE 3M3 NL (3/4"MIP X 3/4"FCXC)
REDUCING: RE 44 NL (1"FIP X 1"FCXC)
REDUCING: RE 4M4 NL (1"MIP X 1"FCXC)
REDUCING: RE 53C NL (1 1/4"FCXC X 3/4"FCXC)
REDUCING: RE 55 NL (1 1/4"FIP X 1 1/4"FCXC)
REDUCING: RE 5M5 NL (1 1/4"MIP X 1 1/4"FCXC)
REDUCING: RE 66 NL (1 1/2"FIP X 1 1/2"FCXC)
REDUCING: RE 6M6 NL (1 1/2"MIP X 1 1/2"FCXC)
REDUCING: RE 77 NL (2"FIP X 2"FCXC)
REDUCING: RE 7M7 NL (2"MIP X 2"FCXC)
REDUCING: REF 22 NL
REDUCING: SR 12D NL (1/2"FCXC X 1/2"FCXC X 3/8"CAP)
REDUCING: SR 13D NL (3/4"FCXC X 3/4"FCXC X 3/8"CAP)
REDUCING: TM 323 NL (3/4"MIP X 1/2"FIP X 3/4"FCXC)
RELIEF VALVE: RV 34 NL (1/2"MIP X 1/2"FIP)
RELIEF VALVE: RV 35 NL (3/4"MIP X 1/2"FIP)
STOP VALVES: MBO 5 NL (1/2"FCXC)
STOP VALVES: MBO 6 NL (3/4"FCXC)
STOP VALVES: MBO 7 NL (1/2"FCXC & WASTE)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

STOP VALVES: MBO 8 NL (3/4"FCXC & WASTE)
STOP VALVES: MBOY 5 NL (1/2"FCXC)
STOP VALVES: MBOY 6 NL (3/4"FCXC)
STOP VALVES: MBOY 7 NL (1/2"FCXC & WASTE)
STOP VALVES: MBOY 8 NL (3/4"FCXC & WASTE)
STOP VALVES: MCL 3 ZNL
STOP VALVES: MV 0 NL (3/8"FIP)
STOP VALVES: MV 0W NL (3/8"FIP & WASTE)
STOP VALVES: MV 0W NL (3/8" FIP)
STOP VALVES: MV 1 NL (1/2"FIP)
STOP VALVES: MV 10 NL (7/8"OD COMPRESSION NUT)
STOP VALVES: MV 10C NL
STOP VALVES: MV 11 NL (5/8"OD COMPRESSION NUT & WASTE)
STOP VALVES: MV 113 NL (1"FCXC & WASTE)
STOP VALVES: MV 12 NL (7/8"OD COMPRESSION NUT & WASTE)
STOP VALVES: MV 13 NL (3/8"FCXC)
STOP VALVES: MV 14 NL (3/8"FCXC & WASTE)
STOP VALVES: MV 15 NL (1/2"FCXC)
STOP VALVES: MV 16 NL (3/4"FCXC)
STOP VALVES: MV 167A NL
STOP VALVES: MV 17 NL (1/2"FCXC & WASTE)
STOP VALVES: MV 18 NL (3/4"FCXC & WASTE)
STOP VALVES: MV 19 NL
STOP VALVES: MV 1X NL
STOP VALVES: MV 2 NL (3/4"FIP)
STOP VALVES: MV 20 NL
STOP VALVES: MV 23 NL
STOP VALVES: MV 23X NL
STOP VALVES: MV 24A NL
STOP VALVES: MV 25 NL
STOP VALVES: MV 26 NL
STOP VALVES: MV 28 NL
STOP VALVES: MV 28FONL
STOP VALVES: MV 28LK NL
STOP VALVES: MV 29 NL
STOP VALVES: MV 29LK NL
STOP VALVES: MV 2X NL
STOP VALVES: MV 3 NL (1/2"FIP & WASTE)
STOP VALVES: MV 30 NL
STOP VALVES: MV 30FO NL
STOP VALVES: MV 31 NL
STOP VALVES: MV 32PFO NL
STOP VALVES: MV 32PWFO NL
STOP VALVES: MV 4 NL (3/4"FIP & WASTE)
STOP VALVES: MV 5 NL (1/2"FCXC)
STOP VALVES: MV 6 NL (3/4"FCXC)
STOP VALVES: MV 62 NL
STOP VALVES: MV 7 NL (1/2"FCXC & WASTE)
STOP VALVES: MV 8 NL (3/4"FCXC & WASTE)
STOP VALVES: MV 9 NL (5/8"OD COMPRESSION NUT)
STOP VALVES: MV 9C NL
STOP VALVES: MVH 1 NL (1/2"FIP)
STOP VALVES: MVH 10 NL (7/8"OD COMPRESSION NUT)
STOP VALVES: MVH 11 NL (5/8"OD COMPRESSION NUT & WASTE)
STOP VALVES: MVH 12 NL (7/8"OD COMPRESSION NUT & WASTE)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

STOP VALVES: MVH 2 NL (3/4"FIP)
STOP VALVES: MVH 3 NL (1/2"FIP & WASTE)
STOP VALVES: MVH 4 NL (3/4"FIP & WASTE)
STOP VALVES: MVH 5 NL (1/2"CXC)
STOP VALVES: MVH 6 NL (3/4"CXC)
STOP VALVES: MVH 7 NL (1/2"CXC & WASTE)
STOP VALVES: MVH 8 NL (3/4"CXC & WASTE)
STOP VALVES: MVH 9 NL (5/8"OD COMPRESSION NUT)
STOP VALVES: MVL 0 NL (3/8"FIP X 3/8"FIP)
STOP VALVES: MVL 0W NL (3/8"FIP X 3/8"FIP & WASTE)
STOP VALVES: MVL 1 NL (1/2"FIP X 1/2"FIP)
STOP VALVES: MVL 10 NL (7/8"OD COMPRESSION NUT)
STOP VALVES: MVL 11 NL (5/8"OD COMPRESSION NUT & WASTE)
STOP VALVES: MVL 12 NL (7/8"OD COMPRESSION NUT & WASTE)
STOP VALVES: MVL 13 NL (3/8"FCXC X 3/8"FCXC)
STOP VALVES: MVL 14 NL (3/8"FCXC X 3/8"FCXC & WASTE)
STOP VALVES: MVL 2 NL (3/4"FIP X 3/4"FIP)
STOP VALVES: MVL 3 NL (1/2"FIP X 1/2"FIP & WASTE)
STOP VALVES: MVL 4 NL (3/4"FIP X 3/4"FIP & WASTE)
STOP VALVES: MVL 5 NL (1/2"FCXC X 1/2"FCXC)
STOP VALVES: MVL 6 NL (3/4"FCXC X 3/4"FCXC)
STOP VALVES: MVL 7 NL (1/2"FCXC X 1/2"FCXC & WASTE)
STOP VALVES: MVL 8 NL (3/4"FCXC X 3/4"FCXC & WASTE)
STOP VALVES: MVL 9 NL (5/8"OD COMPRESSION NUT)
STOP VALVES: MVO 1 NL (1/2"FIP)
STOP VALVES: MVO 15 NL (1/2"FCXC)
STOP VALVES: MVO 16 NL (3/4"FCXC)
STOP VALVES: MVO 17 NL (1/2"FCXC & WASTE)
STOP VALVES: MVO 18 NL (3/4"FCXC & WASTE)
STOP VALVES: MVO 2 NL (3/4"FIP)
STOP VALVES: MVO 3 NL (1/2"FIP & WASTE)
STOP VALVES: MVO 4 NL (3/4"FIP & WASTE)
STOP VALVES: MVO 5 NL (1/2"FCXC)
STOP VALVES: MVO 6 NL (3/4"FCXC)
STOP VALVES: MVO 7 NL (1/2"FCXC & WASTE)
STOP VALVES: MVO 8 NL (3/4"FCXC & WASTE)
STOP VALVES: MVO 94 NL (1/2"FCXC)
STOP VALVES: MVO 95 NL (1/2"FCXC & WASTE)
STOP VALVES: MVO 96 NL (1/2"MIP X 3/4 "MHT)
STOP VALVES: MVO 97 NL (1/2"MIP X 3/4 "MHT)
STOP VALVES: MVON 1 NL (1/2"FIP)
STOP VALVES: MVON 15 NL (1/2"FCXC)
STOP VALVES: MVON 16 NL (3/4"FCXC)
STOP VALVES: MVON 17 NL (1/2"FCXC & WASTE)
STOP VALVES: MVON 18 NL (3/4"FCXC & WASTE)
STOP VALVES: MVON 2 NL (3/4"FIP)
STOP VALVES: MVON 3 NL (1/2"FIP & WASTE)
STOP VALVES: MVON 4 NL (3/4"FIP & WASTE)
STOP VALVES: MVON 5 NL (1/2"FCXC)
STOP VALVES: MVON 6 NL (3/4"FCXC)
STOP VALVES: MVON 7 NL (1/2"FCXC & WASTE)
STOP VALVES: MVON 8 NL (3/4"FCXC & WASTE)
STOP VALVES: MVP 10 NL (3/4"PEX)
STOP VALVES: MVP 11 NL (1/2"PEX & WASTE)
STOP VALVES: MVP 12 NL (3/4"PEX & WASTE)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

STOP VALVES: MVP 9 NL (1/2" PEX)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 33Q NL (3/4" PJ. CTS QJ X 3/4" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 34Q NL (3/4" PJ. CTS QJ X 1" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 44Q NL (1" PJ. CTS QJ X 1" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 46Q NL (1" PJ. CTS QJ X 1 1/4" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 66Q NL (1 1/2" PJ. CTS QJ X 1 1/2" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SCC 77Q NL (2" PJ. CTS QJ X 2" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SFC 33Q NL (3/4" FIP X 3/4" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SFC 44Q NL (1" FIP X 1" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SFC 66Q NL (1 1/2" FIP X 1 1/2" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SFC 77Q NL (2" FIP X 2" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SMC 33Q NL (3/4" MIP X 3/4" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SMC 44Q NL (1" MIP X 1" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SMC 66Q NL (1 1/2" MIP X 1 1/2" PJ. CTS QJ)
STRAIGHT COUPLING W /CTS QUICK JOINT & CTS QUICK JOINT: SMC 77Q NL (2" MIP X 2" PJ. CTS QJ)
STRAIGHT COUPLING W/FLARE: SFR 33 NL (3/4" FIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 34 NL (1" FIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 35 NL (1 1/4" FIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 44 NL (1" FLARE X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 45 NL (1 1/4" FIP X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 55 NL (1 1/4" FIP X 1 1/4" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 66 NL (1 1/2" FIP X 1 1/2" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 67 NL (2" FIP X 1 1/2" FLARE)
STRAIGHT COUPLING W/FLARE: SFR 77 NL (2" FIP X 2" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 33 NL (3/4" MIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 33MC NL (3/4" MIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 34 NL (3/4" MIP X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 43 NL (1" MIP X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 44 NL (1" MIP X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 44MC NL (1" MIP X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 54 NL (1 1/4" MIP X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 55 NL (1 1/4" MIP X 1 1/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 55MC NL (1 1/4" MIP X 1 1/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 65 NL (1 1/2" MIP X 1 1/4" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 66 NL (1 1/2" MIP X 1 1/2" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 66MC NL (1 1/2" MIP X 1 1/2" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 77 NL (2" MIP X 2" FLARE)
STRAIGHT COUPLING W/FLARE: SMR 77MC NL (2" MIP X 2" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 33 NL (3/4" FLARE X 3/4" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 34 NL (3/4" FLARE X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 44 NL (1" FLARE X 1" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 55 NL (1 1/4" FLARE X 1 1/4" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 66 NL (1 1/2" FLARE X 1 1/2" FLARE)
STRAIGHT COUPLING W/FLARE: SRR 77 NL (2" FLARE X 2" FLARE)
STRAIGHT QUICK JOINT COUPLING W/CTS: SFC 33Q NL (3/4" FIP X 3/4" CTS)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

STRAIGHT QUICK JOINT COUPLING W/ CTS: SFC 44Q NL (1" FIP X 1" CTS)

STRAIGHT REDUCING: CAP 0 NL (1/4"FIP)

STRAIGHT REDUCING: CAP 10 NL (4"FIP)

STRAIGHT REDUCING: CAP 2 NL (1/2"FIP)

STRAIGHT REDUCING: CAP 2F NL (1/2"FFT)

STRAIGHT REDUCING: CAP 3 NL (3/4"FIP)

STRAIGHT REDUCING: CAP 4 NL (1"FIP)

STRAIGHT REDUCING: CAP 5 NL (1 1/4"FIP)

STRAIGHT REDUCING: CAP 6 NL (1 1/2"FIP)

STRAIGHT REDUCING: CAP 7 NL (2"FIP)

STRAIGHT REDUCING: CAP 8 NL (2 1/2"FIP)

STRAIGHT REDUCING: CAP 9 NL (3"FIP)

STRAIGHT REDUCING: CAP A NL (1/8"FIP)

STRAIGHT REDUCING: CAP H3 NL (3/4" FHT)

STRAIGHT REDUCING: CAP HC3 NL (3/4" FHT)

STRAIGHT REDUCING: PLUG 0 NL (1/4" MIP)

STRAIGHT REDUCING: PLUG 1 NL (3/8" MIP)

STRAIGHT REDUCING: PLUG 10 NL (4"MIP)

STRAIGHT REDUCING: PLUG 100 NL (1" MIP)

STRAIGHT REDUCING: PLUG 12 NL (1/2" MIP)

STRAIGHT REDUCING: PLUG 125 NL (1 1/4" MIP)

STRAIGHT REDUCING: PLUG 14 NL (1/4" MIP)

STRAIGHT REDUCING: PLUG 150 NL (1 1/2" MIP)

STRAIGHT REDUCING: PLUG 18 NL (1/8" MIP)

STRAIGHT REDUCING: PLUG 2 NL (1/2"MIP)

STRAIGHT REDUCING: PLUG 2 NL (1/2" MIP X 1/4" FIP)

STRAIGHT REDUCING: PLUG 200 NL (2" MIP)

STRAIGHT REDUCING: PLUG 2F NL (1/2"MFT)

STRAIGHT REDUCING: PLUG 3 NL (3/4" MIP)

STRAIGHT REDUCING: PLUG 34NL

STRAIGHT REDUCING: PLUG 38 NL (3/8" MIP)

STRAIGHT REDUCING: PLUG 4 NL (1"MIP)

STRAIGHT REDUCING: PLUG 5 NL (1 1/4"MIP)

STRAIGHT REDUCING: PLUG 6 NL (1 1/2"MIP)

STRAIGHT REDUCING: PLUG 7 NL (2"MIP)

STRAIGHT REDUCING: PLUG 8 NL (2 1/2"MIP)

STRAIGHT REDUCING: PLUG 9 NL (3"MIP)

STRAIGHT REDUCING: SR 1010 NL (4"FCXC X 4"FIP)

STRAIGHT REDUCING: SR 1020 NL (4"MIP X 4"FCXC)

STRAIGHT REDUCING: SR 21 NL (1/2"FCXC X 3/8"FIP)

STRAIGHT REDUCING: SR 212 NL (1/2"MIP X 1/2"FCXC)

STRAIGHT REDUCING: SR 212F NL (1/2"MFT X 1/2"FCXC)

STRAIGHT REDUCING: SR 21CX NL (1/2"FCXC X 3/8"FCX)

STRAIGHT REDUCING: SR 22 NL (1/2"FCXC X 1/2"FIP)

STRAIGHT REDUCING: SR 220CX NL (1/2"FCXC X 1/2"FCX (Ø20))

STRAIGHT REDUCING: SR 22CX NL (1/2"FCXC X 1/2"FCX)

STRAIGHT REDUCING: SR 22F NL (1/2"FCXC X 1/2"FFT)

STRAIGHT REDUCING: SR 23 NL (1/2"FCXCX 3/4"FIP)

STRAIGHT REDUCING: SR 23CX NL (1/2"FCXC X 3/4"FCX)

STRAIGHT REDUCING: SR 313 NL (3/4"MIP X 3/4"FCXC)

STRAIGHT REDUCING: SR 33 CX NL (3/4"FCXC X 3/4"FCX)

STRAIGHT REDUCING: SR 33 NL (3/4"FCXC X 3/4"FIP)

STRAIGHT REDUCING: SR 414 NL (1"MIP X 1"FCXC)

STRAIGHT REDUCING: SR 42 NL (1"FCXC X 1/2"FIP)

STRAIGHT REDUCING: SR 44 NL (1"FCXC X 1"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

STRAIGHT REDUCING: SR 46 NL (1"FCXC X 1 1/2"FIP)
STRAIGHT REDUCING: SR 514 NL (1 1/4"MIP X 1"FCXC)
STRAIGHT REDUCING: SR 515 NL (1 1/4"MIP X 1 1/4"FCXC)
STRAIGHT REDUCING: SR 55 NL (1 1/4"FCXC X 1 1/4"FIP)
STRAIGHT REDUCING: SR 616 NL 1 1/2"MIP X 1 1/2"FCXC)
STRAIGHT REDUCING: SR 64 NL (1 1/2"FCXC X 1"FIP)
STRAIGHT REDUCING: SR 66 NL (1 1/2"FCXC X 1 1/2"FIP)
STRAIGHT REDUCING: SR 717 NL (2"MIP X 2"FCXC)
STRAIGHT REDUCING: SR 77 NL (2"FCXC X 2"FIP)
STRAIGHT REDUCING: SR 818 NL (2 1/2"MIP X 2 1/2"FCXC)
STRAIGHT REDUCING: SR 88 NL (2 1/2"FCXC X 2 1/2"FIP)
STRAIGHT REDUCING: SR 919 NL (3"MIP X 3"FCXC)
STRAIGHT REDUCING: SR 99 NL (3"FCXC X 3"FIP)
STRAIGHT REDUCING: SRL 312 NL (3/4" MIP X 1/2" FCXC)
STRAIGHT REDUCING: SRL 313 NL (3/4" MIP X 3/4" FCXC)
SWIVEL: SW 2H3 NL (1/2"FIP X 3/4"FHT)
SWIVEL: SW 3H01 NL (3/4" FHT X 1/4" MIP)
SWIVEL: SW 3H21 NL (3/4"FHT X 1/2"MIP SWIVEL)
SWIVEL: SW 3H3 NL (3/4"FIP X 3/4"FHT)
SWIVEL: SW H3H3 NL (3/4"FHT X 3/4"FHT)
SWIVEL: SWH 321T NL (3/4" FHT X 1/2" HOSE BARB)
SWIVEL: SWH 331T NL (3/4" FHT X 3/4" HOSE BARB)
SWIVEL: SWH 3581T NL (3/4" FHT X 5/8" HOSE BARB)
SWIVEL: SWL 916 NL (3/4"FHT X 3/8"OD)
TANK TEE: HT 431122U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 43112U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 431422U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 43142U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 434.82T2 NL (1"MIP & 3/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP & 1/2"FIP)
TANK TEE: HT 435.522U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 435.52U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 438.522U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 438.52U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: HT 541133U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: HT 54113U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: HT 541433U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: HT 54143U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: HT 544.33T2 NL (1 1/4"MIP & 1"FIP X 1"MIP & 3/4"FIP X 3/4"FIP X 1/4"FIP & 1/2"FIP)
TANK TEE: HT 545.533U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: HT 545.53U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 4310.622U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 4310.62U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 43112 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 431122 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 43142 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 431422 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 431422U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 43142U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 433.522US NL (1"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 433.52US NL (1"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 434.52 NL (1"MIP & 3/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 434.522 NL (1"MIP & 3/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 434.522F NL (1"MIP X 3/4"FIP)
TANK TEE: T 435.322U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 435.32U NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

TANK TEE: T 43522DQ NL (1 1/2"ANTI SPIN X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 43522DQH NL (1 1/2"ANTI SPIN X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 437.52 NL (1"MIP & 3/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 437.522 NL (1"MIP & 3/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 442.63 NL (1"FIP X 1"MIP & 3/4"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 54113 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 541133 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 541133U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 54113U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 54143 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 541433 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 541433U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 54143U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 543.533US NL (1 1/4"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 543.53US NL (1 1/4"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 543.73 NL (1 1/4"MIP & 1"FIP X 1 1/4"MIP & 1"FIP X 3/4"X 1/4"FIP)
TANK TEE: T 5433.922US NL (1 1/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 5433.92US NL (1 1/4"FIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 5434.522 NL (1"FIP & 1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 5434.533 NL (1"FIP & 1 1/4"MIP X 1"MIP & 3/4"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 544.53 NL (1 1/4"MIP & 1"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 544.533 NL (1 1/4"MIP & 1"FIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 545.533U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 545.53U NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: T 54533DQ NL (1 1/2"ANTI SPIN X 1 1/4"MIP & 1"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 54533DQH NL (1 1/2"ANTI SPIN X 1 1/4"MIP & 1"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 54733DQ NL (1 1/2"ANTI SPIN X 1 1/4"MIP & 1"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T 54733DQH NL (1 1/2"ANTI SPIN X 1 1/4"MIP & 1"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: T442.52 NL (1"FIP X 1"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 43112 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 431122 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 43142 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 431422 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 43172 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 431722 NL (1"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 54113 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 541133 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 54143 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 541433 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 54173 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 541733 NL (1 1/4"MIP X 1 1/4"MIP & 1"FIP X 3/4"FIP X 1/4"FIP)
TANK TEE: TC 543112 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 5431122 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 543142 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 5431422 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 543172 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TANK TEE: TC 5431722 NL (1 1/4"MIP X 1"MIP & 3/4"FIP X 1/2"FIP X 1/4"FIP)
TEE COUPLING W/FLARE: TRRM 333 NL (3/4"FLARE X 3/4"FLARE X 3/4"MIP)
TEE COUPLING W/FLARE: TRRM 334 NL (3/4"FLARE X 3/4"FLARE X 1"MIP)
TEE COUPLING W/FLARE: TRRR 333 NL (3/4"FLARE X 3/4"FLARE X 3/4"FLARE)
TEE COUPLING W/FLARE: TRRR 334 NL (3/4"FLARE X 3/4"FLARE X 1"FLARE)
TEE COUPLING W/FLARE: TRRR 444 NL (1"FLARE X 1"FLARE X 1"FLARE)
TEE REDUCING: TP 312 NL (3/4" PEX X 3/4" PEX X 1/2" FCXC)
TEE REDUCING: TP 332 NL (3/4" PEX X 3/4" PEX X 1/2" PEX)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

TEE REDUCING: TP 583 NL (5/8" PEX X 5/8" PEX X 5/8" PEX)
TEE REDUCING: TPW 332 NL (3/4" PEX X 3/4" PEX X 1/2" PEX)
TEE REDUCING: TR 112 NL (3/8" FIP X 1/2" FCXC X 1/2" FCXC)
TEE REDUCING: TR 212 NL (1/2" FIP X 1/2" FCXC X 1/2" FCXC)
TEE REDUCING: TR 213 NL (1/2" FIP X 3/4" FCXC X 3/4" FCXC)
TEE REDUCING: TR 214 NL (1/2" FIP X 1" FCXC X 1" FCXC)
TEE REDUCING: TR 215 NL (1/2" FIP X 1 1/2" FCXC X 1 1/2" FCXC)
TEE REDUCING: TR 222 NL (1/2" FIP X 1/2" FIP X 1/2" FCXC)
TEE REDUCING: TR 223 NL (1/2" FIP X 1/2" FIP X 3/4" FCXC)
TEE REDUCING: TR 232 NL (1/2" FIP X 3/4" FIP X 1/2" FCXC)
TEE REDUCING: TR 233 NL (1/2" FIP X 3/4" FIP X 3/4" FCXC)
TEE REDUCING: TR 234 NL (1/2" FIP X 3/4" FIP X 1" FCXC)
TEE REDUCING: TR 23C3 HX NL (1/2" FCXC X 3/4" FCXC X 3/4" FIP)
TEE REDUCING: TR 243 NL (1/2" FIP X 1" FIP X 3/4" FCXC)
TEE REDUCING: TR 244 NL (1/2" FIP X 1" FIP X 1" FCXC)
TEE REDUCING: TR 2C1 HX NL (1/2" FCXC X 1/2" FCXC X 3/8" FIP)
TEE REDUCING: TR 2C2 HX NL (1/2" FCXC X 1/2" FCXC X 1/2" FIP)
TEE REDUCING: TR 2C3 HX NL (1/2" FCXC X 1/2" FCXC X 3/4" FIP)
TEE REDUCING: TR 2P2 NL (1/2" PEX X 1/2" PEX X 1/2" PEX)
TEE REDUCING: TR 2P3 NL (1/2" PEX X 1/2" PEX X 3/4" PEX)
TEE REDUCING: TR 312 NL (3/4" FIP X 1/2" FCXC X 1/2" FCXC)
TEE REDUCING: TR 313 NL (3/4" FIP X 3/4" FCXC X 3/4" FCXC)
TEE REDUCING: TR 314 NL (3/4" FIP X 1" FCXC X 1" FCXC)
TEE REDUCING: TR 315 NL (3/4" FIP X 1 1/4" FCXC X 1 1/4" FCXC)
TEE REDUCING: TR 332 NL (3/4" FIP X 3/4" FIP X 1/2" FCXC)
TEE REDUCING: TR 333 NL (3/4" FIP X 3/4" FIP X 3/4" FCXC)
TEE REDUCING: TR 343 NL (3/4" FIP X 1" FIP X 3/4" FCXC)
TEE REDUCING: TR 344 NL (3/4" FIP X 1" FIP X 1" FIP)
TEE REDUCING: TR 354 NL (3/4" FIP X 1 1/4" FIP X 1" FCXC)
TEE REDUCING: TR 364 NL (3/4" FIP X 1 1/2" FIP X 1" FCXC)
TEE REDUCING: TR 3C2 HX NL (3/4" FCXC X 3/4" FCXC X 1/2" FIP)
TEE REDUCING: TR 3C2C NL (3/4" FCXC X 3/4" FCXC X 1/2" FCXC)
TEE REDUCING: TR 3C2L NL (3/4" FCXC X 3/4" FCXC X 1/2" FIP)
TEE REDUCING: TR 3C3 HX NL (3/4" FCXC X 3/4" FCXC X 3/4" FIP)
TEE REDUCING: TR 3C4 NL (3/4" FCXC X 3/4" FCXC X 1" FIP)
TEE REDUCING: TR 3P2 NL (3/4" PEX X 3/4" PEX X 1/2" PEX)
TEE REDUCING: TR 3P3 NL (3/4" PEX X 3/4" PEX X 3/4" PEX)
TEE REDUCING: TR 414 NL (1" FIP X 1" FCXC X 1" FCXC)
TEE REDUCING: TR 4C2 NL (1" FCXC X 1" FCXC X 1/2" FIP)
TEE REDUCING: TR 4C2C NL (1" FCXC X 1" FCXC X 1/2" FCXC)
TEE REDUCING: TR 4C3 HX NL (1" FCXC X 1" FCXC X 3/4" FIP)
TEE REDUCING: TR 4C3C NL (1" FCXC X 1" FCXC X 3/4" FCXC)
TEE REDUCING: TR 4C4 NL (1" FCXC X 1" FCXC X 1" FIP)
TEE REDUCING: TR 5C2 HX NL (1 1/4" FCXC X 1 1/4" FCXC X 1/2" FIP)
TEE REDUCING: TR 5C2C NL (1 1/4" FCXC X 1 1/4" FCXC X 1/2" FCXC)
TEE REDUCING: TR 5C3 HX NL (1 1/4" FCXC X 1 1/4" FCXC X 3/4" FIP)
TEE REDUCING: TR 5C3C NL (1 1/4" FCXC X 1 1/4" FCXC X 3/4" FCXC)
TEE REDUCING: TR 5C4 HX NL (1 1/4" FCXC X 1 1/4" FCXC X 1" FIP)
TEE REDUCING: TR 5C5 HX NL (1 1/4" FCXC X 1 1/4" FCXC X 1 1/4" FIP)
TEE REDUCING: TR 6C2HX NL (1 1/2" FCXC X 1 1/2" FCXC X 1/2" FIP)
TEE REDUCING: TR 6C3 HX NL (1 1/2" FCXC X 1 1/2" FCXC X 3/4" FIP)
TEE REDUCING: TR 6C3 NL (1 1/2" FCXC X 1 1/2" FCXC X 3/4" FIP)
TEE REDUCING: TR 6C4 NL (1 1/2" FCXC X 1 1/2" FCXC X 1" FIP)
TEE REDUCING: TR 6C6 NL (1 1/2" FCXC X 1 1/2" FCXC X 1 1/2" FIP)
TEE REDUCING: TR 7C2 HX NL (2" FCXC X 2" FCXC X 1/2" FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

TEE REDUCING: TR 7C3 HX NL (2"FCXC X 2"FCXC X 3/4"FIP)
TEE REDUCING: TR 7C3 NL (2"FCXC X 2"FCXC X 3/4"FIP)
TEE REDUCING: TR 7C4 HX NL (2"FCXC X 2"FCXC X 1"FIP)
TEE REDUCING: TRS 3C2C NL (3/4" FCXC X 3/4" FCXC X 1/2" FCXC)
THREAD FITTINGS: RC 00 NL (1/8"FIP)
THREAD FITTINGS: RC 01 NL (3/8"FIP)
THREAD FITTINGS: RC 02 NL (1/2"FIP)
THREAD FITTINGS: RC 03 NL (3/4"FIP)
THREAD FITTINGS: RC 04 NL (1"FIP)
THREAD FITTINGS: RC 05 NL (1 1/4"FIP)
THREAD FITTINGS: RC 06 NL (1 1/2"FIP)
THREAD FITTINGS: RC 07 NL (2"FIP)
THREAD FITTINGS: RC 08 NL (2 1/2"FIP)
THREAD FITTINGS: RC 09 NL (3"FIP)
THREAD FITTINGS: RC 0A NL (1/4"FIP)
THREAD FITTINGS: RC 10 NL (4"FIP)
THREAD FITTINGS: RE 4500 NL (1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RE 45001 NL (1/4"FIP X 1/4"MIP)
THREAD FITTINGS: RE 4501 NL (3/8"FIP X 3/8"FIP)
THREAD FITTINGS: RE 450101 NL (4" FIP X 4" MIP)
THREAD FITTINGS: RE 45011 NL (3/8"FIP X 3/8"MIP)
THREAD FITTINGS: RE 4502 NL (1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RE 45021 NL (1/2"FIP X 1/2"MIP)
THREAD FITTINGS: RE 4503 NL (3/4"FIP X 3/4"FIP)
THREAD FITTINGS: RE 45031 NL (3/4"FIP X 3/4"MIP)
THREAD FITTINGS: RE 4504 NL (1"FIP X 1"FIP)
THREAD FITTINGS: RE 45041 NL (1"FIP X 1"MIP)
THREAD FITTINGS: RE 4505 NL (1 1/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RE 45051 NL (1 1/4"FIP X 1 1/4"MIP)
THREAD FITTINGS: RE 4506 NL (1 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RE 45061 NL (1 1/2"FIP X 1 1/2"MIP)
THREAD FITTINGS: RE 4507 NL (2"FIP X 2"FIP X 2"FIP)
THREAD FITTINGS: RE 45071 NL (2"FIP X 2"FIP X 2"MIP)
THREAD FITTINGS: RE 4508 NL (2 1/2"FIP X 2 1/2"FIP)
THREAD FITTINGS: RE 45081 NL (2 1/2" FIP X 2 1/2" MIP)
THREAD FITTINGS: RE 4509 NL (3"FIP X 3"FIP)
THREAD FITTINGS: RE 45091 NL (3" FIP X 3" MIP)
THREAD FITTINGS: RE 450A NL (1/8"FIP X 1/8"FIP)
THREAD FITTINGS: RE 450A1 NL (1/8"FIP X 1/8"MIP)
THREAD FITTINGS: RE 4510 NL (4"FIP X 4"FIP)
THREAD FITTINGS: RE 900 NL (1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RE 90001 NL (1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RE 900101 NL (4" FIP X 3/4" MIP)
THREAD FITTINGS: RE 90011 NL (3/8"FIP X 3/8"MIP)
THREAD FITTINGS: RE 90021 NL (1/2"FIP X 1/2"MIP)
THREAD FITTINGS: RE 90031 NL (3/4"FIP X 3/4"MIP)
THREAD FITTINGS: RE 90041 NL (1"FIP X 1"MIP)
THREAD FITTINGS: RE 90051 NL (1 1/4"FIP X 1 1/4"MIP)
THREAD FITTINGS: RE 90061 NL (1 1/2"FIP X 1 1/2"MIP)
THREAD FITTINGS: RE 90071 NL (2"FIP X 2"FIP X 2"MIP)
THREAD FITTINGS: RE 90081 NL (2 1/2"FIP X 2 1/2"MIP)
THREAD FITTINGS: RE 90091 NL (3"FIP X 3"MIP)
THREAD FITTINGS: RE 900A NL (1/4"FIP X 1/8"FIP)
THREAD FITTINGS: RE 900A1 NL (1/8"FIP X 1/8"MIP)
THREAD FITTINGS: RE 901 NL (3/8"FIP X 3/8"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

THREAD FITTINGS: RE 9010 NL (3/8"FIP X 1/4"FIP)
THREAD FITTINGS: RE 90109 NL (4"FIP X 3"FIP)
THREAD FITTINGS: RE 902 NL (1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RE 9020 NL (1/2" FIP X 1/4" FIP)
THREAD FITTINGS: RE 9021 NL (1/2"FIP X 3/8"FIP)
THREAD FITTINGS: RE 902A NL (1/2" FIP X 1/8" FIP)
THREAD FITTINGS: RE 903 NL (3/4"FIP X 3/4"FIP)
THREAD FITTINGS: RE 9030 NL (3/4" FIP X 1/4" FIP)
THREAD FITTINGS: RE 9031 NL (3/4" FIP X 3/8" FIP)
THREAD FITTINGS: RE 9032 NL (3/4"FIP X 1/2"FIP)
THREAD FITTINGS: RE 904 NL (1"FIP X 1"FIP)
THREAD FITTINGS: RE 9040 NL (1" FIP X 1/4" FIP)
THREAD FITTINGS: RE 9041 NL (1" FIP X 3/8" FIP)
THREAD FITTINGS: RE 9042 NL (1"FIP X 1/2"FIP)
THREAD FITTINGS: RE 9043 NL (1"FIP X 3/4"FIP)
THREAD FITTINGS: RE 905 NL (1 1/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RE 9051 NL (1 1/4" FIP X 3/8" FIP)
THREAD FITTINGS: RE 9052 NL (1-1/4"FIP X 1/2"FIP)
THREAD FITTINGS: RE 9053 NL (1 1/4"FIP X 3/4"FIP)
THREAD FITTINGS: RE 9054 NL (1 1/4"FIP X 1"FIP)
THREAD FITTINGS: RE 906 NL (1 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RE 9062 NL (1-1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RE 9063 NL (1-1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RE 9064 NL (1 1/2"FIP X 1"FIP)
THREAD FITTINGS: RE 9065 NL (1 1/2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RE 907 NL (2"FIP X 2"FIP X 2"FIP)
THREAD FITTINGS: RE 9072 NL (2" FIP X 1/2" FIP)
THREAD FITTINGS: RE 9073 NL (2" FIP X 3/4" FIP)
THREAD FITTINGS: RE 9074 NL (2"FIP X 1"FIP)
THREAD FITTINGS: RE 9075 NL (2"FIP X 1-1/4"FIP)
THREAD FITTINGS: RE 9076 NL (2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RE 908 NL (2 1/2"FIP X 2 1/2"FIP)
THREAD FITTINGS: RE 9082 NL (2 1/2" FIP X 1/2" FIP)
THREAD FITTINGS: RE 9086 NL (2 1/2" FIP X 1 1/2" FIP)
THREAD FITTINGS: RE 9087 NL (2 1/2"FIP X 2"FIP)
THREAD FITTINGS: RE 909 NL (3"FIP X 3"FIP)
THREAD FITTINGS: RE 9097 NL (3" FIP X 2"FIP)
THREAD FITTINGS: RE 9098 NL (3"FIP X 2 1/2"FIP)
THREAD FITTINGS: RE 90A NL (1/8"FIP X 1/8"FIP)
THREAD FITTINGS: RE 910 NL (4"FIP X 4"FIP)
THREAD FITTINGS: RE900101 NL 4" FIP X 3/4" MIP
THREAD FITTINGS: RS 00 NL (1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RS 01 NL (3/8"FIP X 3/8"FIP)
THREAD FITTINGS: RS 02 NL (1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RS 0212CX NL (1/2" FIP X 1/2" CX)
THREAD FITTINGS: RS 03 NL (3/4"FIP X 3/4"FIP)
THREAD FITTINGS: RS 0313CX NL (3/4" FIP X 3/4" CX)
THREAD FITTINGS: RS 04 NL (1"FIP X 1"FIP)
THREAD FITTINGS: RS 0414CX NL (1" FIP X 1" CX)
THREAD FITTINGS: RS 05 NL (1 1/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RS 0515CX NL (1 1/4" FIP X 1 1/4" CX)
THREAD FITTINGS: RS 06 NL (1 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RS 0616CX NL (1 1/2" FIP X 1 1/2" CX)
THREAD FITTINGS: RS 07 NL (2"FIP X 2"FIP X 2"FIP)
THREAD FITTINGS: RS 0717CX NL (2" FIP X 2" CX)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

THREAD FITTINGS: RS 08 NL (21/2"FIP X 21/2"FIP)
THREAD FITTINGS: RS 0818CX NL (2 1/2" FIP X 2 1/2" CX)
THREAD FITTINGS: RS 09 NL (3"FIP X 3"FIP)
THREAD FITTINGS: RS 0919CX NL (3" FIP X 3" CX)
THREAD FITTINGS: RS 0A NL (1/8"FIP X 1/8"FIP)
THREAD FITTINGS: RS 0XA NL (1/4"FIP X 1/8"FIP)
THREAD FITTINGS: RS 10 NL (4"FIP X 4"FIP)
THREAD FITTINGS: RS 1020CX NL (4" FIP X 4" CX)
THREAD FITTINGS: RS 10X7 NL (4" FIP X 2" FIP)
THREAD FITTINGS: RS 10X9 NL (4"FIP X 3"FIP)
THREAD FITTINGS: RS 1X0 NL (3/8"FIP X 1/4"FIP)
THREAD FITTINGS: RS 1XA NL (3/8"FIP X 1/8"FIP)
THREAD FITTINGS: RS 2112CX NL (1/2" MIP X 1/2" CX)
THREAD FITTINGS: RS 221 NL (1/2" FIP X 1/2" MIP)
THREAD FITTINGS: RS 2X0 NL (1/2"FIP X 1/4"FIP)
THREAD FITTINGS: RS 2X1 NL (1/2"FIP X 3/8"FIP)
THREAD FITTINGS: RS 2XA NL (1/2"FIP X 1/8"FIP)
THREAD FITTINGS: RS 3113CX NL (3/4" MIP X 3/4" CX)
THREAD FITTINGS: RS 331 NL (3/4" FIP X 3/4" MIP)
THREAD FITTINGS: RS 3X0 NL (3/4"FIP X 1/4"FIP)
THREAD FITTINGS: RS 3X1 NL (3/4"FIP X 3/8"FIP)
THREAD FITTINGS: RS 3X2 NL (3/4"FIP X 1/2"FIP)
THREAD FITTINGS: RS 4X1 NL (1"FIP X 3/8"FIP)
THREAD FITTINGS: RS 4X2 NL (1"FIP X 1/2"FIP)
THREAD FITTINGS: RS 4X3 NL (1"FIP X 3/4"FIP)
THREAD FITTINGS: RS 5X2 NL (1 1/4"FIP X 1/2"FIP)
THREAD FITTINGS: RS 5X3 NL (1 1/4"FIP X 3/4"FIP)
THREAD FITTINGS: RS 5X4 NL (1 1/4"FIP X 1"FIP)
THREAD FITTINGS: RS 6X2 NL (1 1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RS 6X3 NL (1 1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RS 6X4 NL (1 1/2"FIP X 1"FIP)
THREAD FITTINGS: RS 6X5 NL (1 1/2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RS 7X2 NL (2"FIP X 1/2"FIP)
THREAD FITTINGS: RS 7X3 NL (2"FIP X 3/4"FIP)
THREAD FITTINGS: RS 7X4 NL (2"FIP X 1"FIP)
THREAD FITTINGS: RS 7X5 NL (2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RS 7X6 NL (2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RS 8X4 NL (2 1/2"FIP X 1"FIP)
THREAD FITTINGS: RS 8X5 NL (2 1/2" FIP X 1 1/4" FIP)
THREAD FITTINGS: RS 8X6 NL (2 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RS 8X7 NL (2 1/2"FIP X 2"FIP)
THREAD FITTINGS: RS 9X4 NL (3" FIP X 1" FIP)
THREAD FITTINGS: RS 9X5 NL (3" FIP X 1 1/4" FIP)
THREAD FITTINGS: RS 9X6 NL (3"FIP X 1 1/2"FIP)
THREAD FITTINGS: RS 9X7 NL (3"FIP X 2"FIP)
THREAD FITTINGS: RS 9X8 NL (3" FIP X 2 1/2" FIP)
THREAD FITTINGS: RT 00 NL (1/4"FIP X 1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RT 00A NL (1/4"FIP X 1/4"FIP X 1/8"FIP)
THREAD FITTINGS: RT 01 NL (3/8"FIP X 3/8"FIP X 3/8"FIP)
THREAD FITTINGS: RT 02 NL (1/2"FIP X 1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RT 03 NL (3/4"FIP X 3/4"FIP X 3/4"FIP)
THREAD FITTINGS: RT 04 NL (1"FIP X 1"FIP X 1"FIP)
THREAD FITTINGS: RT 05 NL (1 1/4"FIP X 1 1/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 06 NL (1 1/2"FIP X 1 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 07 NL (2"FIP X 2"FIP X 2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

THREAD FITTINGS: RT 08 NL (21/2"FIP X 21/2"FIP X 21/2"FIP)
THREAD FITTINGS: RT 09 NL (3"FIP X 3"FIP X 3"FIP)
THREAD FITTINGS: RT 0A NL (1/8"FIP X 1/8"FIP X 1/8"FIP)
THREAD FITTINGS: RT 10 NL (4"FIP X 4"FIP X 4"FIP)
THREAD FITTINGS: RT 100 NL (3/8"FIP X 1/4"FIP X 1/4"FIP)
THREAD FITTINGS: RT 101 NL (3/8"FIP X 1/4"FIP X 3/8"FIP)
THREAD FITTINGS: RT 10107 NL (4"FIP X 4"FIP X 2"FIP)
THREAD FITTINGS: RT 10109 NL (4"FIP X 4"FIP X 3"FIP)
THREAD FITTINGS: RT 110 NL (3/8"FIP X 3/8"FIP X 1/4"FIP)
THREAD FITTINGS: RT 112 NL (3/8"FIP X 3/8"FIP X 1/2"FIP)
THREAD FITTINGS: RT 211 NL (1/2"FIP X 1/2"FIP X 3/8"FIP)
THREAD FITTINGS: RT 212 NL (1/2"FIP X 3/8"FIP X 1/2"FIP)
THREAD FITTINGS: RT 220 NL (1/2"FIP X 1/2"FIP X 3/8"FIP)
THREAD FITTINGS: RT 221 NL (1/2"FIP X 1/2"FIP X 3/8"FIP)
THREAD FITTINGS: RT 223 NL (1/2"FIP X 1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RT 22A NL (1/2" FIP X 1/2" FIP X 1/8" FIP)
THREAD FITTINGS: RT 322 NL (3/4"FIP X 1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RT 323 NL (3/4"FIP X 1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RT 330 NL (3/4"FIP X 3/4"FIP X 1/4" FIP)
THREAD FITTINGS: RT 331 NL (3/4"FIP X 3/4"FIP X 3/8"FIP)
THREAD FITTINGS: RT 332 NL (3/4"FIP X 3/4"FIP X 1/2"FIP)
THREAD FITTINGS: RT 334 NL (3/4"FIP X 3/4"FIP X 1"FIP)
THREAD FITTINGS: RT 335 NL (3/4"FIP X 3/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 422 NL (1"FIP X 1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RT 423 NL (1"FIP X 1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RT 424 NL (1"FIP X 1/2"FIP X 1"FIP)
THREAD FITTINGS: RT 432 NL (1"FIP X 3/4"FIP X 1/2"FIP)
THREAD FITTINGS: RT 433 NL (1"FIP X 3/4"FIP X 3/4"FIP)
THREAD FITTINGS: RT 434 NL (1"FIP X 3/4"FIP X 1"FIP)
THREAD FITTINGS: RT 440 NL (1"FIP X 1"FIP X 1/4" FIP)
THREAD FITTINGS: RT 441 NL (1"FIP X 1"FIP X 3/8"FIP)
THREAD FITTINGS: RT 442 NL (1"FIP X 1"FIP X 1/2"FIP)
THREAD FITTINGS: RT 443 NL (1"FIP X 1"FIP X 3/4"FIP)
THREAD FITTINGS: RT 445 NL (1"FIP X 1"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 446 NL (1"FIP X 1"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 525 NL (1 1/4"FIP X 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 535 NL (1 1/4"FIP X 3/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 543 NL (1 1/4"FIP X 1"FIP X 3/4"FIP)
THREAD FITTINGS: RT 544 NL (1 1/4"FIP X 1"FIP X 1"FIP)
THREAD FITTINGS: RT 545 NL (1 1/4"FIP X 1"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 551 NL (1 1/4"FIP X 1 1/4"FIP X 3/8" FIP)
THREAD FITTINGS: RT 552 NL (1 1/4"FIP X 1 1/4"FIP X 1/2"FIP)
THREAD FITTINGS: RT 553 NL (1 1/4"FIP X 1 1/4"FIP X 3/4"FIP)
THREAD FITTINGS: RT 554 NL (1 1/4"FIP X 1 1/4"FIP X 1"FIP)
THREAD FITTINGS: RT 556 NL (1 1/4"FIP X 1 1/4"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 636 NL (1 1/2"FIP X 3/4"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 654 NL (1 1/2"FIP X 1 1/4"FIP X 1"FIP)
THREAD FITTINGS: RT 655 NL (1 1/2"FIP X 1 1/4"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 656 NL (1 1/2"FIP X 1 1/4"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 661 NL (1 1/2"FIP X 1 1/2"FIP X 3/8" FIP)
THREAD FITTINGS: RT 662 NL (1 1/2"FIP X 1 1/2"FIP X 1/2"FIP)
THREAD FITTINGS: RT 663 NL (1 1/2"FIP X 1 1/2"FIP X 3/4"FIP)
THREAD FITTINGS: RT 664 NL (1 1/2"FIP X 1 1/2"FIP X 1"FIP)
THREAD FITTINGS: RT 665 NL (1 1/2"FIP X 1 1/2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 667 NL (1 1/2"FIP X 1 1/2"FIP X 2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

THREAD FITTINGS: RT 766 NL (2"FIP X 1 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 767 NL (2"FIP X 1 1/2"FIP X 2"FIP)
THREAD FITTINGS: RT 771 NL (2"FIP X 2"FIP X 3/8" FIP)
THREAD FITTINGS: RT 772 NL (2"FIP X 2"FIP X 1/2"FIP)
THREAD FITTINGS: RT 773 NL (2"FIP X 2"FIP X 3/4"FIP)
THREAD FITTINGS: RT 774 NL (2"FIP X 2"FIP X 1"FIP)
THREAD FITTINGS: RT 775 NL (2"FIP X 2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 776 NL (2"FIP X 2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 778 NL (2"FIP X 2"FIP X 2 1/2"FIP)
THREAD FITTINGS: RT 877 NL (2 1/2"FIP X 2"FIP X 2"FIP)
THREAD FITTINGS: RT 884 NL (2 1/2"FIP X 2 1/2"FIP X 1"FIP)
THREAD FITTINGS: RT 885 NL (2 1/2"FIP X 2 1/2"FIP X 1 1/4"FIP)
THREAD FITTINGS: RT 886 NL (2 1/2"FIP X 2 1/2"FIP X 1 1/2"FIP)
THREAD FITTINGS: RT 887 NL (2 1/2"FIP X 2 1/2"FIP X 2"FIP)
THREAD FITTINGS: RT 997 NL (3"FIP X 3"FIP X 2"FIP)
THREAD FITTINGS: RT 998 NL (3"FIP X 3"FIP X 2 1/2"FIP)
THREE WAY INSP TEST: TW 0 NL (1/4"FIP THREE WAY)
TRAP: TRAP 116 NL (1 1/2"FCXC X 1 1/2"FCXC + PLUG)
TRAP: TRAP 116U NL (1 1/2"FCXC X 1 1/2"FCXC + PLUG)
TRAP: TRAP 117 NL (2"FCXC X 2"FCXC + PLUG)
TRAP: TRAP 16 NL (1 1/2"FCXC X 1 1/2"FCXC)
TRAP: TRAP 17 NL (2"FCXC X 2"FCXC)
TRAP: TRAP 5 NL (1 1/4"MIP X 1 1/4"MIP + PLUG)
TRAP: TRAP 6 NL (1 1/2"MIP X 1 1/2"MIP + PLUG)
TRAP: TRAP 7 NL (2"MIP X 2"MIP + PLUG)
WASHING MACHINE TEE: WM 163C NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FCXC X 3/4"MHT)
WASHING MACHINE TEE: WM 163C SN NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FCXC X 3/4"MHT)
WASHING MACHINE TEE: WM 163H NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FIP X 3/4"MHT)
WASHING MACHINE TEE: WM 163H SN NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FIP X 3/4"MHT)
WASHING MACHINE TEE: WM 163P NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FIP X 3/4"MIP)
WASHING MACHINE TEE: WM 163P SN NL (1 1/2"MIP X 1 1/2"SJ X 1/2"FIP X 3/4"MIP)
WASHING MACHINE TEE: WM 63C NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FCXC X 3/4"MHT)
WASHING MACHINE TEE: WM 63C SN NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FCXC X 3/4"MHT)
WASHING MACHINE TEE: WM 63H NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FIP X 3/4"MHT)
WASHING MACHINE TEE: WM 63H SN NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FIP X 3/4"MHT)
WASHING MACHINE TEE: WM 63P NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FIP X 3/4"MIP)
WASHING MACHINE TEE: WM 63P SN NL (1 1/2"MIP X 1 1/2"FIP X 1/2"FIP X 3/4"MIP)
WATER METER COUPLING: MC 2 NL (1/2"MIP X 3/4"FIP)
WATER METER COUPLING: MC 2 ZNL
WATER METER COUPLING: MC 2P NL (1/2" PEX F1807 X 3/4" FIP)
WATER METER COUPLING: MC 2P NL (1/2" PEX(1807) X 3/4" FIP)
WATER METER COUPLING: MC 2PW NL (1/2" PEX F1960 X 3/4" FIP)
WATER METER COUPLING: MC 2PW NL (1/2" PEX(1960) X 3/4" FIP)
WATER METER COUPLING: MC 3 NL (3/4"MIP X 1"FIP)
WATER METER COUPLING: MC 3 ZNL
WATER METER COUPLING: MC 33 NL (3/4"MIP X 3/4"FIP)
WATER METER COUPLING: MC 385 NL (3/4"MIP X 3/4"FIP)
WATER METER COUPLING: MC 3M NL (3/4"MIP X 1"FIP)
WATER METER COUPLING: MC 3P NL
WATER METER COUPLING: MC 3P NL (3/4"PEX X 1")
WATER METER COUPLING: MC 3PW NL (3/4" PEX F1960 X 1" FIP)
WATER METER COUPLING: MC 3PW NL (3/4" PEX(1960) X 1" FIP)
WATER METER COUPLING: MC 4 NL (1"MIP X 1 1/4"FIP)
WATER METER COUPLING: MC 4 ZNL
WATER METER COUPLING: MC 485 NL (1"MIP X 1 1/4"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

WATER METER COUPLING: MC 4M NL (1"MIP X 1 1/4"FIP)
WATER METER COUPLING: MC 4P NL (1" PEX F1807 X 1 1/4" FIP)
WATER METER COUPLING: MC 4P NL (1" PEX(1807) X 1 1/4" FIP)
WATER METER COUPLING: MC 4PW NL (1" PEX F1960 X 1 1/4" FIP)
WATER METER COUPLING: MC 4PW NL (1" PEX(1960) X 1 1/4" FIP)
WATER METER COUPLING: MC 5 NL (1 1/4"MIP X 1 1/2"FIP)
WATER METER COUPLING: MC 6 NL (1 1/2"MIP X 2"FIP)
WATER METER COUPLING: MC 6 ZNL
WATER METER COUPLING: MC 7 NL (2"MIP X 2 1/2"FIP)
WATER METER COUPLING: MC 7 ZNL
WATER METER COUPLING: MCL 3 NL (3/4"MIP X 1"FIP)

Bronze lead free material is available with suffix " Z " on the model number

Bronze lead free material such as C87600, C87800, & C87850 are available with suffix " ZE " on the model number

The following spare parts are available with the below suffixes on the model number:

P = Pegler Handle
X = Handle Cross
TG = Triangular Handle
K = Loose Key Handle
CS = Curb Stop Handle
BF = Butter Fly Handle

B = Brass Nut
S = Stainless Steel bolt
T = Teflon packing
R = Rubber packing
CP = Polish chrome for handle & cover
PB = Polish brass for handle & cover



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.