



Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

PT Ever Age Valves Metals
JL Raya Sumengko Km 30 7 Wringinanom
Gresik-Jatim 61176, Indonesia

Plant Location:

Gresik-Jatim, Indonesia

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 06/06/2025

Material/Product:

Endpoint Devices

Contact Temperature:

23 ± 2°C

Models:

Boiler Drains: HBH 17 NL (1/2"MIP X 3/4"MHT)
Boiler Drains: HBH 17K NL (1/2"MIP X 3/4"MHT)
Boiler Drains: HBH 18 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: HBH 18K NL (3/4"MIP X 3/4"MHT)
Boiler Drains: HBH 19 NL (1/2"FIP X 3/4"MHT)
Boiler Drains: HBH 19K NL (1/2"FIP X 3/4"MHT)
Boiler Drains: HBH 20 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: HBH 20K NL (3/4"FIP X 3/4"MHT)
Boiler Drains: HBH 21 NL (1/2"FCXC X 3/4"MHT)
Boiler Drains: HBH 21K NL (1/2"FCXC X 3/4"MHT)
Boiler Drains: HBH 22 NL (3/4"FCXC X 3/4"MHT)
Boiler Drains: HBH 22K NL (3/4"FCXC X 3/4"MHT)
Boiler Drains: HBH 25 NL (5/8"OD COMP X 3/4"MHT)
Boiler Drains: HBH 25K NL (5/8"OD COMP X 3/4"MHT)
Boiler Drains: HBH 26 NL (7/8"OD COMP X 3/4"MHT)
Boiler Drains: HBH 26K NL (7/8"OD COMP X 3/4"MHT)
Boiler Drains: MB 13 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MB 14 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MB 15 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MB 15C NL (5/8"OD COMP X 3/4" MHT)
Boiler Drains: MB 16 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MB 16A NL (3/4"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MB 17 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MB 17C NL (5/8"OD COMP X 3/4" MHT)
Boiler Drains: MB 18 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MB 18A NL (3/4"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MB 19 NL (1/2"FIP X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Boiler Drains: MB 20 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: MB 21 NL (1/2"FIP X 3/4"MHT)
Boiler Drains: MB 22 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: MB 26 NL (LONG SHANK 1/2"MIP WITH LOCKNUT & 3/4"MHT)
Boiler Drains: MB 26B NL (LONG SHANK 1/2"MIP WITH CHAMFER FOR CONE CONNECTION W/LOCKNUT & 3/4"MHT)
Boiler Drains: MB 26P NL (LONGSHANK 1/2"MIP X 1/2"PEX WITH LOCKNUT & 3/4"MHT)
Boiler Drains: MB 32 NL (1/8"FIP & 3/4"FHT X 3/4"MHT)
Boiler Drains: MB 33 NL (1/8"FIP & 3/4"FIP X 3/4"MHT)
Boiler Drains: MBD 15 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MBD 16 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MBD 16A NL (3/4"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MBD 17 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MBD 18 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MBD 18A NL (3/4"MIP & 1/2"FCXC X 3/4"MHT)
Boiler Drains: MBO 13 NL (1/2"MIP X 3/4"MHT)
Boiler Drains: MBO 14 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MV 19 NL (1/2"FIP X 3/4"MHT)
Boiler Drains: MV 19NPR NL (1/2" PRESS FITTING X 3/4" MHT)
Boiler Drains: MV 20 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: MV 20NPR NL (3/4" PRESS FITTING X 3/4" MHT)
Boiler Drains: MV 21 NL (1/2"FCXC X 3/4"MHT)
Boiler Drains: MV 22 NL (3/4"FCXC X 3/4"MHT)
Boiler Drains: MV 23 NL (1/2"MIP X 3/4"MHT)
Boiler Drains: MV 23C NL (5/8"OD COMP X 3/4"MHT)
Boiler Drains: MV 23MR NL (1/2" MIP X 3/4" MHT)
Boiler Drains: MV 24 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MV 24A NL (3/4"MIP & 1/2"FIP X 3/4"MHT)
Boiler Drains: MV 24MR NL (3/4" MIP X 3/4" MHT)
Boiler Drains: MV 25 NL (1/2"MCXC X 3/4"MHT)
Boiler Drains: MV 26 NL (3/4"MCXC X 1/2"FCXC X 3/4"MHT)
BOILER DRAINS: MV 33PFOVB NL (3/4"PEX F1807 X 3/4"MHT)
BOILER DRAINS: MV 33PWFOVB NL (3/4"PEX F1960 X 3/4"MHT)
Boiler Drains: MVO 19 NL (1/2"FIP X 3/4"MHT)
Boiler Drains: MVO 20 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: MVO 21 NL (1/2"FCXC X 3/4"MHT)
Boiler Drains: MVO 22 NL (3/4"FCXC X 3/4"MHT)
Boiler Drains: MVO 23 NL (1/2"MIP X 3/4"MHT)
Boiler Drains: MVO 24 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MVO 25 NL (1/2"MCXC X 3/4"MHT)
Boiler Drains: MVO 26 NL (3/4"MCXC X 1/2"FCXC X 3/4"MHT)
Boiler Drains: MVON 19 NL (1/2"FIP X 3/4"MHT)
Boiler Drains: MVON 20 NL (3/4"FIP X 3/4"MHT)
Boiler Drains: MVON 21 NL (1/2"FCXC X 3/4"MHT)
Boiler Drains: MVON 22 NL (3/4"FCXC X 3/4"MHT)
Boiler Drains: MVON 23 NL (1/2"MIP X 3/4"MHT)
Boiler Drains: MVON 24 NL (3/4"MIP X 3/4"MHT)
Boiler Drains: MVON 25 NL (1/2"MCXC X 3/4"MHT)
Boiler Drains: MVON 26 NL (3/4"MCXC X 1/2"FCXC X 3/4"MHT)
Boiler Drains: MVP 23 NL (1/2"MIP & 1/2"PEX X 3/4"MHT)
Boiler Drains: MVP 24NL (1/2" PEX F1807 X 3/4" MHT)
Boiler Drains: MVPR 23 NL (1/2" PRESS FITTING X 3/4" MHT)
Boiler Drains: MVPR 24 NL (3/4" PRESS FITTING X 3/4" MHT)
Boiler Drains: MVPW 23NL (1/2" PEX F1960 X 3/4" MHT)
Boiler Drains: MVPW 24NL (3/4" PEX F1960 X 3/4" MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Boiler Drains: MVS 19 NL (1/2" FIP X 3/4" MHT)
Boiler Drains: MVS 20 NL (3/4" FIP X 3/4" MHT)
Boiler Drains: MVS 21 NL (1/2" SWEAT X 3/4" MHT)
Boiler Drains: MVS 22 NL (3/4" SWEAT X 3/4" MHT)
Boiler Drains: MVS 23 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT)
Boiler Drains: MVS 24 NL (3/4" MIP X 3/4" MHT)
Boiler Drains: MVS 24a NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
Boiler Drains: MVS 25 NL (5/8" OD COMP X 3/4" MHT)
CHECK VALVES: CV 7NPR NL (2" PRESS)
DRAIN BALL VALVES: BV 161T NL (3/4" MIP X 3/4" MHT X 1" LENGTH)
DRAIN BALL VALVES: BV 162T NL (3/4" MIP X 3/4" MHT X 1 1/4" LENGTH)
DRAIN BALL VALVES: BV 166T NL (3/4" MIP X 3/4" MHT X 2 1/4" LENGTH)
DRAIN BALL VALVES: BV 169T NL (3/4" MIP X 3/4" MHT X 3" LENGTH)
DRAIN BALL VALVES: BV 176T NL (3/4" MIP X 3/4" MHT X 3 1/2" LENGTH)
DRAIN BALL VALVES: MFBV 92 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MFBV 92K NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MFBV 93 NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MFBV 93K NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 28 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 28BF NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 29 NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 29BF NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 30 NL (1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 30BF NL (1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 31 NL (3/4" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 31BF NL (3/4" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 32P NL (1/2" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVB 32PBF NL (1/2" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVB 32PW NL (1/2" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVB 32PWBF NL (1/2" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVB 33P NL (3/4" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVB 33PBF NL (3/4" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVB 33PW NL (3/4" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVB 33PWBF NL (3/4" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVB 38 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 384 NL (3/4" MCXC X 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 384BF NL (3/4" MCXC X 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 38BF NL (1/2" MIP & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 38C NL (5/8" ODCOMP X 3/4" MHT)
DRAIN BALL VALVES: MVB 38CBF NL (5/8" ODCOMP X 3/4" MHT)
DRAIN BALL VALVES: MVB 38F NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 38FBF NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39 NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39A NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39ABF NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39BF NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39F NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 39FBF NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 40 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 40BF NL (1/2" MIP & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 41 NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 41BF NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 42 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 42BF NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 43 NL (3/4" FIP X 3/4" MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

DRAIN BALL VALVES: MVB 43BF NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVB 44 NL (3/4" MCXC & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 44BF NL (3/4" MCXC & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVB 45 NL (5/8" OD COMP X 3/4" MHT)
DRAIN BALL VALVES: MVB 45BF NL (5/8" OD COMP X 3/4" MHT)
DRAIN BALL VALVES: MVB 64 NL (1/2" MIP & 1/2" FCXC X PLAIN)
DRAIN BALL VALVES: MVB 64BF NL (1/2" MIP & 1/2" FCXC X PLAIN)
DRAIN BALL VALVES: MVB 65 NL (3/4" MIP X PLAIN)
DRAIN BALL VALVES: MVB 65BF NL (3/4" MIP X PLAIN)
DRAIN BALL VALVES: MVBI 38 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT)
DRAIN BALL VALVES: MVBI 384 NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT)
DRAIN BALL VALVES: MVBI 384BF NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT)
DRAIN BALL VALVES: MVBI 38BF NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT)
DRAIN BALL VALVES: MVBI 38C NL (5/8" OD X 3/4" MHT)
DRAIN BALL VALVES: MVBI 38CBF NL (5/8" OD X 3/4" MHT)
DRAIN BALL VALVES: MVBI 38F NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 38FBF NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 39 NL (MVBI 39 NL)
DRAIN BALL VALVES: MVBI 39A NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 39ABF NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 39BF NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 39F NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBI 39FBF NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 19 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 20 NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 23 NL (1/2" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 24 NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 24A NL (3/4" MIP X & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 28 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 29 NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 30 NL (1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVBS 30A NL (3/4" MCXC & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVBS 32P NL (1/2" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVBS 32PW NL (1/2" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVBS 33P NL (3/4" PEX F1807 X 3/4" MHT)
DRAIN BALL VALVES: MVBS 33PW NL (3/4" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: MVBS 38 NL (1/2" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 38C NL (5/8" OD COMP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 38F NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 39 NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 39A NL (3/4" MIP & 1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 39F NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 40 NL (1/2" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 41 NL (3/4" MIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 42 NL (1/2" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 43 NL (3/4" FIP X 3/4" MHT)
DRAIN BALL VALVES: MVBS 44 NL (3/4" MCXC & 1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: MVBS 45 NL (5/8" OD COMP X 3/4" MHT)
DRAIN BALL VALVES: WMB 12 NL (1/2" FCXC X 3/4" MHT)
DRAIN BALL VALVES: WMB 12P NL (1/2" PEX X 3/4" MHT)
DRAIN BALL VALVES: WMB 12PW NL (1/2" PEX F1960 X 3/4" MHT)
DRAIN BALL VALVES: WMB 2 NL (1/2" MIP X 3/4" MHT)
DRAIN BALL VALVES: WMB 2L NL (1/2" MIP X 3/4" MHT)
DRAIN BALL VALVES: WMB 2P NL (1/2" PEX X 3/4" MHT)
DRAIN BALL VALVES: WMB 2PW NL (1/2" PEX F1960 X 3/4" MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

DRAIN BALL VALVES: WMB 2PX NL (1/2"PEX & 1/2"MIP X 3/4"MHT)
FIRE HOSE: RA 626 RL NL (1 1/2" FNST X 1 1/2" FNSH)
FROST FREE SILLCOCKS: FF 10 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FF 10C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FF 10P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FF 10PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FF 11 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FF 12 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FF 12C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FF 12P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FF 12PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FF 13 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FF 14 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FF 14C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FF 14P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FF 14PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FF 15 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FF 16 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FF 16C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FF 16P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FF 16PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FF 17 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FF 18 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FF 18C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FF 18P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FF 18PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FF 19 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FF 2 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FF 20 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FF 20C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FF 20P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FF 20PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FF 21 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FF 22 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FF 22C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FF 22P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FF 22PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FF 23 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FF 24 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FF 24C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FF 24P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FF 24PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FF 25 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FF 2C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FF 2P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FF 2PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FF 3 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FF 4 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FF 4C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FF 4P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FF 4PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FF 5 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FF 6 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FF 6C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FF 6P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 6" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FF 6PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FF 7 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FF 8 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FF 8C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FF 8P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FF 8PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FF 9 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 10 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10PR NL (1/2" PR X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10PR NL (1/2" PRESS FITTING X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 10PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 11 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 11NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFA 12 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12PR NL (1/2" PR X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12PR NL (1/2" PRESS FITTING X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 12PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 13 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 13NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFA 14 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14PR NL (1/2" PR X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14PR NL (1/2" PRESS FITTING X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 14PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 15 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 15NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFA 16 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16PR NL (1/2" PR X 3/4" MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16PR NL (1/2" PRESS FITTING X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 16PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 17 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 17NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFA 18 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 18" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFA 18PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18PR NL (1/2" PR X 3/4" MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18PR NL (1/2" PRESS FITTING X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 18PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 19 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 19NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFA 2 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 20 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20PR NL (1/2" PR X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20PR NL (1/2" PRESS FITTING X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 20PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 21 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 21NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFA 22 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22PR NL (1/2" PR X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22PR NL (1/2" PRESS FITTING X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 22PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 23 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 23NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFA 24 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24PR NL (1/2" PR X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24PR NL (1/2" PRESS FITTING X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 24PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 25 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 25NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFA 2C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2PR NL (1/2" PR X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2PR NL (1/2" PRESS FITTING X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 2PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 3 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 3NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFA 4 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 4" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFA 4PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4PR NL (1/2" PR X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4PR NL (1/2" PRESS FITTING X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 4PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 5 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 5NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFA 6 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6PR NL (1/2" PR X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6PR NL (1/2" PRESS FITTING X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 6PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 7 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 7NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFA 8 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8NHPS NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8PNHPS NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8PR NL (1/2" PR X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8PR NL (1/2" PRESS FITTING X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8PW NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 8PWNHPS NL (1/2"PEX(ASTM F 1960) X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 9 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFA 9NHPS NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFR 10 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFR 10C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFR 10P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFR 10PW NL (1/2" PEX F1960 X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFR 11 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFR 12 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFR 12C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFR 12P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFR 12PW NL (1/2" PEX F1960 X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFR 13 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFR 14 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFR 14C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFR 14P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFR 14PW NL (1/2" PEX F1960 X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFR 15 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFR 16 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFR 16C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFR 16P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFR 16PW NL (1/2" PEX F1960 X 3/4" MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFR 17 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 16" LENGTH)
FROST FREE SILLCOCKS: FFR 18 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFR 18C NL (3/4" FTG &1/2" SWEAT X 3/4" MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFR 18P NL (1/2"PEX(ASTM F 1807) X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFR 18PW NL (1/2" PEX F1960 X 3/4" MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFR 19 NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 18" LENGTH)
FROST FREE SILLCOCKS: FFR 2 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT X 2" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFR 20 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFR 20C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFR 20P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFR 20PW NL (1/2" PEX F1960 X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFR 21 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 20" LENGTH)
FROST FREE SILLCOCKS: FFR 22 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFR 22C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFR 22P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFR 22PW NL (1/2" PEX F1960 X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFR 23 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 22" LENGTH)
FROST FREE SILLCOCKS: FFR 24 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFR 24C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFR 24P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFR 24PW NL (1/2" PEX F1960 X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFR 25 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 24" LENGTH)
FROST FREE SILLCOCKS: FFR 2C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFR 2P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFR 2PW NL (1/2" PEX F1960 X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFR 3 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFR 4 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFR 4C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFR 4P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFR 4PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFR 5 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFR 6 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFR 6C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFR 6P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFR 6PW NL (1/2" PEX F1960 X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFR 7 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFR 8 NL (1/2" MIP & 1/2" FCXC X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFR 8C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFR 8P NL (1/2" PEX (ASTM F 1807) X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFR 8PW NL (1/2" PEX F1960 X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFR 9 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW 10 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW 10C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW 10P NL (1/2" PEX F1807 X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW 10PW NL (1/2" PEX F1960 X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW 11 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW 12 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW 12C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW 12P NL (1/2" PEX F1807 X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW 12PW NL (1/2" PEX F1960 X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW 13 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW 14 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW 14C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW 14P NL (1/2" PEX F1807 X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW 14PW NL (1/2" PEX F1960 X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW 15 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW 2 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW 2C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW 2P NL (1/2" PEX F1807 X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW 2PW NL (1/2" PEX F1960 X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW 3 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW 4 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFW 410 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 10" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 410C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 10" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 410P NL (1/2" PEX F1807 X 3/4" MHT X 10" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 410PW NL (1/2" PEX F1960 X 3/4" MHT X 10" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 411 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 10" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 412 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 12" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 412C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 12" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 412P NL (1/2" PEX F1807 X 3/4" MHT X 12" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 412PW NL (1/2" PEX F1960 X 3/4" MHT X 12" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 413. NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 12" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 414 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 14" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 414C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 14" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 414P NL (1/2" PEX F1807 X 3/4" MHT X 14" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 414PW NL (1/2" PEX F1960 X 3/4" MHT X 14" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 415 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 14" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 42 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 2" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 42C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 42P NL (1/2" PEX F1807 X 3/4" MHT X 2" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 42PW NL (1/2" PEX F1960 X 3/4" MHT X 2" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 43 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 2" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 44 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 4" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 44C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 44P NL (1/2" PEX F1807 X 3/4" MHT X 4" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 44PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 45 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 4" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 46 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 6" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 46C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 46P NL (1/2" PEX F1807 X 3/4" MHT X 6" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 46PW NL (1/2" PEX F1960 X 3/4" MHT X 6" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 47 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 6" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 48 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 8" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 48C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 8" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 48P NL (1/2" PEX F1807 X 3/4" MHT X 8" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 48PW NL (1/2" PEX F1960 X 3/4" MHT X 8" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 49 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 8" LENGTH WITH VB4)
FROST FREE SILLCOCKS: FFW 4C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFW 4P NL (1/2" PEX F1807 X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFW 4PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFW 5 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFW 6 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFW 6C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFW 6P NL (1/2" PEX F1807 X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFW 6PW NL (1/2" PEX F1960 X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFW 7 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 6" LENGTH)
FROST FREE SILLCOCKS: FFW 8 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW 8C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW 8P NL (1/2" PEX F1807 X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW 8PW NL (1/2" PEX F1960 X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW 9 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 8" LENGTH)
FROST FREE SILLCOCKS: FFW NF 10 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW NF 10C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW NF 10P NL (1/2" PEX F1807 X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW NF 10PW NL (1/2" PEX F1960 X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW NF 11 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 10" LENGTH)
FROST FREE SILLCOCKS: FFW NF 12 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 12" LENGTH)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFW NF 12C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW NF 12P NL (1/2" PEX F1807 X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW NF 12PW NL (1/2" PEX F1960 X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW NF 13 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 12" LENGTH)
FROST FREE SILLCOCKS: FFW NF 14 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW NF 14C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW NF 14P NL (1/2" PEX F1807 X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW NF 14PW NL (1/2" PEX F1960 X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW NF 15 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 14" LENGTH)
FROST FREE SILLCOCKS: FFW NF 2 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW NF 2C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW NF 2P NL (1/2" PEX F1807 X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW NF 2PW NL (1/2" PEX F1960 X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW NF 3 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 2" LENGTH)
FROST FREE SILLCOCKS: FFW NF 4 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)
FROST FREE SILLCOCKS: FFW NF 410 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 10" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 410C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 10" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 410P NL (1/2" PEX F1807 X 3/4" MHT X 10" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 410PW NL (1/2" PEX F1960 X 3/4" MHT X 10" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 411 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 10" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 412 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 12" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 412C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 12" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 412P NL (1/2" PEX F1807 X 3/4" MHT X 12" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 412PW NL (1/2" PEX F1960 X 3/4" MHT X 12" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 413 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 12" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 414 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 14" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 414C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 14" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 414P NL (1/2" PEX F1807 X 3/4" MHT X 14" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 414PW NL (1/2" PEX F1960 X 3/4" MHT X 14" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 415 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 14" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 42 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 2" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 42C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 2" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 42PW NL (1/2" PEX F1960 X 3/4" MHT X 2" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 43 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 2" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 44 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 44C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 44P NL (1/2" PEX F1807 X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 44PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 44PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 45 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 4" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 46 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 6" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 46C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 46P NL (1/2" PEX F1807 X 3/4" MHT X 6" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 46PW NL (1/2" PEX F1960 X 3/4" MHT X 6" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 47 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 6" LENGTH WITH VB 4)
FROST FREE SILLCOCKS: FFW NF 48 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 8" LENGTH WITH VB 4)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

FROST FREE SILLCOCKS: FFW NF 48C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 8" LENGTH WITH VB 4)

FROST FREE SILLCOCKS: FFW NF 48P NL (1/2" PEX F1807 X 3/4" MHT X 8" LENGTH WITH VB 4)

FROST FREE SILLCOCKS: FFW NF 48PW NL (1/2" PEX F1960 X 3/4" MHT X 8" LENGTH WITH VB 4)

FROST FREE SILLCOCKS: FFW NF 49 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 8" LENGTH WITH VB 4)

FROST FREE SILLCOCKS: FFW NF 4C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 4" LENGTH)

FROST FREE SILLCOCKS: FFW NF 4P NL (1/2" PEX F1807 X 3/4" MHT X 4" LENGTH)

FROST FREE SILLCOCKS: FFW NF 4PW NL (1/2" PEX F1960 X 3/4" MHT X 4" LENGTH)

FROST FREE SILLCOCKS: FFW NF 5 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 4" LENGTH)

FROST FREE SILLCOCKS: FFW NF 6 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)

FROST FREE SILLCOCKS: FFW NF 6C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 6" LENGTH)

FROST FREE SILLCOCKS: FFW NF 6P NL (1/2" PEX F1807 X 3/4" MHT X 6" LENGTH)

FROST FREE SILLCOCKS: FFW NF 6PW NL (1/2" PEX F1960 X 3/4" MHT X 6" LENGTH)

FROST FREE SILLCOCKS: FFW NF 7 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 6" LENGTH)

FROST FREE SILLCOCKS: FFW NF 8 NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT X 8" LENGTH)

FROST FREE SILLCOCKS: FFW NF 8C NL (3/4" FTG & 1/2" SWEAT X 3/4" MHT X 8" LENGTH)

FROST FREE SILLCOCKS: FFW NF 8P NL (1/2" PEX F1807 X 3/4" MHT X 8" LENGTH)

FROST FREE SILLCOCKS: FFW NF 8PW NL (1/2" PEX F1960 X 3/4" MHT X 8" LENGTH)

FROST FREE SILLCOCKS: FFW NF 9 NL (3/4" MIP & 1/2" FIP X 3/4" MHT X 8" LENGTH)

FROST FREE SILLCOCKS: FFW NF42P NL (1/2" PEX F1807 X 3/4" MHT X 2" LENGTH WITH VB 4)

FROST FREE SILLCOCKS: MVS 19NL (1/2" FIP X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 20NL (3/4" FIP X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 21NL (1/2" SWEAT X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 22NL (3/4" SWEAT X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 23NL (1/2" MIP & 1/2" SWEAT X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 24A NL (1/2" MIP & 1/2" FIP X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 24NL (3/4" MIP X 3/4" MHT)

FROST FREE SILLCOCKS: MVS 25NL (5/8" OD COMP X 3/4" MHT)

GARDEN VALVES: HBH 34 NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBH 34A NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBH 34K NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBH 34KA NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBH 34VB NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBH 35 NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBH 35A NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBH 35K NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBH 35KA NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBH 35VB NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBH 36 NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBH 36A NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBH 36K NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBH 36KA NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBH 36VB NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBH 37 NL (1" FIP X 1" MHT)

GARDEN VALVES: HBH 37K NL (1" FIP X 1" MHT)

GARDEN VALVES: HBHI 34 NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 34A NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 34K NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 34KA NL (1/2" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 35 NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 35A NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 35K NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 35KA NL (3/4" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 36 NL (1" FIP X 3/4" MHT)

GARDEN VALVES: HBHI 36A NL (1" FIP X 3/4" MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

GARDEN VALVES: HBHI 36K NL (1"FIP X 3/4"MHT)
GARDEN VALVES: HBHI 36KA NL (1"FIP X 3/4"MHT)
GARDEN VALVES: MB 34 NL (1/2"FIP X 3/4"MHT)
GARDEN VALVES: MB 34K NL (1/2"FIP X 3/4"MHT)
GARDEN VALVES: MB 35 NL (3/4"FIP X 3/4"MHT)
GARDEN VALVES: MB 35K NL (3/4"FIP X 3/4"MHT)
GARDEN VALVES: MB 36 NL (1"FIP X 3/4"MHT)
GARDEN VALVES: MB 36K NL (1"FIP X 3/4"MHT)
GARDEN VALVES: MBI 34 NL (1/2"FIP X 3/4"MHT)
GARDEN VALVES: MBI 34K NL (1/2"FIP X 3/4"MHT)
GARDEN VALVES: MBI 35 NL (3/4"FIP X 3/4"MHT)
GARDEN VALVES: MBI 35K NL (3/4"FIP X 3/4"MHT)
GARDEN VALVES: MBI 36 NL (1"FIP X 3/4"MHT)
GARDEN VALVES: MBI 36K NL (1"FIP X 3/4"MHT)
HOSE BIBB: HB 145 NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HB 145C NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HB 146 NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HB 38 NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HB 38C NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HB 38CK NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HB 38K NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HB 39 NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HB 39K NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HB 40 NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HB 40K NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HB 41 NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HB 41K NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HB 42 NL (1/2"FIP X 3/4"MHT)
HOSE BIBB: HB 42K NL (1/2"FIP X 3/4"MHT)
HOSE BIBB: HB 43 NL (3/4"FIP X 3/4"MHT)
HOSE BIBB: HB 43K NL (3/4"FIP X 3/4"MHT)
HOSE BIBB: HB 44 NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
HOSE BIBB: HB 44K NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
HOSE BIBB: HB 45 NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HB 45K NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HB 64 NL (1/2"MIP X SINGLE BIBBS)
HOSE BIBB: HB 64K NL (1/2"MIP X SINGLE BIBBS)
HOSE BIBB: HB 65 NL (3/4"MIP X SINGLE BIBBS)
HOSE BIBB: HB 65K NL (3/4"MIP X SINGLE BIBBS)
HOSE BIBB: HB 66 NL (1/2"MIP X INSERT BIBBS)
HOSE BIBB: HB 66K NL (1/2"MIP X INSERT BIBBS)
HOSE BIBB: HB 67 NL (3/4"MIP X INSERT BIBBS)
HOSE BIBB: HB 67K NL (3/4"MIP X INSERT BIBBS)
HOSE BIBB: HBH 23 NL (1/2" MIP & 1/2" SWEAT X 3/4"MHT)
HOSE BIBB: HBH 24 NL (3/4" MIP X 3/4"MHT)
HOSE BIBB: HBH 38 NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HBH 38K NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HBH 39 NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HBH 39K NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HBH 40 NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HBH 40K NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HBH 40VB NL (1/2"MIP X 3/4"MHT)
HOSE BIBB: HBH 41 NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HBH 41K NL (3/4"MIP X 3/4"MHT)
HOSE BIBB: HBH 41VB NL (3/4"MIP X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

HOSE BIBB: HBH 42 NL (1/2"FIP X 3/4"MHT)
HOSE BIBB: HBH 42K NL (1/2"FIP X 3/4"MHT)
HOSE BIBB: HBH 42VB NL (1/2"FIP X 3/4"MHT)
HOSE BIBB: HBH 43 NL (3/4"FIP X 3/4"MHT)
HOSE BIBB: HBH 43K NL (3/4"FIP X 3/4"MHT)
HOSE BIBB: HBH 43VB NL (3/4"FIP X 3/4"MHT)
HOSE BIBB: HBH 44 NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
HOSE BIBB: HBH 44K NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
HOSE BIBB: HBH 44VB NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
HOSE BIBB: HBH 45 NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HBH 45A NL (5/8"OD COMP(7/8"-20UNF) X 3/4"MHT)
HOSE BIBB: HBH 45AK NL (5/8" OD COMP X 3/4"MHT)
HOSE BIBB: HBH 45K NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HBH 45VB NL (5/8"OD COMP X 3/4"MHT)
HOSE BIBB: HBS 38 NL (1/2" MIP & 1/2"M SWEAT X 3/4"MHT)
Narrow Wall Hydrant: MF 5 NL (1" MIP X 3/4" MHT)
RISE GRAVITY POP UP: F12 (1/2")
RISE GRAVITY POP UP: F15 (1/2")
RISE GRAVITY POP UP: H12 (1/2")
RISE GRAVITY POP UP: H15 (1/2")
RISE GRAVITY POP UP: Q12 (1/2")
RISE GRAVITY POP UP: Q15 (1/2")
RISE GRAVITY POP UP: RPU 150 (1/2"FIP)
RISE GRAVITY POP UP: RPU 175 (1/2"FIP)
RISE GRAVITY POP UP: RPU 2 NL (1/2"FIP X 3/4"FUNS)
SILCOCK VALVES: HBH 28 NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28A NL (1/2" FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28AK NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28AVB NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28AVBK NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28K NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 28VB NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29 NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29A NL (3/4" FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29AK NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29AVB NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29AVBK NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29K NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 29VB NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: HBH 30 NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 30A NL (1/2" SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 30AK NL (1/2"SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 30AVB NL (1/2"SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 30AVBK NL (1/2"SWEATX 3/4"MHT)
SILCOCK VALVES: HBH 30K NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 30VB NL (3/4"MCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 31 NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 31A NL (3/4" SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 31AK NL (3/4"SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 31AVB NL (3/4"SWEAT X 3/4"MHT)
SILCOCK VALVES: HBH 31AVBK NL (3/4"SWEATX 3/4"MHT)
SILCOCK VALVES: HBH 31K NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 31VB NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: HBH 32AP NL (1/2"PEX F1807 X 3/4"MHT)
SILCOCK VALVES: HBH 32APK NL (1/2"PEX F1807 X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

SILCOCK VALVES: HBH 32APVB NL (1/2"PEX F1807 X 3/4"MHT)
SILCOCK VALVES: HBH 32APVBK NL (1/2"PEX F1807X 3/4"MHT)
SILCOCK VALVES: HBH 32APW NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 32APWK NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 32APWVB NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 32APWVBK NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 33AP NL (3/4"PEX F1807 X 3/4"MHT)
SILCOCK VALVES: HBH 33APK NL (3/4"PEX F1807 X 3/4"MHT)
SILCOCK VALVES: HBH 33APVB NL (3/4"PEX F1807 X 3/4"MHT)
SILCOCK VALVES: HBH 33APVBK NL (3/4"PEX F1807X 3/4"MHT)
SILCOCK VALVES: HBH 33APW NL (3/4"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 33APWK NL (3/4"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 33APWVB NL (3/4"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: HBH 33APWVBK NL (3/4"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: MB 28 NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MB 28B NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MB 29 NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MB 29B NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MB 30 NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MB 30A NL (3/4"FCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MB 30A NL (3/4" FTG& 1/2" SWEAT X 3/4"MHT)
SILCOCK VALVES: MB 30AB NL (3/4"FCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MB 30B NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MB 31 NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: MB 31B NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 28 NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MV 282 NL (1/2"MIP & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 282PX NL (1/2"PEX X 3/4"MHT)
SILCOCK VALVES: MV 28FO NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MV 29 NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MV 29FO NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MV 30 NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 30A NL (3/4"FCXC & 1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 30FO NL (1/2"SWEAT X 3/4"MHT)
SILCOCK VALVES: MV 30SC NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 31 NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: MV 31FO NL (3/4"SWEAT X 3/4"MHT)
SILCOCK VALVES: MV 32PFO NL (1/2"PEX X 3/4"MHT)
SILCOCK VALVES: MV 32PFOVB NL (1/2"PEX X 3/4"MHT)
SILCOCK VALVES: MV 32PWFO NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: MV 32PWFOVB NL (1/2"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: MV 32PX NL (1/2"PEX X 3/4"MHT)
SILCOCK VALVES: MV 32PX SCM MV 32PX SCM(1/2"PEX X 3/4"MHT)
SILCOCK VALVES: MV 33PFO NL (3/4"PEX X 3/4"MHT)
SILCOCK VALVES: MV 33PWFO NL (3/4"PEX F1960 X 3/4"MHT)
SILCOCK VALVES: MV 33PX NL (3/4"PEX X 3/4"MHT)
SILCOCK VALVES: MVO 28 NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MVO 29 NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MVO 30 NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MVO 31 NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: MVON 28 NL (1/2"FIP X 3/4"MHT)
SILCOCK VALVES: MVON 29 NL (3/4"FIP X 3/4"MHT)
SILCOCK VALVES: MVON 30 NL (1/2"FCXC X 3/4"MHT)
SILCOCK VALVES: MVON 31 NL (3/4"FCXC X 3/4"MHT)
SILCOCK VALVES: MVS 28 NL (1/2" FIP X 3/4"MHT)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

SILCOCK VALVES: MVS 29 NL (3/4" FIP X 3/4"MHT)
SILCOCK VALVES: MVS 30 NL (1/2" SWEAT X 3/4"MHT)
SILCOCK VALVES: MVS 30A NL (3/4"FTG & 1/2" SWEAT X 3/4"MHT)
SILCOCK VALVES: MVS 31 NL (3/4" SWEAT X 3/4"MHT)
Water Heater Drain Valves: MV 159 NL (3/4"MIP X 3/4"MHT X 5/8" SHANK LENGTH)
Water Heater Drain Valves: MV 159A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 5/8" SHANK LENGTH)
Water Heater Drain Valves: MV 159AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 5/8" SHANK LENGTH)
Water Heater Drain Valves: MV 159T NL (3/4"MIP X 3/4"MHT X 5/8" SHANK LENGTH)
Water Heater Drain Valves: MV 160 NL (3/4"MIP X 3/4"MHT X 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 160A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 160AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 160T NL (3/4"MIP X 3/4"MHT X 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 161 NL (3/4"MIP X 3/4"MHT X 1" SHANK LENGTH)
Water Heater Drain Valves: MV 161A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1" SHANK LENGTH)
Water Heater Drain Valves: MV 161AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1" SHANK LENGTH)
Water Heater Drain Valves: MV 161T NL (3/4"MIP X 3/4"MHT X 1" SHANK LENGTH)
Water Heater Drain Valves: MV 162 NL (3/4"MIP X 3/4"MHT X 1 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 162A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 162AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 162T NL (3/4"MIP X 3/4"MHT X 1 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 163 NL (3/4"MIP X 3/4"MHT X 1 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 163A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 163AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 163T NL (3/4"MIP X 3/4"MHT X 1 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 164 NL (3/4"MIP X 3/4"MHT X 1 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 164A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 164AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 1 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 164T NL (3/4"MIP X 3/4"MHT X 1 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 165 NL (3/4"MIP X 3/4"MHT X 2" SHANK LENGTH)
Water Heater Drain Valves: MV 165A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2" SHANK LENGTH)
Water Heater Drain Valves: MV 165AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2" SHANK LENGTH)
Water Heater Drain Valves: MV 165T NL (3/4"MIP X 3/4"MHT X 2" SHANK LENGTH)
Water Heater Drain Valves: MV 166 NL (3/4"MIP X 3/4"MHT X 2 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 166A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 166AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 166T NL (3/4"MIP X 3/4"MHT X 2 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 167 NL (3/4"MIP X 3/4"MHT X 2 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 167A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 167AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 167T NL (3/4"MIP X 3/4"MHT X 2 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 168 NL (3/4"MIP X 3/4"MHT X 2 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 168A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 168AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 2 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 168T NL (3/4"MIP X 3/4"MHT X 2 3/4" SHANK LENGTH)
Water Heater Drain Valves: MV 169 NL (3/4"MIP X 3/4"MHT X 3" SHANK LENGTH)
Water Heater Drain Valves: MV 169A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3" SHANK LENGTH)
Water Heater Drain Valves: MV 169AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3" SHANK LENGTH)
Water Heater Drain Valves: MV 169T NL (3/4"MIP X 3/4"MHT X 3" SHANK LENGTH)
Water Heater Drain Valves: MV 170 NL (3/4"MIP X 3/4"MHT X 3 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 170A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 170AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 170T NL (3/4"MIP X 3/4"MHT X 3 1/4" SHANK LENGTH)
Water Heater Drain Valves: MV 171 NL (1/2"FIP X 3/4"MHT)
Water Heater Drain Valves: MV 172 NL (3/4"FIP X 3/4"MHT)
Water Heater Drain Valves: MV 173 NL (3/4"FIP X 3/4"MHT X 1/8"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Water Heater Drain Valves: MV 174 NL (3/4"FIP X 3/4"MHT X 1/8"FIP)
Water Heater Drain Valves: MV 175 NL (1/2"MIP X 3/4"MHT)
Water Heater Drain Valves: MV 176 NL (3/4"MIP X 3/4"MHT X 3 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 176A NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 176AT NL (3/4"MIP & 1/2"FIP X 3/4"MHT X 3 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 176T NL (3/4"MIP X 3/4"MHT X 3 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 376 NL (3/4"MIP & 3/4"FIP X 3/4"MHT X 3 1/2" SHANK LENGTH)
Water Heater Drain Valves: MV 378 NL (3/4"MIP & 3/4"FIP X 3/4"MHT X 4" SHANK LENGTH)
Water Heater Drain Valves: MV 480 NL (3/4"MIP & 3/4"FIP X 3/4"MHT)

Bronze lead free material is available with suffix " Z " on the model number

Bronze lead free material such as C87600, C87800, & C87850 are available with suffix " ZE " on the model number

The following spare parts are available with the below suffixes on the model number:

P = Pegler Handle
X = Handle Cross
TG = Triangular Handle
K = Loose Key Handle
CS = Curb Stop Handle
BF = Butter Fly Handle

B = Brass Nut
S = Stainless Steel bolt
T = Teflon packing
R = Rubber packing
CP = Polish chrome for handle & cover
PB = Polish brass for handle & cover

ALS



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.