



Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

Legend Valve & Fittings, Inc.
300 N. Opdyke Road
Auburn Hills, MI 48236, United States

Plant Location:

Gresik-Jatim, Indonesia

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 08/12/2019

Material/Product:

Mechanical Device

Contact Temperature:

23 ± 2°C

Models:

103-103NL: (1/2"FIP)
103-104NL: (3/4"FIP)
103-105NL: (1"FIP)
103-106NL: (1 1/4"FIP)
103-107NL: (1 1/2"FIP)
103-108NL: (2"FIP)
103-113 NL: (1/2"FIP)
103-114 NL: (3/4"FIP)
103-115 NL: (1"FIP)
103-116 NL: (1 1/4"FIP)
103-117 NL: (1 1/2"FIP)
103-118 NL: (2"FIP)
104-423NL: (5/8"OD COMPRESSION NUT)
104-424NL: (7/8"OD COMPRESSION NUT)
104-425NL: (1 1/8"OD COMPRESSION NUT)
104-433NL: (1/2"FIP & WASTE)
104-435NL: (1"FIP & WASTE)
104-444NL: (3/4"FCXC & WASTE)
104-501NL: (1/4"FIP)
104-502NL: (3/8"FIP)
104-609NL: (2 1/2"FCXC)
104-610NL: (3"FCXC)
104-611NL: (4"FCXC)
104-653NL: (1/2"FIP)
104-654NL: (3/4"FIP)
104-655NL: (1"FIP)
104-656NL: (1 1/4"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

104-657NL: (1 1/2"FIP)
104-658NL: (2"FIP)
104-663NL: (1/2"FCXC)
104-664NL: (3/4"FCXC)
104-665NL: (1"FCXC)
104-666NL: (1 1/4"FCXC)
104-667NL: (1 1/2"FCXC)
104-668NL: (2"FCXC)
104-703NL: (1/2"FIP)
104-704NL: (3/4"FIP)
104-705NL: (1"FIP)
104-706NL: (1 1/4"FIP)
104-707NL: (1 1/2"FIP)
104-708NL: (2"FIP)
104-709NL: (2 1/2"FIP)
104-710NL: (3"FIP)
104-711NL: (4"FIP)
104-723NL: (1/2"FCXC)
104-724NL: (3/4"FCXC)
104-725NL: (1"FCXC)
104-726NL: (1 1/4"FCXC)
104-727NL : (1 1/2"FCXC)
104-728NL: (2"FCXC)
104-733NL: (1/2"FIP) WITH CROSS HANDLE
104-734NL: (3/4"FIP) WITH CROSS HANDLE
104-735NL: (1"FIP) WITH CROSS HANDLE
104-736NL: (1 1/4"FIP) WITH CROSS HANDLE
104-737NL: (1 1/2"FIP) WITH CROSS HANDLE
104-738NL: (2"FIP) WITH CROSS HANDLE
105-106NL: (1/2"FIP)
105-107NL: (3/4"FIP)
105-303NL: (1/2"FIP)
105-304NL: (3/4"FIP)
105-305NL: (1"FIP)
105-306NL: (1 1/4"FIP)
105-307NL: (1 1/2"FIP)
105-308NL: (2"FIP)
105-403NL: (1/2"FCXC)
105-404NL: (3/4"FCXC)
105-405NL: (1"FCXC)
105-406NL: (1 1/4"FCXC)
105-407NL: (1 1/2"FCXC)
105-408NL: (2"FCXC)
105-443 NL: (1/2"FIP X 1/2"FIP)
105-444 NL: (3/4"FIP X 3/4"FIP)
105-445 NL: (1"FIP X 1"FIP)
105-446 NL: (1 1/4"FIP X 1 1/4"FIP)
105-447 NL: (1 1/2"FIP X 1 1/2"FIP)
105-448 NL: (2"FIP X 2"FIP)
105-463 NL: (1/2"FCXC X 1/2"FCXC)
105-464 NL: (3/4"FCXC X 3/4"FCXC)
105-465 NL: (1"FCXC X 1"FCXC)
105-466 NL: (1 1/4"FCXC X 1 1/4"FCXC)
105-467 NL: (1 1/2"FCXC X 1 1/2"FCXC)
105-468 NL: (2"FCXC X 2"FCXC)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

107-247NL: (1/2"FCXC & WASTE)
110-115NL: (1"FIP X 1"MIP)
110-116NL: (1 1/4"FIP X 1 1/4"MIP)
110-125NL: (1"FIP X 1"FIP)
110-126NL: (1 1/4"FIP X 1 1/4"FIP)
110-143NL: (1/2"FIP X 1/2"MIP)
110-147NL: (3/4"FIP X 3/4"MIP)
110-148NL: (1"FIP X 1"MIP)
110-149NL: (1 1/4"FIP X 1 1/4"MIP)
110-163NL: (1/2"FIP X 1/2"MIP)
110-164NL: (3/4"FIP X 3/4"MIP)
110-165NL: (1/2"FCXC X 1/2"MIP)
110-166NL: (3/4"FCXC X 3/4"MIP)
110-168NL: (1"FIP X 1"MIP)
110-169NL: (1 1/4"FIP X 1 1/4"MIP)
110-243NL: (1/2"FIP X 1/2"MIP)
110-244NL: (3/4"FIP X 3/4"MIP)
110-245NL: (1"FIP X 1"MIP)
110-246NL: (1 1/4"FIP X 1 1/4"MIP)
110-247NL: (1 1/2"FIP X 1 1/2"MIP)
110-404NL: (3/4"FCXC)
110-405NL: (1"FCXC)
110-406NL: (1 1/4"FCXC)
111-152NL: (1/2"MIP X 1/2"MIP)
111-154NL: (1/2"MIP X 1/2"MIP)
114-144NL: (3/4"FIP & WASTE)
302-306NL: (1/2"MIP X 1/2"FCXC)
302-307NL: (3/4"MIP X 3/4"FCXC)
302-308NL: (1"MIP X 1"FCXC)
302-309NL: (1 1/4"MIP X 1 1/4"FCXC)
302-604NL: (1 1/2"MIP)
302-605NL: (2"MIP)
302-606NL: (2 1/2"MIP)
302-607NL: (3"MIP)
302-608NL: (3 1/2"MIP)
302-609NL: (4"MIP)
302-610NL: (5"MIP)
302-611NL: (6"MIP)
302-624NL: (1 1/2"MIP)
302-625NL: (2"MIP)
302-626NL: (2 1/2"MIP)
302-627NL: (3"MIP)
302-628NL: (3 1/2"MIP)
302-629NL: (4"MIP)
302-630NL: (5"MIP)
302-631NL: (6"MIP)
302-632NL: (8"MIP)
302-635NL: (5 1/2"MIP)
312-003NL
312-004NL
312-005NL
312-006NL
312-007NL
312-008NL
312-014NL



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.


ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

312-016NL
312-017NL
312-025NL
312-026NL
312-043NL
312-044NL
312-045NL
312-046NL
312-047NL
312-048NL
312-054NL
312-055NL
312-056NL
312-063NL
312-064NL
312-074NL
312-075NL
312-076NL
312-084NL
312-085NL
312-086NL
312-087NL
312-095NL
312-104NL
312-105NL
312-106NL
312-115NL
312-116NL
312-126NL
312-163NL
312-164NL
312-165NL
312-166NL
312-167NL
312-168NL
312-225NL: (1"FIP X 1"FIP)
312-226NL: (1 1/4"FIP X 1 1/4"FIP)
313-123NL: (1/2"MIP X 3/4"FIP)
313-124NL: (3/4"MIP X 1"FIP)
313-125NL: (1"MIP X 1 1/4"FIP)
313-127NL: (1 1/2"MIP X 2"FIP)
313-128NL: (2"MIP X 2 1/2"FIP)



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.