



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Certified Product Listing

For:

Drinking Water System Components – Health Effects

Company:

Ross Valve Mfg. Co., Inc.
79 102nd St- Suite 100
Troy, NY 12180, United States

Plant Location:

Troy, NY, United States

Standards:

NSF/ANSI/CAN 61 - 2022
NSF/ANSI 372 - 2022

Certificate:

Issued Date: 04/27/2020

Material/Product:

Globe Body Water Control Valves

Contact Temperature:

23 ± 2°C

Models:

20F/21F SERIES
20WR-PRV
23DP
23RWR
23WR
30AWR
40AWR
40DAWR
40DP
40RF
40WR
42AFCV
42WR
42WRS
43WR
45FWR SERIES
45WR
50FWR
50RWR SERIES
70SWR SERIES
98EP
STRAINER SERIES
T SERIES/PILOTS (21T-30T)

Anticavitation trim/options



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099

Suffixes:

Wetted Parts:

IE â€" All External Controls
A â€" Surge Control (Hydraulic Trigger)
ACAV â€" Anti-Cavitation Trim
ACAV3 â€" Anti-Cavitation Trim (3 Stage)
AL â€" Altitude Pilot
AP â€" Auxiliary Pilot
BP â€" Back Pressure Sustaining Pilot
CE â€" Check Feature (External)
CI â€" Check Feature (Internal)
DO â€" Delayed Opening
DP â€" Differential Pilot
EX â€" Exhaust Feature
LD â€" Low Differential Pilot
LFBP â€" Low Flow Bypass
MB â€" Manual Bypass
PR â€" Pressure Reducing Pilot
R â€" Reverse Flow
REL â€" Relief Pilot
REM â€" Remote Pilot
RF â€" Rate of Flow Pilot
SL â€" Slow Close Pilot
TDC â€" Top Differential Cylinder
VB â€" Vacuum Breaker
DI â€" Ductile Iron (Body and Caps)
RPB â€" Reduced Ported Valve Body
RSF â€" Reduced Size Flanges
SS â€" Stainless Steel Trim
SS23 â€" Stainless Steel Bottom Cylinder
SSC â€" Stainless Steel Cylinders
SSP â€" Stainless Steel Pilot Seat
STL â€" Steel Body and Cap(s)
ASF â€" Automatic Strainer Flush
DN â€" Dual Speed Control Valves
DS â€" Dual Strainers
H â€" Hydrant Connection
IR â€" Indicator Rod
PI â€" Pipe Inserts
TOP â€" Top Piping Configuration

Non-Wetted Parts:

MSC â€" Manual Stop: Limits Closing
EC â€" Emergency Quick Close
ELA â€" Electric Actuator
MGA â€" Manual Gear Actuator
CS â€" Chrome Superstructure (Fire Valves)
AX â€" 2-Point Active Pressure Control
CP â€" Pump Control Panel (Mechanical Relay)
DATA â€" Data-Logger Package
DLS â€" Dual Limit Switches
LPT â€" Linear Potentiometer Transmitter
LR â€" Latching Relay: Stays closed until manual override
LS â€" Limit Switch
MYS â€" Yoke Stop: Limits Opening
SAC â€" Spring Assembly: Closing Assist
SAO â€" Spring Assembly: Opening Assist
MC2000F â€" Flow Control Panel
MC2000L â€" Level Control Panel
MC2000PT â€" Pressure Control Panel
MC2000VP â€" Valve Position Panel
MC2001P â€" Pump Control Panel (PLC Based)
MP â€" Reversible Electric Motor
RPT â€" Rotary Potentiometer Transmitter
SI â€" Setting Indicator
TD â€" Time Delay
TF â€" Traveling Float



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.



ALS Group USA, Corp.

10450 Stancliff Rd. Suite 210 Houston, Texas 77099



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.

ALS Group's Product Certification Listing directory contains the most current certified product(s) and supersedes all printed copies of the listings.