



Certified Product Listing

For:

Drinking Water System Components - Health Effects

Company:

A.Y. McDonald Mfg. Co.
4800 Chavenelle Road
Dubuque, IA 52004-0508, United States

Plant Location:

Elizabethton, TN, United States

Standards:

NSF/ANSI/CAN 61 - 2020
NSF/ANSI/CAN 372 - 2020

Certificate:

Issued Date: 12/11/2018

Material/Product:

Connections

Contact Temperature:

23 ± 2°C

Models:

708T*
708U*
708Y2*
708Y3*
708Y4*
708YS*
708YT*
709T*#(2)*
709U*#(2)
710J11
710J12
710J13
710J14
710J21
710J22
710J23
710J24
710J34
710J44
710J45
710J46
710J47
710J67
710J67DH
710J77DH
714-154*
714-179*



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

3337 Michelson Drive, Suite CN750, Irvine, CA 92612

- 714-1EHG
- 714-1ESG
- 714-1WEHG
- 714-254*
- 714-279*
- 714-2EHG
- 714-2ESG
- 714-2WEHG
- 714-454*
- 714-479*
- 714-4EHG
- 714-4ESG
- 714-4WEHG
- 714U2E x(number)
- 714U2EYBV x(number)
- 73202
- 73205*
- 73206*
- 732060*
- 73207
- 73208*
- 732080*
- 73209
- 74000
- 740MJ
- 74321
- 74322
- 74619*(1)
- 74620*
- 74620B
- 74620BB
- 74621*
- 74621B
- 74622*
- 74623*
- 74624
- 74626
- 74628*
- 74629
- 74632
- 74636
- 74637
- 74638*
- 74660*
- 74692
- 747-541*
- 747011
- 747014
- 747041
- 74742*
- 74746*
- 74747
- 74749*
- 74750*
- 74750SL



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.



ALS Group USA, Corp.

3337 Michelson Drive, Suite CN750, Irvine, CA 92612

- 74751*
- 74753*
- 74754*
- 74755*
- 74756*
- 74758*
- 74759*
- 74760*
- 74761*
- 74762*
- 74763*
- 74764*
- 74765
- 74776*
- 74776SL
- 74777
- 74779*
- 74783*
- 74783SL
- 7610*
- 7610*
- 7611*
- 76130*

U-BRANCH Assembly outlet valve designations ("A", "B", "C", "E", "F", "G", "H", "J", "K"); (1) - 74619S and 74619U not certified;
 (2) - U-BRANCH Assembly (size up to and including 2" inlet x 1" outlet x 9" spread); x(number) - signifies a type of UFR device
 e.g. x950 indicates a volumetric UFR

*DENOTES ADDITIONAL ALPHA NUMERIC CHARACTERS OF THE PRODUCT DESIGNATION WHICH DESCRIBE SPECIFIC CHARACTERISTICS OF THE PRODUCT. MODEL NUMBERS FOLLOWED BY A "B", OR "SL", ARE NOT CERTIFIED UNLESS LISTED SEPARATELY. THE FOLLOWING ARE EXAMPLES OF COMMON PRODUCT DESIGNATIONS THAT ARE CERTIFIED: "S", "K", "T", "Q", "G", "H", "-22", "-33", "-44", "-55", "-3G", "-3H", "-3Q", "F", "BSP", "L", "C", "-66", "-67", "-68", "LF", "3T", "TE", OR "M". PRODUCT DESIGNATIONS ARE NOT LIMITED TO THESE LISTED AND MAY BE IN COMBINATIONS FOR SOME MODELS.



Product certified to NSF/ANSI/CAN 372 conforms to the requirements for "Lead Free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by section 1417 of the US SDWA.