



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**



**ALS Global USA, Corp.**

3337 Michelson Drive  
Irvine, CA 92612  
Phone: 7147306239

**Certificate Number: 1237  
Expiration Date: 7/31/2024**

**Field of Accreditation:101 - Microbiology of Drinking Water**

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure
101.050	011	Total Coliform (Enumeration)	SM 9223 B Colisure
101.050	012	E. coli (Enumeration)	SM 9223 B Colisure

**Field of Accreditation:102 - Inorganic Chemistry of Drinking Water**

102.020	001	Turbidity	EPA 180.1
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (Calculation)	EPA 200.7
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.100	001	Alkalinity	SM 2320 B-1997
102.121	001	Hardness	SM 2340 C-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.240	001	Phosphate,Ortho (as P)	SM 4500-P E-1999
102.243	001	Silica	SM 4500-SiO2 D-1997
102.262	001	Organic Carbon-Total (TOC)	SM 5310 C-2000
102.263	001	Dissolved Organic Carbon (DOC)	SM 5310 C-2000
102.280	001	UV254	SM 5910 B-2011

**Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water**

103.130	001	Aluminum	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	017	Zinc	EPA 200.7

As of 8/30/2022 , this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

103.130	018	Boron	EPA 200.7
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.160	001	Mercury	EPA 245.1

**Field of Accreditation:107 - Microbiological Methods for Non-Potable Water and Sewage Sludge**

107.001	001	Total Coliform (Enumeration)	SM 9221 B,C-2006
107.001	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.007	002	Fecal Streptococci	SM 9230 B-2007
107.013	001	E. coli (Enumeration)	SM 9223 B-2004 Collert
107.017	001	Enterococci	Enterolert

**Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water**

108.009	001	Turbidity	EPA 180.1 (1993 Rev. 2.0)
108.013	001	Calcium	EPA 200.7 (1994 Rev. 4.4)
108.013	002	Magnesium	EPA 200.7 (1994 Rev. 4.4)
108.013	004	Potassium	EPA 200.7 (1994 Rev. 4.4)
108.013	006	Sodium	EPA 200.7 (1994 Rev. 4.4)
108.017	002	Chloride	EPA 300.0 (1993 Rev. 2.1)
108.017	003	Fluoride	EPA 300.0 (1993 Rev. 2.1)
108.017	004	Nitrate (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	006	Nitrite (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	008	Sulfate (as SO4)	EPA 300.0 (1993 Rev. 2.1)
108.055	001	Color	SM 2120 B-2011
108.059	001	Turbidity	SM 2130 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.067	001	Hardness	SM 2340 C-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.071	001	Residue, Total	SM 2540 B-2011

108.073	001	Residue, Filterable TDS	SM 2540 C-2011
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.079	001	Residue, Settleable	SM 2540 F-2011
108.114	001	Chlorine, Total Residual	SM 4500-CI G-2011
108.114	002	Chlorine, Free	SM 4500-CI G-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.175	001	Phosphate,Ortho (as P)	SM 4500-P E-2011
108.175	002	Phosphorus,Total	SM 4500-P E-2011
108.201	001	Sulfide (as S)	SM 4500-S D-2011
108.207	001	Biochemical Oxygen Demand	SM 5210 B-2011
108.207	002	Carbonaceous BOD	SM 5210 B-2011
108.213	001	Chemical Oxygen Demand	SM 5220 D-2011
108.217	001	Organic Carbon-Total (TOC)	SM 5310 C-2011
108.341	001	Ammonia (as N)	Timberline Ammonia-001

**Field of Accreditation:109 - Metals and Trace Elements in Non-Potable Water**

109.623	001	Aluminum	EPA 200.7 (1994 Rev. 4.4)
109.623	002	Antimony	EPA 200.7 (1994 Rev. 4.4)
109.623	003	Arsenic	EPA 200.7 (1994 Rev. 4.4)
109.623	004	Barium	EPA 200.7 (1994 Rev. 4.4)
109.623	005	Beryllium	EPA 200.7 (1994 Rev. 4.4)
109.623	006	Boron	EPA 200.7 (1994 Rev. 4.4)
109.623	007	Cadmium	EPA 200.7 (1994 Rev. 4.4)
109.623	008	Chromium	EPA 200.7 (1994 Rev. 4.4)
109.623	009	Cobalt	EPA 200.7 (1994 Rev. 4.4)
109.623	010	Copper	EPA 200.7 (1994 Rev. 4.4)
109.623	011	Iron	EPA 200.7 (1994 Rev. 4.4)
109.623	012	Lead	EPA 200.7 (1994 Rev. 4.4)
109.623	013	Manganese	EPA 200.7 (1994 Rev. 4.4)
109.623	014	Molybdenum	EPA 200.7 (1994 Rev. 4.4)
109.623	015	Nickel	EPA 200.7 (1994 Rev. 4.4)
109.623	016	Selenium	EPA 200.7 (1994 Rev. 4.4)
109.623	017	Silver	EPA 200.7 (1994 Rev. 4.4)
109.623	018	Thallium	EPA 200.7 (1994 Rev. 4.4)
109.623	019	Tin	EPA 200.7 (1994 Rev. 4.4)
109.623	021	Vanadium	EPA 200.7 (1994 Rev. 4.4)
109.623	022	Zinc	EPA 200.7 (1994 Rev. 4.4)
109.625	001	Aluminum	EPA 200.8 (1994 Rev. 5.4)
109.625	002	Antimony	EPA 200.8 (1994 Rev. 5.4)
109.625	003	Arsenic	EPA 200.8 (1994 Rev. 5.4)
109.625	004	Barium	EPA 200.8 (1994 Rev. 5.4)
109.625	005	Beryllium	EPA 200.8 (1994 Rev. 5.4)
109.625	007	Cadmium	EPA 200.8 (1994 Rev. 5.4)

109.625	008	Chromium	EPA 200.8 (1994 Rev. 5.4)
109.625	009	Cobalt	EPA 200.8 (1994 Rev. 5.4)
109.625	010	Copper	EPA 200.8 (1994 Rev. 5.4)
109.625	012	Iron	EPA 200.8 (1994 Rev. 5.4)
109.625	013	Lead	EPA 200.8 (1994 Rev. 5.4)
109.625	014	Manganese	EPA 200.8 (1994 Rev. 5.4)
109.625	015	Molybdenum	EPA 200.8 (1994 Rev. 5.4)
109.625	016	Nickel	EPA 200.8 (1994 Rev. 5.4)
109.625	017	Selenium	EPA 200.8 (1994 Rev. 5.4)
109.625	018	Silver	EPA 200.8 (1994 Rev. 5.4)
109.625	019	Thallium	EPA 200.8 (1994 Rev. 5.4)
109.625	022	Vanadium	EPA 200.8 (1994 Rev. 5.4)
109.625	023	Zinc	EPA 200.8 (1994 Rev. 5.4)
109.635	001	Mercury	EPA 245.1

**Field of Accreditation: 114 - Inorganic Constituents in Hazardous Waste**

114.315	002	Antimony	EPA 6010 B
114.315	003	Arsenic	EPA 6010 B
114.315	004	Barium	EPA 6010 B
114.315	005	Beryllium	EPA 6010 B
114.315	007	Cadmium	EPA 6010 B
114.315	009	Chromium	EPA 6010 B
114.315	010	Cobalt	EPA 6010 B
114.315	011	Copper	EPA 6010 B
114.315	013	Lead	EPA 6010 B
114.315	016	Molybdenum	EPA 6010 B
114.315	017	Nickel	EPA 6010 B
114.315	019	Selenium	EPA 6010 B
114.315	020	Silver	EPA 6010 B
114.315	023	Thallium	EPA 6010 B
114.315	026	Vanadium	EPA 6010 B
114.315	027	Zinc	EPA 6010 B
114.335	002	Antimony	EPA 6020
114.335	003	Arsenic	EPA 6020
114.335	004	Barium	EPA 6020
114.335	005	Beryllium	EPA 6020
114.335	006	Cadmium	EPA 6020
114.335	007	Chromium	EPA 6020
114.335	008	Cobalt	EPA 6020
114.335	009	Copper	EPA 6020
114.335	010	Lead	EPA 6020
114.335	012	Nickel	EPA 6020
114.335	013	Silver	EPA 6020

114.335	014	Thallium	EPA 6020
114.335	015	Zinc	EPA 6020
114.335	016	Molybdenum	EPA 6020
114.335	017	Selenium	EPA 6020
114.335	018	Vanadium	EPA 6020
114.345	015	Mercury	EPA 6020 B
114.535	001	Mercury	EPA 7471 A

**Field of Accreditation:115 - Leaching/Extraction Tests and Physical Characteristics of Hazardous Waste**

115.055	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
115.085	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.135	001	Corrosivity - pH Determination	EPA 9045 C

**Field of Accreditation:126 - Microbiological Methods for Ambient Water**

126.015	001	E. coli (Enumeration)	SM 9223 B-2004 Collert
126.019	001	Enterococci	Enterolert

**Field of Accreditation:130 - Inorganic constituents in Hazardous waste (Matrix Aqueous)**

130.250	001	Mercury	EPA 7470 A
---------	-----	---------	------------

**Field of Accreditation:131 - Leaching/Extraction, Physical Chacterstics in Hazardous Waste (Matrix Aqueous)**

131.060	001	Ignitability	EPA 1010
---------	-----	--------------	----------